

File No.: 04-1000-20-2018-156

June 11, 2018

s.22(1)

Dear s.22(1)

Re: **Request for Access to Records under the Freedom of Information and Protection of Privacy Act (the "Act")**

I am responding to your request dated March 14, 2018 under the ***Freedom of Information and Protection of Privacy Act, (the Act)***, for:

**All "runs" as in digital descriptions of events via a computer-aided dispatch service where Vancouver Fire & Rescue Services was dispatched, since the date of their radio encryption on approximately February 27, 2018 to March 14, 2018. Such a table would include date, time, case number, address, initial dispatch incident type and initial description. The address can be rounded down to the nearest 100-block.**


All responsive records are attached. Some information in the records has been severed, (blacked out), under s.22(1) of the Act. You can read or download this section here: [http://www.bclaws.ca/EPLibraries/bclaws\\_new/document/ID/freeside/96165\\_00](http://www.bclaws.ca/EPLibraries/bclaws_new/document/ID/freeside/96165_00)

Under section 52 of the Act you may ask the Information & Privacy Commissioner to review any matter related to the City's response to your request. The Act allows you 30 business days from the date you receive this notice to request a review by writing to: Office of the Information & Privacy Commissioner, [info@oipc.bc.ca](mailto:info@oipc.bc.ca) or by phoning 250-387-5629.

If you request a review, please provide the Commissioner's office with: 1) the request number assigned to your request (04-1000-20-2018-156); 2) a copy of this letter; 3) a copy of your original request for information sent to the City of Vancouver; and 4) detailed reasons or grounds on which you are seeking the review.

Yours truly,

Cobi Falconer, FOI Case Manager, for

A handwritten signature in black ink, appearing to read 'Cobi', followed by a large, stylized flourish.

**Barbara J. Van Fraassen, BA**  
**Director, Access to Information & Privacy**

[Barbara.vanfraassen@vancouver.ca](mailto:Barbara.vanfraassen@vancouver.ca)  
453 W. 12th Avenue Vancouver BC V5Y 1V4

\*If you have any questions, please email us at [foi@vancouver.ca](mailto:foi@vancouver.ca) and we will respond to you as soon as possible. Or you can call the FOI Case Manager at 604.871.6584.

:ag

| Incident # | Hundred Block | Direction | Street Name | Incident Begin Time | EC Incident Type                                  | Incident Type Description                                                     | Shift |
|------------|---------------|-----------|-------------|---------------------|---------------------------------------------------|-------------------------------------------------------------------------------|-------|
| 180010141  | 0 E           | 10TH      |             | 2/27/2018 18:04     | S.22(1)                                           |                                                                               | D     |
| 180010991  | 0 E           | 10TH      |             | 3/5/2018 0:22       | Response - Cancelled - On Scene                   | S.22(1)                                                                       | B     |
| 180011260  | 0 W           | 10TH      |             | 3/6/2018 14:50      | Response - Cancelled - On Scene                   | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE                     | D     |
| 180010761  | 100 W         | 10TH      |             | 3/3/2018 10:59      | S.22(1)                                           |                                                                               | C     |
| 180012715  | 300 W         | 10TH      |             | 3/14/2018 23:47     | Alarm Active/No Fire - Detector - Cooking         | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE | C     |
| 180011489  | 300 E         | 10TH      |             | 3/7/2018 23:43      | S.22(1)                                           |                                                                               | D     |
| 180012442  | 500 W         | 10TH      |             | 3/13/2018 10:38     |                                                   |                                                                               | D     |
| 180011578  | 500 W         | 10TH      |             | 3/8/2018 13:03      | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | A     |
| 180012157  | 800 W         | 10TH      |             | 3/11/2018 16:44     | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | C     |
| 180010442  | 800 W         | 10TH      |             | 3/1/2018 14:32      | S.22(1)                                           |                                                                               | B     |
| 180011182  | 900 W         | 10TH      |             | 3/6/2018 5:52       | Alarm Active/No Fire - Detector - Carbon Monoxide | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | C     |
| 180012588  | 1700 W        | 10TH      |             | 3/14/2018 9:42      | Alarm Active/No Fire - Testing                    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | D     |
| 180011878  | 1700 W        | 10TH      |             | 3/10/2018 2:51      | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                             | A     |
| 180011893  | 1800 E        | 10TH      |             | 3/10/2018 4:30      | S.22(1)                                           |                                                                               | A     |
| 180011953  | 1800 E        | 10TH      |             | 3/10/2018 13:17     |                                                   |                                                                               | B     |
| 180012080  | 2000 W        | 10TH      |             | 3/11/2018 5:39      | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                       | A     |
| 180010269  | 2000 W        | 10TH      |             | 2/28/2018 14:36     | S.22(1)                                           |                                                                               | A     |
| 180010378  | 2000 W        | 10TH      |             | 3/1/2018 4:41       | Response - Cancelled - No Response                | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            | D     |
| 180012352  | 2000 W        | 10TH      |             | 3/12/2018 19:20     | S.22(1)                                           |                                                                               | B     |
| 180012138  | 3500 W        | 10TH      |             | 3/11/2018 14:53     |                                                   |                                                                               | C     |
| 180010703  | 3600 W        | 10TH      |             | 3/3/2018 1:20       |                                                   |                                                                               | A     |
| 180012190  | 4200 W        | 10TH      |             | 3/11/2018 20:25     |                                                   |                                                                               | B     |
| 180010951  | 4300 W        | 10TH      |             | 3/4/2018 18:16      |                                                   |                                                                               | B     |
| 180011325  | 4300 W        | 10TH      |             | 3/6/2018 21:08      | Alarm Active/No Fire - Unclassified(remarks req)  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | C     |
| 180012563  | 4300 W        | 10TH      |             | 3/14/2018 3:55      | Alarm Active/No Fire - Unclassified(remarks req)  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | C     |
| 180012572  | 4600 W        | 10TH      |             | 3/14/2018 7:50      | S.22(1)                                           |                                                                               | D     |
| 180010147  | 4600 W        | 10TH      |             | 2/27/2018 19:20     |                                                   |                                                                               | D     |
| 180011770  | 4600 W        | 10TH      |             | 3/9/2018 14:25      |                                                   |                                                                               | B     |
| 180012582  | 4600 W        | 10TH      |             | 3/14/2018 8:40      |                                                   |                                                                               | D     |
| 180011512  | 4600 W        | 10TH      |             | 3/8/2018 4:08       |                                                   |                                                                               | D     |
| 180012525  | 0 W           | 11TH      |             | 3/13/2018 19:40     | Response - Cancelled - On Scene                   | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK        | C     |
| 180011569  | 100 E         | 11TH      |             | 3/8/2018 11:49      | S.22(1)                                           |                                                                               | A     |
| 180011453  | 200 E         | 11TH      |             | 3/7/2018 18:44      |                                                   |                                                                               | D     |
| 180012488  | 1000 E        | 11TH      |             | 3/13/2018 14:58     |                                                   |                                                                               | D     |
| 180010265  | 1100 W        | 11TH      |             | 2/28/2018 13:57     |                                                   |                                                                               | A     |
| 180011248  | 1400 E        | 11TH      |             | 3/6/2018 13:52      |                                                   |                                                                               | D     |
| 180010719  | 1800 E        | 11TH      |             | 3/3/2018 3:11       |                                                   |                                                                               | A     |
| 180011047  | 1800 E        | 11TH      |             | 3/5/2018 10:51      |                                                   |                                                                               | D     |
| 180012369  | 1800 E        | 11TH      |             | 3/12/2018 21:13     |                                                   |                                                                               | B     |
| 180012139  | 2000 W        | 11TH      |             | 3/11/2018 14:53     |                                                   |                                                                               | C     |
| 180010998  | 2800 W        | 11TH      |             | 3/5/2018 2:57       |                                                   |                                                                               | B     |
| 180010817  | 2900 W        | 11TH      |             | 3/3/2018 18:56      |                                                   |                                                                               | B     |
| 180010334  | 3800 W        | 11TH      |             | 2/28/2018 21:20     | Response - Cancelled - On Scene                   | S.22(1)                                                                       | D     |
| 180011526  | 3800 W        | 11TH      |             | 3/8/2018 7:51       | S.22(1)                                           |                                                                               | A     |
| 180010884  | 0 E           | 12TH      |             | 3/4/2018 7:26       | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                                    | C     |
| 180011006  | 0 E           | 12TH      |             | 3/5/2018 5:21       | S.22(1)                                           |                                                                               | B     |
| 180012040  | 0 W           | 12TH      |             | 3/10/2018 22:54     |                                                   |                                                                               | A     |
| 180012269  | 0 E           | 12TH      |             | 3/12/2018 9:43      | MVI - With No Injuries                            | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                                    | C     |
| 180012492  | 0 W           | 12TH      |             | 3/13/2018 15:18     | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS                | D     |
| 180012670  | 0 E           | 12TH      |             | 3/14/2018 18:33     | Response - Cancelled - On Scene                   | S.22(1)                                                                       | C     |
| 180012674  | 0 E           | 12TH      |             | 3/14/2018 19:12     | Response - Cancelled - En Route                   |                                                                               | C     |



|           |        |      |                 |                                                    |                                                                         |   |
|-----------|--------|------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------|---|
| 180010179 | 500 W  | 12TH | 2/27/2018 23:01 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180012568 | 500 W  | 12TH | 3/14/2018 6:44  | Haz-Mat - Gases - Natural Gas                      | SMELL OF COMPRESSED GAS INSIDE                                          | C |
| 180012574 | 500 W  | 12TH | 3/14/2018 8:00  | Haz-Mat - Gases                                    | EXTREME DANGER, HIGH POTENTIAL FOR ESCALATION AND PERSONAL EXPOSURE     | D |
| 180010880 | 500 W  | 12TH | 3/4/2018 6:01   | s.22(1)                                            |                                                                         | B |
| 180010901 | 600 E  | 12TH | 3/4/2018 12:20  |                                                    |                                                                         | C |
| 180010148 | 800 W  | 12TH | 2/27/2018 19:49 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180010333 | 800 W  | 12TH | 2/28/2018 21:17 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180011261 | 1500 W | 12TH | 3/6/2018 15:03  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180012692 | 1800 W | 12TH | 3/14/2018 20:28 | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | C |
| 180011018 | 2700 E | 12TH | 3/5/2018 7:50   | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180010530 | 2800 E | 12TH | 3/2/2018 3:48   | s.22(1)                                            |                                                                         | A |
| 180010256 | 900 E  | 13TH | 2/28/2018 12:18 |                                                    |                                                                         | A |
| 180010604 | 1100 W | 13TH | 3/2/2018 13:54  |                                                    |                                                                         | B |
| 180011368 | 1400 E | 13TH | 3/7/2018 4:15   | Response - Cancelled - On Scene                    | s.22(1)                                                                 | C |
| 180010668 | 1600 E | 13TH | 3/2/2018 20:50  | s.22(1)                                            |                                                                         | A |
| 180011375 | 1600 E | 13TH | 3/7/2018 6:10   |                                                    |                                                                         | C |
| 180011484 | 1600 W | 13TH | 3/7/2018 22:57  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                       | D |
| 180011194 | 2700 W | 13TH | 3/6/2018 8:03   | s.22(1)                                            |                                                                         | D |
| 180010128 | 3900 W | 13TH | 2/27/2018 16:31 | Response - Cancelled - En Route                    | s.22(1)                                                                 | A |
| 180012149 | 0 W    | 14TH | 3/11/2018 16:05 | s.22(1)                                            |                                                                         | C |
| 180012258 | 0 E    | 14TH | 3/12/2018 8:07  | Response - Cancelled - En Route                    | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | C |
| 180011058 | 200 E  | 14TH | 3/5/2018 11:49  | s.22(1)                                            |                                                                         | D |
| 180010218 | 300 E  | 14TH | 2/28/2018 7:02  |                                                    |                                                                         | A |
| 180011124 | 300 W  | 14TH | 3/5/2018 18:17  |                                                    |                                                                         | C |
| 180012092 | 500 W  | 14TH | 3/11/2018 9:06  | Response - Cancelled - On Scene                    |                                                                         | C |
| 180011485 | 1100 E | 14TH | 3/7/2018 23:01  | s.22(1)                                            |                                                                         | D |
| 180010870 | 1200 W | 14TH | 3/4/2018 2:34   | FIRE - Fire Department Responded Reportable - 1000 | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | B |
| 180011474 | 1400 W | 14TH | 3/7/2018 20:59  | s.22(1)                                            |                                                                         | D |
| 180012136 | 2800 W | 14TH | 3/11/2018 14:52 |                                                    |                                                                         | C |
| 180010263 | 3300 W | 14TH | 2/28/2018 13:11 | Public Hazard - Lines Down                         | WIRES OVERHEAD - ELECTRICAL PROBLEM WITH OVERHEAD WIRES                 | A |
| 180011574 | 4300 W | 14TH | 3/8/2018 12:19  | s.22(1)                                            |                                                                         | A |
| 180012473 | 100 W  | 15TH | 3/13/2018 13:12 | Response - Cancelled - On Scene                    | s.22(1)                                                                 | D |
| 180011216 | 500 E  | 15TH | 3/6/2018 10:53  | s.22(1)                                            |                                                                         | D |
| 180011204 | 600 E  | 15TH | 3/6/2018 9:25   | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180012296 | 700 E  | 15TH | 3/12/2018 12:49 | s.22(1)                                            |                                                                         | C |
| 180012000 | 1300 W | 15TH | 3/10/2018 18:12 | Haz-Mat - Gases - Natural Gas                      | SMELL OF COMPRESSED GAS INSIDE                                          | A |
| 180012466 | 1400 W | 15TH | 3/13/2018 12:26 | s.22(1)                                            |                                                                         | D |
| 180010346 | 1400 W | 15TH | 2/28/2018 22:23 | FIRE - Fire Department Responded Reportable - 1000 | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | D |
| 180010062 | 1400 W | 15TH | 2/27/2018 9:03  | s.22(1)                                            |                                                                         | A |
| 180010788 | 2100 W | 15TH | 3/3/2018 15:23  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180011144 | 2700 W | 15TH | 3/5/2018 20:10  | s.22(1)                                            |                                                                         | C |
| 180011844 | 2900 W | 15TH | 3/9/2018 23:21  |                                                    |                                                                         | A |
| 180010855 | 0 W    | 16TH | 3/4/2018 0:56   | MVI - Extrication Required                         | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS          | B |
| 180010885 | 0 W    | 16TH | 3/4/2018 7:49   | MVI - Routine Cleanup                              | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL               | C |
| 180010891 | 0 W    | 16TH | 3/4/2018 9:56   | MVI - Routine Cleanup                              | MVI - CLEAN-UP, NO INJURIES                                             | C |
| 180012445 | 200 W  | 16TH | 3/13/2018 10:58 | FIRE - Fire Department Responded Reportable - 1000 | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                    | D |
| 180010261 | 400 E  | 16TH | 2/28/2018 13:00 | s.22(1)                                            |                                                                         | A |
| 180010086 | 500 E  | 16TH | 2/27/2018 11:44 |                                                    |                                                                         | A |
| 180012260 | 500 E  | 16TH | 3/12/2018 8:24  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                       | C |
| 180010236 | 1100 W | 16TH | 2/28/2018 10:08 | s.22(1)                                            |                                                                         | A |
| 180011626 | 1900 W | 16TH | 3/8/2018 17:40  |                                                    |                                                                         | D |
| 180011595 | 3100 E | 16TH | 3/8/2018 14:26  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | A |



|           |        |            |                 |                                                    |                                                                     |  |   |
|-----------|--------|------------|-----------------|----------------------------------------------------|---------------------------------------------------------------------|--|---|
| 180011779 | 200 W  | 17TH       | 3/9/2018 15:56  | s.22(1)                                            |                                                                     |  | B |
| 180012090 | 400 W  | 17TH       | 3/11/2018 8:44  | FIRE - Fire Department Responded Reportable - 1000 | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                |  | C |
| 180010843 | 500 W  | 17TH       | 3/3/2018 23:23  | Response - Unfounded - Unclassified(remarks req)   | ROUTINE ASSIST PUBLIC OR OTHER AGENCY WITH WATER PROBLEM.           |  | B |
| 180010540 | 3200 E | 17TH       | 3/2/2018 6:31   | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                   |  | A |
| 180010990 | 3200 E | 17TH       | 3/5/2018 0:20   | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                   |  | B |
| 180011042 | 3200 E | 17TH       | 3/5/2018 10:32  | s.22(1)                                            |                                                                     |  | D |
| 180011264 | 3600 W | 17TH       | 3/6/2018 15:09  |                                                    |                                                                     |  | D |
| 180012459 | 0 W    | 18TH       | 3/13/2018 11:59 | Response - Cancelled - On Scene                    | s.22(1)                                                             |  | D |
| 180012166 | 200 W  | 18TH       | 3/11/2018 18:00 | s.22(1)                                            |                                                                     |  | B |
| 180011979 | 2200 W | 18TH       | 3/10/2018 15:47 | Response - Cancelled - On Scene                    | s.22(1)                                                             |  | B |
| 180011045 | 2800 W | 18TH       | 3/5/2018 10:48  | s.22(1)                                            |                                                                     |  | D |
| 180010532 | 4000 W | 18TH       | 3/2/2018 4:41   |                                                    |                                                                     |  | A |
| 180011672 | 0 W    | 19TH       | 3/8/2018 21:54  |                                                    |                                                                     |  | D |
| 180011556 | 700 E  | 19TH       | 3/8/2018 10:36  |                                                    |                                                                     |  | A |
| 180011997 | 900 W  | 19TH       | 3/10/2018 17:57 | Response - Cancelled - No Response                 | s.22(1)                                                             |  | B |
| 180012173 | 1900 E | 19TH       | 3/11/2018 18:42 | s.22(1)                                            |                                                                     |  | B |
| 180012694 | 1900 E | 19TH       | 3/14/2018 20:37 |                                                    |                                                                     |  | C |
| 180011812 | 2400 E | 19TH       | 3/9/2018 20:34  |                                                    |                                                                     |  | A |
| 180010956 | 2500 E | 19TH       | 3/4/2018 19:12  |                                                    |                                                                     |  | B |
| 180010282 | 0 E    | 1ST        | 2/28/2018 15:50 | Response - Unfounded - No Incident Found           | MVI - MOTOR VEHICLE INCIDENT                                        |  | A |
| 180010575 | 0 E    | 1ST        | 3/2/2018 11:11  | MVI - With Injuries                                | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                 |  | B |
| 180012610 | 0 E    | 1ST        | 3/14/2018 12:58 | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                           |  | D |
| 180012167 | 100 W  | 1ST        | 3/11/2018 18:01 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS          |  | B |
| 180010985 | 100 E  | 1ST        | 3/4/2018 23:54  | Response - Cancelled - On Scene                    | s.22(1)                                                             |  | B |
| 180010171 | 100 E  | 1ST        | 2/27/2018 21:46 | s.22(1)                                            |                                                                     |  | D |
| 180010251 | 100 E  | 1ST        | 2/28/2018 12:10 |                                                    |                                                                     |  | A |
| 180010287 | 100 E  | 1ST        | 2/28/2018 16:33 | Response - Cancelled - On Scene                    | s.22(1)                                                             |  | A |
| 180010388 | 100 E  | 1ST        | 3/1/2018 7:13   | s.22(1)                                            |                                                                     |  | B |
| 180010961 | 100 E  | 1ST        | 3/4/2018 20:12  |                                                    |                                                                     |  | B |
| 180011247 | 100 E  | 1ST        | 3/6/2018 13:43  |                                                    |                                                                     |  | D |
| 180011894 | 100 E  | 1ST        | 3/10/2018 4:39  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS          |  | A |
| 180012387 | 100 E  | 1ST        | 3/12/2018 23:53 | Response - Cancelled - En Route                    | s.22(1)                                                             |  | B |
| 180011601 | 1400 E | 1ST        | 3/8/2018 15:00  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                           |  | A |
| 180010893 | 1500 W | 1ST        | 3/4/2018 10:36  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                           |  | C |
| 180010583 | 1900 W | 1ST        | 3/2/2018 11:53  | Response - Cancelled - On Scene                    | s.22(1)                                                             |  | B |
| 180010663 | 2000 E | 1ST        | 3/2/2018 20:30  | FIRE - Fire Department Responded Reportable - 1000 | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                |  | A |
| 180010867 | 2300 W | 1ST        | 3/4/2018 2:24   | Alarm Active/No Fire - Detector - Steam            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS          |  | B |
| 180011563 | 0 E    | 1ST AVENUE | 3/8/2018 11:40  | MVI - With Injuries                                | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS      |  | A |
| 180010770 | 0 E    | 20TH       | 3/3/2018 12:16  | s.22(1)                                            |                                                                     |  | C |
| 180012363 | 100 W  | 20TH       | 3/12/2018 20:40 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                             |  | B |
| 180010472 | 300 W  | 20TH       | 3/1/2018 19:15  | Public Hazard - Electrical(remarks req)            | RESIDENTIAL ELECTRICAL PROBLEM - EMERGENCY RESPONSE                 |  | A |
| 180010936 | 500 E  | 20TH       | 3/4/2018 16:39  | s.22(1)                                            |                                                                     |  | C |
| 180011640 | 1400 E | 20TH       | 3/8/2018 19:10  |                                                    |                                                                     |  | D |
| 180010130 | 2600 E | 20TH       | 2/27/2018 16:34 |                                                    |                                                                     |  | D |
| 180010167 | 0 E    | 21ST       | 2/27/2018 21:10 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                 |  | D |
| 180010744 | 400 E  | 21ST       | 3/3/2018 8:18   | s.22(1)                                            |                                                                     |  | C |
| 180010435 | 500 E  | 21ST       | 3/1/2018 13:17  |                                                    |                                                                     |  | B |
| 180011481 | 1500 E | 21ST       | 3/7/2018 22:14  | FIRE - Fire Department Responded Reportable - 1000 | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                |  | D |
| 180010950 | 2200 W | 21ST       | 3/4/2018 17:55  | s.22(1)                                            |                                                                     |  | B |
| 180010860 | 2600 W | 21ST       | 3/4/2018 1:28   | Response - Unfounded - Unclassified(remarks req)   | ODOUR OR SMELL OF UNKNOWNWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE |  | B |
| 180012220 | 3200 E | 21ST       | 3/11/2018 23:08 | s.22(1)                                            |                                                                     |  | B |
| 180010451 | 0 E    | 22ND       | 3/1/2018 16:05  |                                                    |                                                                     |  | B |



|           |        |      |                 |                                                  |                                                                       |   |
|-----------|--------|------|-----------------|--------------------------------------------------|-----------------------------------------------------------------------|---|
| 180011660 | 0 W    | 22ND | 3/8/2018 20:52  | MVI - With No Injuries                           | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                   | D |
| 180011308 | 0 W    | 22ND | 3/6/2018 19:38  | s.22(1)                                          |                                                                       | C |
| 180011992 | 600 W  | 22ND | 3/10/2018 17:03 |                                                  |                                                                       | A |
| 180010753 | 2700 E | 22ND | 3/3/2018 10:13  | Public Hazard - Unclassified(remarks req)        | COMPRESSED GAS LEAK OR RUPTURE - DOMESTIC LINE                        | C |
| 180010412 | 2800 E | 22ND | 3/1/2018 10:41  | Response - Cancelled - On Scene                  | s.22(1)                                                               | B |
| 180011475 | 2800 E | 22ND | 3/7/2018 21:09  | s.22(1)                                          |                                                                       | D |
| 180012280 | 2900 E | 22ND | 3/12/2018 11:09 | Alarm Active/No Fire - Pull Station              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS            | C |
| 180010302 | 3000 E | 22ND | 2/28/2018 18:13 | s.22(1)                                          |                                                                       | D |
| 180012608 | 3200 E | 22ND | 3/14/2018 12:11 |                                                  |                                                                       | D |
| 180010434 | 3300 E | 22ND | 3/1/2018 13:00  | Response - Cancelled - On Scene                  | s.22(1)                                                               | B |
| 180011868 | 3400 E | 22ND | 3/10/2018 1:21  | s.22(1)                                          |                                                                       | A |
| 180012543 | 3500 W | 22ND | 3/13/2018 22:24 | Response - Cancelled - On Scene                  | s.22(1)                                                               | C |
| 180011571 | 0 W    | 23RD | 3/8/2018 12:07  | Alarm Active/No Fire - Detector - Cooking        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180011393 | 200 E  | 23RD | 3/7/2018 9:03   | s.22(1)                                          |                                                                       | A |
| 180011079 | 1200 E | 23RD | 3/5/2018 13:30  |                                                  |                                                                       | D |
| 180011457 | 1300 E | 23RD | 3/7/2018 19:14  | Alarm Active/No Fire - Detector - Construction   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | D |
| 180012566 | 3300 W | 23RD | 3/14/2018 5:59  | s.22(1)                                          |                                                                       | C |
| 180012121 | 0 E    | 24TH | 3/11/2018 12:49 | Response - Cancelled - On Scene                  | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE             | C |
| 180010640 | 2400 E | 24TH | 3/2/2018 18:17  | s.22(1)                                          |                                                                       | A |
| 180012334 | 3400 E | 24TH | 3/12/2018 17:28 |                                                  |                                                                       | B |
| 180012385 | 200 E  | 26TH | 3/12/2018 23:39 |                                                  |                                                                       | B |
| 180010407 | 1100 E | 26TH | 3/1/2018 9:25   | Response - Unfounded - No Incident Found         | SMELL OF COMPRESSED GAS OUTSIDE                                       | B |
| 180011300 | 1200 W | 26TH | 3/6/2018 19:06  | Alarm Active/No Fire - Unclassified(remarks req) | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | C |
| 180012699 | 2000 E | 26TH | 3/14/2018 21:30 | s.22(1)                                          |                                                                       | C |
| 180010498 | 3500 W | 26TH | 3/1/2018 22:12  | Public Service - Non-Medical Lift Assist         | MEDICAL AID ROUTINE BCAS OR PUBLIC                                    | A |
| 180012066 | 3500 W | 26TH | 3/11/2018 3:31  | s.22(1)                                          |                                                                       | A |
| 180011121 | 0 E    | 27TH | 3/5/2018 17:55  |                                                  |                                                                       | C |
| 180011824 | 600 W  | 27TH | 3/9/2018 21:53  |                                                  |                                                                       | A |
| 180012650 | 1200 W | 27TH | 3/14/2018 16:58 | Alarm Active/No Fire - Intrusion/ Security Alarm | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | D |
| 180010888 | 1400 E | 27TH | 3/4/2018 9:06   | s.22(1)                                          |                                                                       | C |
| 180011541 | 2500 E | 27TH | 3/8/2018 9:00   |                                                  |                                                                       | A |
| 180011451 | 2900 W | 27TH | 3/7/2018 18:38  |                                                  |                                                                       | D |
| 180011932 | 3600 W | 27TH | 3/10/2018 11:02 | Alarm Active/No Fire - Sprink Surge/Dis          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS            | B |
| 180011529 | 400 W  | 28TH | 3/8/2018 8:11   | s.22(1)                                          |                                                                       | A |
| 180012684 | 400 W  | 28TH | 3/14/2018 19:41 | Alarm Active/No Fire - Detector - Cooking        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | C |
| 180010480 | 2000 E | 28TH | 3/1/2018 20:37  | s.22(1)                                          |                                                                       | A |
| 180010905 | 2100 E | 28TH | 3/4/2018 12:51  | Public Service - Non-Medical Lift Assist         | ASSIST THE PUBLIC OR OTHER AGENCY                                     | C |
| 180011412 | 2900 W | 28TH | 3/7/2018 12:19  | Alarm Active/No Fire - Detector - Cooking        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180011015 | 3200 W | 28TH | 3/5/2018 7:17   | s.22(1)                                          |                                                                       | D |
| 180010113 | 0 E    | 29TH | 2/27/2018 14:51 | MVI - With No Injuries                           | TRAFFIC / TRANSPORTATION ACCIDENT - UNKNOWN STATUS (THIRD PARTY CALL) | A |
| 180010308 | 0 E    | 29TH | 2/28/2018 18:40 | MVI - With No Injuries                           | MVI - CLEAN-UP, NO INJURIES                                           | D |
| 180011192 | 0 W    | 29TH | 3/6/2018 7:30   | s.22(1)                                          |                                                                       | D |
| 180012690 | 0 E    | 29TH | 3/14/2018 19:58 |                                                  | MEDICAL AID EMERGENCY BCAS OR PUBLIC                                  | C |
| 180010524 | 500 W  | 29TH | 3/2/2018 2:46   | Alarm Active/No Fire - Sprink Surge/Dis          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180011275 | 500 E  | 29TH | 3/6/2018 16:38  | s.22(1)                                          |                                                                       | C |
| 180010649 | 500 E  | 29TH | 3/2/2018 19:11  |                                                  |                                                                       | A |
| 180011339 | 1100 W | 29TH | 3/6/2018 23:26  |                                                  |                                                                       | C |
| 180010644 | 2700 E | 29TH | 3/2/2018 18:34  |                                                  |                                                                       | A |
| 180011996 | 2700 E | 29TH | 3/10/2018 17:29 |                                                  |                                                                       | B |
| 180010710 | 3500 E | 29TH | 3/3/2018 2:06   |                                                  |                                                                       | A |
| 180010223 | 3700 W | 29TH | 2/28/2018 8:05  |                                                  |                                                                       | A |
| 180010393 | 0 E    | 2ND  | 3/1/2018 7:44   | Response - Cancelled - En Route                  | s.22(1)                                                               | B |

|           |        |      |                 |                                                    |                                                                       |   |
|-----------|--------|------|-----------------|----------------------------------------------------|-----------------------------------------------------------------------|---|
| 180011472 | 0 W    | 2ND  | 3/7/2018 20:43  | Response - Cancelled - En Route                    | s.22(1)                                                               | D |
| 180011454 | 0 W    | 2ND  | 3/7/2018 18:47  | Response - Cancelled - On Scene                    |                                                                       | D |
| 180010518 | 0 W    | 2ND  | 3/2/2018 1:28   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                               | A |
| 180012370 | 100 W  | 2ND  | 3/12/2018 21:28 | Response - Cancelled - On Scene                    | s.22(1)                                                               | B |
| 180010274 | 200 W  | 2ND  | 2/28/2018 15:04 | s.22(1)                                            |                                                                       | A |
| 180010861 | 200 W  | 2ND  | 3/4/2018 1:30   |                                                    |                                                                       | B |
| 180010975 | 300 E  | 2ND  | 3/4/2018 22:57  | Response - Cancelled - On Scene                    | s.22(1)                                                               | B |
| 180011114 | 400 W  | 2ND  | 3/5/2018 17:29  | Response - Cancelled - On Scene                    |                                                                       | C |
| 180012524 | 1400 E | 2ND  | 3/13/2018 19:02 | Response - Cancelled - On Scene                    |                                                                       | C |
| 180011708 | 2100 E | 2ND  | 3/9/2018 5:58   | s.22(1)                                            |                                                                       | D |
| 180012499 | 2100 W | 2ND  | 3/13/2018 16:12 | Response - Cancelled - On Scene                    | s.22(1)                                                               | D |
| 180011134 | 2100 W | 2ND  | 3/5/2018 19:21  | s.22(1)                                            |                                                                       | C |
| 180012444 | 3000 E | 2ND  | 3/13/2018 10:52 | Haz-Mat - Gases - Natural Gas                      | COMPRESSED GAS LEAK OR RUPTURE - DOMESTIC LINE                        | D |
| 180012607 | 3600 E | 2ND  | 3/14/2018 12:04 | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                            | D |
| 180011429 | 200 E  | 30TH | 3/7/2018 15:42  | Response - Unfounded - Smoke/Steam/Dust/Mistaken   | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                  | A |
| 180012131 | 300 E  | 30TH | 3/11/2018 14:19 | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | C |
| 180011385 | 500 W  | 30TH | 3/7/2018 8:16   | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180010294 | 0 E    | 31ST | 2/28/2018 17:24 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS        | D |
| 180011133 | 3500 W | 31ST | 3/5/2018 19:02  | s.22(1)                                            |                                                                       | C |
| 180011478 | 300 E  | 32ND | 3/7/2018 21:59  |                                                    |                                                                       | D |
| 180011083 | 1000 W | 32ND | 3/5/2018 14:09  |                                                    |                                                                       | D |
| 180011757 | 1200 W | 32ND | 3/9/2018 13:17  | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | B |
| 180012657 | 3200 W | 32ND | 3/14/2018 17:13 | s.22(1)                                            |                                                                       | D |
| 180011914 | 4000 W | 32ND | 3/10/2018 8:01  |                                                    |                                                                       | B |
| 180010054 | 0 W    | 33RD | 2/27/2018 8:07  | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                   | A |
| 180010087 | 0 W    | 33RD | 2/27/2018 11:46 | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - UNKNOWN STATUS (THIRD PARTY CALL) | A |
| 180010628 | 0 W    | 33RD | 3/2/2018 16:14  | MVI - With No Injuries                             | MVI - MOTOR VEHICLE INCIDENT                                          | B |
| 180010737 | 0 E    | 33RD | 3/3/2018 7:45   | MVI - With No Injuries                             | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS          | A |
| 180010842 | 1200 E | 33RD | 3/3/2018 23:22  | s.22(1)                                            |                                                                       | B |
| 180011293 | 1400 W | 33RD | 3/6/2018 18:12  |                                                    |                                                                       | C |
| 180011343 | 1700 E | 33RD | 3/7/2018 0:09   | Response - Cancelled - On Scene                    | MEDICAL AID EMERGENCY BCAS OR PUBLIC                                  | C |
| 180011214 | 2800 W | 33RD | 3/6/2018 10:48  | Response - Cancelled - On Scene                    | s.22(1)                                                               | D |
| 180011461 | 300 E  | 34TH | 3/7/2018 19:44  | s.22(1)                                            |                                                                       | D |
| 180011598 | 2100 E | 34TH | 3/8/2018 14:42  |                                                    |                                                                       | A |
| 180010840 | 1500 E | 35TH | 3/3/2018 22:35  |                                                    |                                                                       | B |
| 180012585 | 1800 W | 35TH | 3/14/2018 9:17  |                                                    |                                                                       | D |
| 180011913 | 3200 W | 35TH | 3/10/2018 7:58  | Response - Cancelled - On Scene                    | s.22(1)                                                               | A |
| 180010676 | 200 E  | 36TH | 3/2/2018 21:59  | MVI - With No Injuries                             |                                                                       | A |
| 180012008 | 200 E  | 36TH | 3/10/2018 19:15 | s.22(1)                                            |                                                                       | A |
| 180012276 | 300 E  | 36TH | 3/12/2018 10:36 |                                                    |                                                                       | C |
| 180012581 | 1700 E | 36TH | 3/14/2018 8:36  | Haz-Mat - Gases - Natural Gas                      | SMELL OF COMPRESSED GAS OUTSIDE                                       | D |
| 180010617 | 0 E    | 37TH | 3/2/2018 14:53  | Public Hazard - Unclassified(remarks req)          | ROUTINE ASSIST PUBLIC OR OTHER AGENCY WITH WATER PROBLEM.             | B |
| 180012654 | 0 W    | 37TH | 3/14/2018 17:06 | Response - Cancelled - On Scene                    | s.22(1)                                                               | C |
| 180010971 | 100 E  | 37TH | 3/4/2018 21:57  | s.22(1)                                            |                                                                       | B |
| 180011537 | 1300 E | 37TH | 3/8/2018 8:34   |                                                    |                                                                       | A |
| 180011791 | 2200 W | 37TH | 3/9/2018 17:23  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                             | B |
| 180010199 | 900 E  | 38TH | 2/28/2018 2:16  | s.22(1)                                            |                                                                       | D |
| 180011016 | 1000 E | 38TH | 3/5/2018 7:24   |                                                    |                                                                       | D |
| 180011567 | 2100 W | 38TH | 3/8/2018 11:48  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180011909 | 2100 W | 38TH | 3/10/2018 7:41  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | A |
| 180012320 | 2100 W | 38TH | 3/12/2018 16:14 | Response - Cancelled - On Scene                    | s.22(1)                                                               | C |
| 180011036 | 3300 W | 38TH | 3/5/2018 9:59   | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                             | D |



|           |        |      |                 |                                                |                                                                         |   |
|-----------|--------|------|-----------------|------------------------------------------------|-------------------------------------------------------------------------|---|
| 180010694 | 3500 W | 38TH | 3/3/2018 0:17   | s.22(1)                                        |                                                                         | A |
| 180012562 | 100 W  | 39TH | 3/14/2018 3:51  |                                                |                                                                         | C |
| 180012586 | 100 W  | 39TH | 3/14/2018 9:28  |                                                |                                                                         | D |
| 180010168 | 3200 W | 39TH | 2/27/2018 21:13 | Public Service - Unclassified(remarks req)     | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | D |
| 180011657 | 4000 W | 39TH | 3/8/2018 20:31  | s.22(1)                                        |                                                                         | D |
| 180010103 | 1400 E | 3RD  | 2/27/2018 14:03 |                                                |                                                                         | A |
| 180010543 | 1400 E | 3RD  | 3/2/2018 7:45   | Public Service - Assisted BCAS/Police          | ASSIST THE PUBLIC OR OTHER AGENCY                                       | B |
| 180010741 | 1400 E | 3RD  | 3/3/2018 8:04   | s.22(1)                                        |                                                                         | C |
| 180011447 | 1400 E | 3RD  | 3/7/2018 18:04  | Alarm Active/No Fire - Detector - Other        | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | D |
| 180011535 | 1400 E | 3RD  | 3/8/2018 8:19   | Public Service - Non-Medical Lift Assist       | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180012212 | 1400 E | 3RD  | 3/11/2018 22:20 | Response - Cancelled - On Scene                | s.22(1)                                                                 | B |
| 180012542 | 1400 E | 3RD  | 3/13/2018 22:17 | Response - Cancelled - On Scene                |                                                                         | C |
| 180010259 | 1500 E | 3RD  | 2/28/2018 12:46 | Public Service - Non-Medical Lift Assist       | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180011559 | 1700 W | 3RD  | 3/8/2018 10:55  | Alarm Active/No Fire - Detector - Other        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | A |
| 180012476 | 2000 W | 3RD  | 3/13/2018 13:35 | s.22(1)                                        |                                                                         | D |
| 180011205 | 2200 W | 3RD  | 3/6/2018 9:30   | Public Service - Locked In/Out                 | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | D |
| 180010270 | 2300 W | 3RD  | 2/28/2018 14:43 | s.22(1)                                        |                                                                         | A |
| 180012501 | 2400 W | 3RD  | 3/13/2018 16:16 |                                                |                                                                         | D |
| 180010458 | 2700 E | 3RD  | 3/1/2018 17:43  |                                                |                                                                         | A |
| 180012672 | 3400 W | 3RD  | 3/14/2018 18:42 |                                                |                                                                         | C |
| 180010299 | 3400 W | 3RD  | 2/28/2018 17:37 |                                                |                                                                         | A |
| 180010426 | 0 E    | 40TH | 3/1/2018 12:09  |                                                |                                                                         | B |
| 180011786 | 2200 W | 40TH | 3/9/2018 16:53  |                                                |                                                                         | A |
| 180012101 | 2200 W | 40TH | 3/11/2018 10:33 |                                                |                                                                         | C |
| 180010297 | 0 W    | 41ST | 2/28/2018 17:32 | MVI - With Injuries                            | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                     | D |
| 180010419 | 0 E    | 41ST | 3/1/2018 11:24  | MVI - With Injuries                            | TECHNICAL RESCUE                                                        | B |
| 180010600 | 0 W    | 41ST | 3/2/2018 13:18  | s.22(1)                                        |                                                                         | B |
| 180011184 | 0 E    | 41ST | 3/6/2018 6:13   | MVI - Pedestrian Struck                        | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK  | C |
| 180011278 | 0 W    | 41ST | 3/6/2018 17:13  | s.22(1)                                        |                                                                         | D |
| 180011285 | 0 E    | 41ST | 3/6/2018 17:37  | MVI - With Injuries                            | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK  | D |
| 180011382 | 0 E    | 41ST | 3/7/2018 7:42   | MVI - With No Injuries                         | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                               | A |
| 180011534 | 0 E    | 41ST | 3/8/2018 8:18   | s.22(1)                                        |                                                                         | A |
| 180012261 | 0 W    | 41ST | 3/12/2018 8:31  |                                                |                                                                         | C |
| 180012382 | 0 E    | 41ST | 3/12/2018 23:04 | MVI - With Injuries                            | TRAFFIC INCIDENT - UNKN STATUS - MULTIPLE PTS                           | B |
| 180010239 | 500 W  | 41ST | 2/28/2018 10:44 | Response - Unfounded - No Incident Found       | MEDICAL AID EMERGENCY BCAS OR PUBLIC                                    | A |
| 180011226 | 500 E  | 41ST | 3/6/2018 11:37  | s.22(1)                                        |                                                                         | D |
| 180011944 | 600 W  | 41ST | 3/10/2018 12:33 |                                                |                                                                         | B |
| 180012134 | 600 W  | 41ST | 3/11/2018 14:33 |                                                |                                                                         | C |
| 180012356 | 600 W  | 41ST | 3/12/2018 19:56 |                                                |                                                                         | B |
| 180012675 | 600 W  | 41ST | 3/14/2018 19:14 |                                                |                                                                         | C |
| 180012681 | 600 W  | 41ST | 3/14/2018 19:35 |                                                |                                                                         | C |
| 180010630 | 600 W  | 41ST | 3/2/2018 16:33  |                                                |                                                                         | A |
| 180010965 | 600 W  | 41ST | 3/4/2018 21:20  |                                                |                                                                         | B |
| 180011766 | 1000 W | 41ST | 3/9/2018 14:17  | Response - Cancelled - On Scene                | s.22(1)                                                                 | B |
| 180012006 | 2000 W | 41ST | 3/10/2018 18:47 | s.22(1)                                        |                                                                         | A |
| 180010605 | 2100 W | 41ST | 3/2/2018 13:56  |                                                |                                                                         | B |
| 180011435 | 2500 E | 41ST | 3/7/2018 16:22  |                                                |                                                                         | A |
| 180010107 | 2800 W | 41ST | 2/27/2018 14:23 | Public Service - Non-Medical Lift Assist       | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180011735 | 2800 W | 41ST | 3/9/2018 10:49  | s.22(1)                                        |                                                                         | B |
| 180012507 | 3500 W | 41ST | 3/13/2018 16:52 | Response - Cancelled - En Route                | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180011777 | 700 W  | 42ND | 3/9/2018 15:16  | Alarm Active/No Fire - Detector - Construction | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | B |
| 180010462 | 1000 W | 42ND | 3/1/2018 18:21  | s.22(1)                                        |                                                                         | A |

|           |        |      |                 |                                                   |                                                                         |  |   |
|-----------|--------|------|-----------------|---------------------------------------------------|-------------------------------------------------------------------------|--|---|
| 180012125 | 2000 W | 42ND | 3/11/2018 13:29 | s.22(1)                                           |                                                                         |  | C |
| 180012197 | 2100 W | 42ND | 3/11/2018 20:52 | Response - Unfounded - No Incident Found          | SMELL OF COMPRESSED GAS INSIDE                                          |  | B |
| 180011921 | 2500 E | 42ND | 3/10/2018 9:03  | s.22(1)                                           |                                                                         |  | B |
| 180010557 | 2800 W | 42ND | 3/2/2018 9:18   |                                                   |                                                                         |  | B |
| 180012565 | 2900 E | 42ND | 3/14/2018 5:17  |                                                   |                                                                         |  | C |
| 180010595 | 500 E  | 43RD | 3/2/2018 12:54  | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | B |
| 180011271 | 2200 E | 43RD | 3/6/2018 15:55  | s.22(1)                                           |                                                                         |  | D |
| 180012579 | 2600 W | 43RD | 3/14/2018 8:30  |                                                   |                                                                         |  | D |
| 180011329 | 3500 E | 43RD | 3/6/2018 21:47  |                                                   |                                                                         |  | C |
| 180011940 | 400 E  | 44TH | 3/10/2018 12:20 |                                                   |                                                                         |  | B |
| 180010464 | 400 E  | 45TH | 3/1/2018 18:43  |                                                   |                                                                         |  | A |
| 180012662 | 500 E  | 45TH | 3/14/2018 17:51 |                                                   |                                                                         |  | C |
| 180012652 | 500 W  | 45TH | 3/14/2018 17:01 |                                                   |                                                                         |  | D |
| 180011839 | 600 W  | 45TH | 3/9/2018 23:13  | Public Service - Non-Medical Lift Assist          | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      |  | A |
| 180012039 | 600 W  | 45TH | 3/10/2018 22:48 | s.22(1)                                           |                                                                         |  | A |
| 180010946 | 2300 W | 45TH | 3/4/2018 17:42  |                                                   |                                                                         |  | C |
| 180011988 | 2400 W | 45TH | 3/10/2018 16:40 |                                                   |                                                                         |  | A |
| 180011518 | 2400 E | 45TH | 3/8/2018 5:51   |                                                   |                                                                         |  | D |
| 180011803 | 0 W    | 46TH | 3/9/2018 19:45  |                                                   |                                                                         |  | A |
| 180010559 | 200 W  | 46TH | 3/2/2018 9:32   | Alarm Active/No Fire - Detector - Carbon Monoxide | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | B |
| 180012049 | 400 E  | 46TH | 3/10/2018 23:37 | s.22(1)                                           |                                                                         |  | A |
| 180012480 | 700 W  | 46TH | 3/13/2018 14:07 | Public Service - Non-Medical Lift Assist          | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      |  | D |
| 180012561 | 3300 E | 46TH | 3/14/2018 3:20  | s.22(1)                                           |                                                                         |  | C |
| 180010614 | 500 E  | 47TH | 3/2/2018 14:51  | Alarm Active/No Fire - Intrusion/ Security Alarm  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               |  | B |
| 180012159 | 1500 E | 47TH | 3/11/2018 16:55 | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | B |
| 180011089 | 1700 E | 47TH | 3/5/2018 14:45  | Alarm Active/No Fire - Detector - Construction    | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | D |
| 180011636 | 2200 E | 47TH | 3/8/2018 18:54  | s.22(1)                                           |                                                                         |  | D |
| 180010547 | 300 W  | 48TH | 3/2/2018 8:18   | Public Hazard - Lines Down                        | WIRES OVERHEAD - ELECTRICAL PROBLEM WITH OVERHEAD WIRES                 |  | B |
| 180011160 | 300 E  | 48TH | 3/5/2018 22:43  | Response - Unfounded - Smoke/Steam/Dust/Mistaken  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | C |
| 180012127 | 1400 W | 48TH | 3/11/2018 13:48 | s.22(1)                                           |                                                                         |  | C |
| 180012630 | 2100 W | 48TH | 3/14/2018 15:15 | Public Service - Trapped In Elevator              | RESCUE - NO IMMEDIATE RISK OR DANGER                                    |  | D |
| 180010580 | 2200 E | 48TH | 3/2/2018 11:39  | s.22(1)                                           |                                                                         |  | B |
| 180011785 | 3200 W | 48TH | 3/9/2018 16:52  |                                                   |                                                                         |  | B |
| 180012338 | 3200 W | 48TH | 3/12/2018 17:40 |                                                   |                                                                         |  | C |
| 180010138 | 3500 E | 48TH | 2/27/2018 18:01 |                                                   |                                                                         |  | D |
| 180010043 | 0 E    | 49TH | 2/27/2018 6:25  |                                                   |                                                                         |  | C |
| 180010587 | 0 E    | 49TH | 3/2/2018 12:29  | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                              |  | B |
| 180011064 | 0 E    | 49TH | 3/5/2018 12:04  | s.22(1)                                           |                                                                         |  | D |
| 180011545 | 0 E    | 49TH | 3/8/2018 9:33   | Response - Unfounded - No Incident Found          | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK  |  | A |
| 180011679 | 0 W    | 49TH | 3/8/2018 22:36  | MVI - With No Injuries                            | TRAFFIC INCIDENT - UNKN STATUS - MULTIPLE PTS                           |  | D |
| 180011550 | 100 W  | 49TH | 3/8/2018 9:48   | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | A |
| 180011756 | 500 E  | 49TH | 3/9/2018 13:04  | Public Service - Assisted BCAS/Police             | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | B |
| 180012400 | 1100 W | 49TH | 3/13/2018 1:35  | s.22(1)                                           |                                                                         |  | B |
| 180011473 | 2400 E | 49TH | 3/7/2018 20:58  |                                                   |                                                                         |  | D |
| 180011427 | 2800 E | 49TH | 3/7/2018 15:23  | Response - Unfounded - No Incident Found          | SMOLDERING FIRE IN SMALL OR LIGHT SURFACE MATERIAL                      |  | A |
| 180011830 | 2900 E | 49TH | 3/9/2018 22:22  | s.22(1)                                           |                                                                         |  | A |
| 180012211 | 3300 E | 49TH | 3/11/2018 22:06 |                                                   |                                                                         |  | B |
| 180010784 | 3400 E | 49TH | 3/3/2018 14:44  |                                                   |                                                                         |  | C |
| 180010582 | 3400 E | 49TH | 3/2/2018 11:46  |                                                   |                                                                         |  | B |
| 180010059 | 0 W    | 4TH  | 2/27/2018 8:41  | Response - Unfounded - Smoke/Steam/Dust/Mistaken  | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE |  | A |
| 180010780 | 0 W    | 4TH  | 3/3/2018 13:55  | Response - Cancelled - En Route                   | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                     |  | C |
| 180011165 | 0 W    | 4TH  | 3/5/2018 23:10  | MVI - With No Injuries                            | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                     |  | C |



|           |        |      |                 |                                                    |                                                                        |   |
|-----------|--------|------|-----------------|----------------------------------------------------|------------------------------------------------------------------------|---|
| 180011879 | 0 W    | 4TH  | 3/10/2018 2:54  | s.22(1)                                            |                                                                        | A |
| 180011902 | 0 W    | 4TH  | 3/10/2018 6:54  | Response - Cancelled - On Scene                    | s.22(1)                                                                | B |
| 180010025 | 1300 W | 4TH  | 2/27/2018 1:17  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | C |
| 180012418 | 1500 E | 4TH  | 3/13/2018 5:56  | s.22(1)                                            |                                                                        | B |
| 180010159 | 1500 E | 4TH  | 2/27/2018 20:34 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | D |
| 180010420 | 2000 W | 4TH  | 3/1/2018 11:25  | Response - Cancelled - On Scene                    | s.22(1)                                                                | B |
| 180010838 | 2100 W | 4TH  | 3/3/2018 22:24  | s.22(1)                                            |                                                                        | B |
| 180012130 | 2300 W | 4TH  | 3/11/2018 14:01 |                                                    |                                                                        | C |
| 180010238 | 2600 W | 4TH  | 2/28/2018 10:42 |                                                    |                                                                        | A |
| 180011922 | 2700 W | 4TH  | 3/10/2018 9:10  |                                                    |                                                                        | B |
| 180012432 | 2700 W | 4TH  | 3/13/2018 9:13  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                | D |
| 180012050 | 2700 E | 4TH  | 3/10/2018 23:51 | s.22(1)                                            |                                                                        | A |
| 180011702 | 2800 E | 4TH  | 3/9/2018 3:25   | Response - Cancelled - On Scene                    | s.22(1)                                                                | D |
| 180010616 | 2900 W | 4TH  | 3/2/2018 14:52  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | B |
| 180011186 | 2900 W | 4TH  | 3/6/2018 6:52   | s.22(1)                                            |                                                                        | D |
| 180011536 | 3400 E | 4TH  | 3/8/2018 8:27   |                                                    |                                                                        | A |
| 180012146 | 3600 W | 4TH  | 3/11/2018 15:35 |                                                    |                                                                        | C |
| 180010095 | 4400 W | 4TH  | 2/27/2018 12:11 |                                                    |                                                                        | A |
| 180011693 | 4600 W | 4TH  | 3/9/2018 0:56   |                                                    |                                                                        | D |
| 180011310 | 1300 W | 50TH | 3/6/2018 19:51  |                                                    |                                                                        | C |
| 180011856 | 1900 E | 50TH | 3/10/2018 0:13  |                                                    |                                                                        | A |
| 180011711 | 1000 E | 51ST | 3/9/2018 6:26   | Response - Cancelled - On Scene                    | s.22(1)                                                                | D |
| 180010931 | 1000 W | 51ST | 3/4/2018 16:26  | s.22(1)                                            |                                                                        | C |
| 180012531 | 1000 E | 51ST | 3/13/2018 20:51 |                                                    |                                                                        | C |
| 180010222 | 1200 E | 51ST | 2/28/2018 7:50  | Response - Cancelled - En Route                    | s.22(1)                                                                | D |
| 180012682 | 2300 E | 51ST | 3/14/2018 19:39 | Response - Cancelled - On Scene                    |                                                                        | C |
| 180012689 | 900 E  | 52ND | 3/14/2018 19:56 |                                                    | ODOUR OR SMELL OF UNKNOWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE      | C |
| 180012653 | 900 E  | 52ND | 3/14/2018 17:05 | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | D |
| 180011703 | 2900 E | 52ND | 3/9/2018 3:45   | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | D |
| 180012571 | 2900 E | 52ND | 3/14/2018 7:19  | Public Service - Assisted BCAS/Police              | MEDICAL AID ROUTINE BCAS OR PUBLIC                                     | D |
| 180011483 | 0 E    | 53RD | 3/7/2018 22:34  | Response - Cancelled - En Route                    | s.22(1)                                                                | D |
| 180010428 | 0 E    | 54TH | 3/1/2018 12:19  | MVI - Pedestrian Struck                            | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK | B |
| 180011391 | 0 E    | 54TH | 3/7/2018 8:48   | s.22(1)                                            |                                                                        | A |
| 180011235 | 800 E  | 54TH | 3/6/2018 12:50  |                                                    |                                                                        | D |
| 180012243 | 1000 W | 54TH | 3/12/2018 3:32  |                                                    |                                                                        | B |
| 180011639 | 2200 E | 54TH | 3/8/2018 19:06  |                                                    |                                                                        | D |
| 180011074 | 2400 E | 54TH | 3/5/2018 12:44  |                                                    |                                                                        | D |
| 180012332 | 2700 E | 54TH | 3/12/2018 17:24 |                                                    |                                                                        | C |
| 180011161 | 2900 E | 54TH | 3/5/2018 22:49  |                                                    |                                                                        | C |
| 180011684 | 500 E  | 55TH | 3/8/2018 23:36  | Response - Cancelled - On Scene                    | s.22(1)                                                                | D |
| 180011399 | 0 E    | 56TH | 3/7/2018 10:24  | s.22(1)                                            |                                                                        | A |
| 180011505 | 0 E    | 56TH | 3/8/2018 3:28   | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                     | D |
| 180011583 | 0 E    | 56TH | 3/8/2018 13:15  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                      | A |
| 180011904 | 0 E    | 56TH | 3/10/2018 7:02  | s.22(1)                                            |                                                                        | A |
| 180010367 | 200 E  | 56TH | 3/1/2018 1:22   | FIRE - Fire Department Responded Reportable - 1000 | FIRE CONFINED TO A GASOLINE OR UNKNOWN FUEL SOURCE VEHICLE             | D |
| 180010241 | 1700 E | 56TH | 2/28/2018 10:53 | s.22(1)                                            |                                                                        | A |
| 180010869 | 0 E    | 57TH | 3/4/2018 2:34   | MVI - With Injuries                                | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                              | B |
| 180010862 | 400 E  | 57TH | 3/4/2018 1:30   | s.22(1)                                            |                                                                        | B |
| 180011154 | 500 W  | 57TH | 3/5/2018 21:51  | Public Service - Unclassified(remarks req)         | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE        | C |
| 180011896 | 500 W  | 57TH | 3/10/2018 5:26  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | A |
| 180012591 | 500 W  | 57TH | 3/14/2018 10:07 | s.22(1)                                            |                                                                        | D |
| 180011985 | 600 W  | 57TH | 3/10/2018 16:28 |                                                    |                                                                        | B |

|           |        |      |                 |                                                  |                                                                               |   |
|-----------|--------|------|-----------------|--------------------------------------------------|-------------------------------------------------------------------------------|---|
| 180010748 | 3100 W | 57TH | 3/3/2018 8:54   | s.22(1)                                          |                                                                               | C |
| 180010624 | 0 E    | 58TH | 3/2/2018 15:41  |                                                  |                                                                               | B |
| 180012477 | 1300 W | 58TH | 3/13/2018 13:44 |                                                  |                                                                               | D |
| 180011561 | 1400 E | 58TH | 3/8/2018 11:33  | Response - Cancelled - On Scene                  | s.22(1)                                                                       | A |
| 180011570 | 1400 E | 58TH | 3/8/2018 11:52  | s.22(1)                                          |                                                                               | A |
| 180010736 | 1600 E | 58TH | 3/3/2018 7:26   |                                                  |                                                                               | C |
| 180012272 | 3100 E | 58TH | 3/12/2018 9:50  |                                                  |                                                                               | C |
| 180012554 | 3100 E | 58TH | 3/14/2018 0:24  | Public Service - Non-Medical Lift Assist         | ASSIST THE PUBLIC OR OTHER AGENCY                                             | C |
| 180011402 | 3100 E | 58TH | 3/7/2018 10:52  | Response - Cancelled - On Scene                  | s.22(1)                                                                       | A |
| 180012713 | 3200 E | 58TH | 3/14/2018 23:29 | s.22(1)                                          |                                                                               | C |
| 180012668 | 0 E    | 59TH | 3/14/2018 18:27 |                                                  |                                                                               | C |
| 180012434 | 300 E  | 59TH | 3/13/2018 9:45  | Response - Cancelled - On Scene                  | s.22(1)                                                                       | D |
| 180011552 | 0 W    | 5TH  | 3/8/2018 10:00  | s.22(1)                                          |                                                                               | A |
| 180011960 | 0 E    | 5TH  | 3/10/2018 14:07 | Response - Cancelled - On Scene                  | s.22(1)                                                                       | B |
| 180010816 | 100 E  | 5TH  | 3/3/2018 18:42  | Response - Unfounded - Smoke/Steam/Dust/Mistaken | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE | B |
| 180012199 | 400 E  | 5TH  | 3/11/2018 21:10 | s.22(1)                                          |                                                                               | B |
| 180012034 | 1600 E | 5TH  | 3/10/2018 22:01 | Response - Cancelled - On Scene                  | s.22(1)                                                                       | A |
| 180010244 | 2200 W | 5TH  | 2/28/2018 11:17 | s.22(1)                                          |                                                                               | A |
| 180010390 | 2900 W | 5TH  | 3/1/2018 7:19   | Response - Cancelled - On Scene                  | s.22(1)                                                                       | B |
| 180010212 | 3300 E | 5TH  | 2/28/2018 5:16  | Public Service - Non-Medical Lift Assist         | ASSIST THE PUBLIC OR OTHER AGENCY                                             | D |
| 180010707 | 3300 E | 5TH  | 3/3/2018 1:42   | Public Service - Non-Medical Lift Assist         | ASSIST THE PUBLIC OR OTHER AGENCY                                             | A |
| 180011480 | 400 E  | 60TH | 3/7/2018 22:08  | s.22(1)                                          |                                                                               | D |
| 180010541 | 1200 E | 60TH | 3/2/2018 7:26   |                                                  |                                                                               | B |
| 180010118 | 1300 E | 60TH | 2/27/2018 15:22 |                                                  |                                                                               | A |
| 180012359 | 1300 E | 60TH | 3/12/2018 20:19 | MVI - With Injuries                              | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                           | B |
| 180012455 | 1500 E | 60TH | 3/13/2018 11:31 | s.22(1)                                          |                                                                               | D |
| 180011389 | 0 E    | 61ST | 3/7/2018 8:42   |                                                  |                                                                               | A |
| 180012567 | 400 E  | 61ST | 3/14/2018 6:39  |                                                  |                                                                               | C |
| 180012600 | 600 E  | 61ST | 3/14/2018 11:33 |                                                  |                                                                               | D |
| 180010795 | 800 E  | 61ST | 3/3/2018 15:56  |                                                  |                                                                               | C |
| 180010925 | 800 E  | 61ST | 3/4/2018 15:49  |                                                  |                                                                               | C |
| 180010949 | 800 E  | 61ST | 3/4/2018 17:54  |                                                  |                                                                               | B |
| 180011252 | 1300 E | 61ST | 3/6/2018 14:12  |                                                  |                                                                               | D |
| 180010733 | 2000 E | 61ST | 3/3/2018 6:29   |                                                  |                                                                               | A |
| 180012043 | 200 W  | 62ND | 3/10/2018 23:04 | Alarm Active/No Fire - Detector - Other          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | A |
| 180012051 | 200 W  | 62ND | 3/10/2018 23:58 | s.22(1)                                          |                                                                               | A |
| 180010615 | 700 W  | 62ND | 3/2/2018 14:51  |                                                  |                                                                               | B |
| 180010613 | 1300 E | 62ND | 3/2/2018 14:43  |                                                  |                                                                               | B |
| 180012271 | 200 W  | 63RD | 3/12/2018 9:47  |                                                  |                                                                               | C |
| 180012077 | 400 E  | 63RD | 3/11/2018 5:25  |                                                  |                                                                               | A |
| 180011249 | 900 E  | 63RD | 3/6/2018 13:54  | Public Service - Unclassified(remarks req)       | ASSIST THE PUBLIC OR OTHER AGENCY                                             | D |
| 180011283 | 1000 E | 63RD | 3/6/2018 17:28  | s.22(1)                                          |                                                                               | C |
| 180010750 | 1200 E | 63RD | 3/3/2018 9:46   |                                                  |                                                                               | C |
| 180011955 | 1300 E | 63RD | 3/10/2018 13:25 |                                                  |                                                                               | B |
| 180012512 | 200 E  | 64TH | 3/13/2018 17:48 |                                                  |                                                                               | C |
| 180011452 | 500 W  | 64TH | 3/7/2018 18:43  |                                                  |                                                                               | D |
| 180011892 | 1200 E | 64TH | 3/10/2018 4:30  |                                                  |                                                                               | A |
| 180010927 | 1500 W | 64TH | 3/4/2018 15:54  |                                                  |                                                                               | C |
| 180011087 | 1500 W | 64TH | 3/5/2018 14:30  |                                                  |                                                                               | D |
| 180012433 | 700 W  | 66TH | 3/13/2018 9:41  |                                                  |                                                                               | D |
| 180011063 | 700 W  | 66TH | 3/5/2018 12:00  | Alarm Active/No Fire - Detector - Cooking        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | D |
| 180012193 | 800 W  | 67TH | 3/11/2018 20:35 | s.22(1)                                          |                                                                               | B |

|           |        |      |                 |                                                    |                                                                         |   |
|-----------|--------|------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------|---|
| 180012485 | 1200 W | 67TH | 3/13/2018 14:52 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | D |
| 180011437 | 0 E    | 6TH  | 3/7/2018 16:27  | s.22(1)                                            |                                                                         | A |
| 180012064 | 0 W    | 6TH  | 3/11/2018 3:14  | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                     | A |
| 180010659 | 0 W    | 6TH  | 3/2/2018 19:58  | Response - Cancelled - On Scene                    | FALLS - LONG FALL                                                       | A |
| 180012696 | 0 W    | 6TH  | 3/14/2018 20:59 | Response - Cancelled - On Scene                    | s.22(1)                                                                 | C |
| 180011551 | 100 W  | 6TH  | 3/8/2018 9:49   | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                     | A |
| 180010331 | 200 E  | 6TH  | 2/28/2018 21:02 | s.22(1)                                            |                                                                         | D |
| 180010763 | 200 E  | 6TH  | 3/3/2018 11:31  | Public Service - Trapped In Elevator               | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | C |
| 180010200 | 500 W  | 6TH  | 2/28/2018 2:24  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180011557 | 800 E  | 6TH  | 3/8/2018 10:38  | FIRE - Fire Department Responded Reportable - 1000 | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | A |
| 180012275 | 1000 W | 6TH  | 3/12/2018 10:26 | s.22(1)                                            |                                                                         | C |
| 180010142 | 1400 W | 6TH  | 2/27/2018 18:13 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180011067 | 1600 E | 6TH  | 3/5/2018 12:11  | s.22(1)                                            |                                                                         | D |
| 180012100 | 1800 W | 6TH  | 3/11/2018 10:32 | Response - Cancelled - En Route                    | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | C |
| 180011132 | 2000 E | 6TH  | 3/5/2018 18:55  | s.22(1)                                            |                                                                         | C |
| 180010398 | 2200 W | 6TH  | 3/1/2018 8:22   | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | B |
| 180010697 | 2200 W | 6TH  | 3/3/2018 0:41   | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180010327 | 2500 W | 6TH  | 2/28/2018 20:25 | s.22(1)                                            |                                                                         | D |
| 180012189 | 2600 E | 6TH  | 3/11/2018 20:20 |                                                    |                                                                         | B |
| 180011792 | 2900 W | 6TH  | 3/9/2018 17:28  | FIRE - Fire Department Responded Reportable - 1000 | FIRE CONFINED TO STOVETOP OR OVEN                                       | B |
| 180010410 | 4500 W | 6TH  | 3/1/2018 9:52   | Public Hazard - Unclassified(remarks req)          | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | B |
| 180010897 | 200 W  | 70TH | 3/4/2018 10:59  | Alarm Active/No Fire - Detector - Steam            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | C |
| 180012428 | 1300 W | 70TH | 3/13/2018 8:35  | FIRE - Fire Department Responded Reportable - 1000 | BBQ OUTSIDE NOT INVOLVING A STRUCTURE/EXPOSURE                          | D |
| 180011641 | 1300 W | 71ST | 3/8/2018 19:12  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180011408 | 1500 W | 71ST | 3/7/2018 11:51  | s.22(1)                                            |                                                                         | A |
| 180010399 | 1000 W | 72ND | 3/1/2018 8:22   | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180010762 | 1300 W | 73RD | 3/3/2018 11:25  | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180012023 | 0 W    | 75TH | 3/10/2018 20:40 | FIRE - Fire Department Responded Reportable - 1000 | BURNING COMPLAINT                                                       | A |
| 180012634 | 0 E    | 7TH  | 3/14/2018 15:31 | Response - Cancelled - En Route                    | s.22(1)                                                                 | D |
| 180010055 | 100 W  | 7TH  | 2/27/2018 8:14  | Response - Cancelled - On Scene                    |                                                                         | A |
| 180011100 | 100 W  | 7TH  | 3/5/2018 16:07  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180011367 | 100 W  | 7TH  | 3/7/2018 4:06   | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180011765 | 300 W  | 7TH  | 3/9/2018 14:12  | Response - Cancelled - En Route                    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | B |
| 180011852 | 600 E  | 7TH  | 3/10/2018 0:07  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                 | A |
| 180012273 | 600 E  | 7TH  | 3/12/2018 10:01 | s.22(1)                                            |                                                                         | C |
| 180010798 | 700 W  | 7TH  | 3/3/2018 16:06  |                                                    |                                                                         | C |
| 180011816 | 700 W  | 7TH  | 3/9/2018 21:00  | Public Service - Water Issue                       | ROUTINE ASSIST PUBLIC OR OTHER AGENCY WITH WATER PROBLEM.               | A |
| 180010793 | 1000 W | 7TH  | 3/3/2018 15:48  | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180010257 | 1100 E | 7TH  | 2/28/2018 12:22 | s.22(1)                                            |                                                                         | A |
| 180012697 | 1100 E | 7TH  | 3/14/2018 21:01 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180011259 | 1100 W | 7TH  | 3/6/2018 14:44  | Alarm Active/No Fire - Electrical Surge            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180010599 | 1200 E | 7TH  | 3/2/2018 13:08  | s.22(1)                                            |                                                                         | B |
| 180011215 | 1300 W | 7TH  | 3/6/2018 10:50  |                                                    |                                                                         | D |
| 180012404 | 1500 W | 7TH  | 3/13/2018 2:11  |                                                    |                                                                         | B |
| 180010662 | 1500 W | 7TH  | 3/2/2018 20:27  |                                                    |                                                                         | A |
| 180012094 | 1500 W | 7TH  | 3/11/2018 9:14  |                                                    |                                                                         | C |
| 180012376 | 1500 W | 7TH  | 3/12/2018 22:03 | Response - Cancelled - On Scene                    | s.22(1)                                                                 | B |
| 180012336 | 1900 W | 7TH  | 3/12/2018 17:35 | s.22(1)                                            |                                                                         | C |
| 180010821 | 2000 W | 7TH  | 3/3/2018 19:36  |                                                    |                                                                         | B |
| 180010091 | 0 W    | 8TH  | 2/27/2018 12:02 | MVI - With No Injuries                             | MVI - MOTOR VEHICLE INCIDENT                                            | A |
| 180010359 | 0 E    | 8TH  | 3/1/2018 0:18   | s.22(1)                                            |                                                                         | D |
| 180011270 | 0 E    | 8TH  | 3/6/2018 15:48  | Haz-Mat - Gases - Natural Gas                      | SMELL OF COMPRESSED GAS OUTSIDE                                         | D |



|           |        |        |                 |                                                   |                                                            |   |
|-----------|--------|--------|-----------------|---------------------------------------------------|------------------------------------------------------------|---|
| 180011811 | 0 W    | 8TH    | 3/9/2018 20:23  | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE  | A |
| 180012603 | 0 E    | 8TH    | 3/14/2018 11:54 | Public Hazard - Unclassified(remarks req)         | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL  | D |
| 180012253 | 600 E  | 8TH    | 3/12/2018 6:14  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | B |
| 180010290 | 900 W  | 8TH    | 2/28/2018 16:58 | s.22(1)                                           |                                                            | D |
| 180012011 | 1200 E | 8TH    | 3/10/2018 19:41 |                                                   |                                                            | A |
| 180010156 | 1200 E | 8TH    | 2/27/2018 20:21 |                                                   |                                                            | D |
| 180012597 | 1500 W | 8TH    | 3/14/2018 10:56 | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | D |
| 180011188 | 1900 E | 8TH    | 3/6/2018 7:02   | s.22(1)                                           |                                                            | C |
| 180011781 | 2100 W | 8TH    | 3/9/2018 16:01  |                                                   |                                                            | B |
| 180010890 | 2300 W | 8TH    | 3/4/2018 9:36   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                          | C |
| 180010752 | 2400 W | 8TH    | 3/3/2018 10:06  | s.22(1)                                           |                                                            | C |
| 180010759 | 2400 W | 8TH    | 3/3/2018 10:57  |                                                   |                                                            | C |
| 180010682 | 2800 W | 8TH    | 3/2/2018 22:41  |                                                   |                                                            | A |
| 180010090 | 3100 E | 8TH    | 2/27/2018 12:02 |                                                   |                                                            | A |
| 180012062 | 3400 W | 8TH    | 3/11/2018 1:56  |                                                   |                                                            | A |
| 180011136 | 3700 W | 8TH    | 3/5/2018 19:35  | Public Service - Assisted BCAS/Police             | MEDICAL AID EMERGENCY BCAS OR PUBLIC                       | C |
| 180012523 | 4300 W | 8TH    | 3/13/2018 18:59 | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  | C |
| 180010028 | 0      | ABBOTT | 2/27/2018 2:03  | s.22(1)                                           |                                                            | C |
| 180010036 | 0      | ABBOTT | 2/27/2018 4:02  |                                                   |                                                            | C |
| 180010046 | 0      | ABBOTT | 2/27/2018 7:17  | Public Hazard - Electrical(remarks req)           | RESIDENTIAL ELECTRICAL PROBLEM - ROUTINE RESPONSE          | A |
| 180011795 | 0      | ABBOTT | 3/9/2018 18:11  | Response - Cancelled - On Scene                   | s.22(1)                                                    | A |
| 180011869 | 0      | ABBOTT | 3/10/2018 1:37  | s.22(1)                                           |                                                            | A |
| 180011946 | 0      | ABBOTT | 3/10/2018 12:36 | Response - Cancelled - On Scene                   | s.22(1)                                                    | B |
| 180012081 | 0      | ABBOTT | 3/11/2018 6:10  | Response - Cancelled - On Scene                   |                                                            | A |
| 180010296 | 200    | ABBOTT | 2/28/2018 17:31 | Response - Cancelled - On Scene                   |                                                            | A |
| 180010859 | 200    | ABBOTT | 3/4/2018 1:28   | s.22(1)                                           |                                                            | B |
| 180010973 | 200    | ABBOTT | 3/4/2018 22:26  | Response - Cancelled - No Response                | s.22(1)                                                    | B |
| 180012472 | 200    | ABBOTT | 3/13/2018 13:11 | s.22(1)                                           |                                                            | D |
| 180012686 | 200    | ABBOTT | 3/14/2018 19:43 |                                                   |                                                            | C |
| 180010516 | 300    | ABBOTT | 3/2/2018 1:14   | Response - Cancelled - En Route                   | s.22(1)                                                    | A |
| 180011758 | 300    | ABBOTT | 3/9/2018 13:30  | s.22(1)                                           |                                                            | B |
| 180010301 | 300    | ABBOTT | 2/28/2018 18:01 | Response - Cancelled - On Scene                   | s.22(1)                                                    | D |
| 180010319 | 300    | ABBOTT | 2/28/2018 19:31 | s.22(1)                                           |                                                            | D |
| 180012325 | 300    | ABBOTT | 3/12/2018 16:36 |                                                   |                                                            | B |
| 180010129 | 400    | ABBOTT | 2/27/2018 16:33 |                                                   |                                                            | D |
| 180010150 | 400    | ABBOTT | 2/27/2018 20:02 |                                                   |                                                            | D |
| 180011428 | 400    | ABBOTT | 3/7/2018 15:35  | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180012405 | 400    | ABBOTT | 3/13/2018 2:12  | s.22(1)                                           |                                                            | B |
| 180011013 | 400    | ABBOTT | 3/5/2018 6:58   | Response - Cancelled - On Scene                   | s.22(1)                                                    | B |
| 180010482 | 500    | ABBOTT | 3/1/2018 20:46  | Response - Cancelled - On Scene                   |                                                            | A |
| 180010548 | 500    | ABBOTT | 3/2/2018 8:19   | s.22(1)                                           |                                                            | B |
| 180010566 | 500    | ABBOTT | 3/2/2018 10:11  |                                                   |                                                            | B |
| 180010829 | 500    | ABBOTT | 3/3/2018 20:44  |                                                   |                                                            | B |
| 180010852 | 500    | ABBOTT | 3/4/2018 0:41   |                                                   |                                                            | B |
| 180011193 | 500    | ABBOTT | 3/6/2018 7:38   |                                                   |                                                            | D |
| 180011615 | 500    | ABBOTT | 3/8/2018 16:11  | Response - Cancelled - On Scene                   | s.22(1)                                                    | A |
| 180011867 | 500    | ABBOTT | 3/10/2018 1:05  | Alarm Active/No Fire - Sprink Surge/Dis           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180012002 | 500    | ABBOTT | 3/10/2018 18:27 | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180012010 | 500    | ABBOTT | 3/10/2018 19:40 | Response - Cancelled - On Scene                   | s.22(1)                                                    | A |
| 180012553 | 500    | ABBOTT | 3/13/2018 23:54 | s.22(1)                                           |                                                            | C |
| 180010396 | 600    | ABBOTT | 3/1/2018 8:17   | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | B |
| 180010686 | 600    | ABBOTT | 3/2/2018 23:08  | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | A |



|           |      |              |                 |                                                    |                                                                               |             |   |
|-----------|------|--------------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------------|-------------|---|
| 180011321 | 600  | ABBOTT       | 3/6/2018 20:51  | s.22(1)                                            |                                                                               |             | C |
| 180012294 | 600  | ABBOTT       | 3/12/2018 12:36 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |             | C |
| 180010947 | 600  | ABBOTT       | 3/4/2018 17:47  | s.22(1)                                            |                                                                               |             | B |
| 180011170 | 600  | ABBOTT       | 3/6/2018 1:55   |                                                    |                                                                               |             | C |
| 180010593 | 2700 | ACADIA       | 3/2/2018 12:47  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |             | B |
| 180011990 | 0    | ADANAC       | 3/10/2018 16:56 | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE                     |             | B |
| 180012168 | 0    | ADANAC       | 3/11/2018 18:03 | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                       |             | B |
| 180012267 | 0    | ADANAC       | 3/12/2018 9:19  | FIRE - Fire Department Responded Reportable - 1000 | FIRE CONFINED TO AN ALTERNATIVE FUEL SOURCE VEHICLE                           |             | C |
| 180011151 | 1900 | ADANAC       | 3/5/2018 21:15  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | C |
| 180011920 | 5800 | ADERA        | 3/10/2018 9:01  | s.22(1)                                            |                                                                               |             | B |
| 180011716 | 6200 | AGRICULTURAL | 3/9/2018 7:14   | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |             | B |
| 180011050 | 6200 | AGRONOMY     | 3/5/2018 10:59  | Response - Unfounded - No Incident Found           | SMELL OF COMPRESSED GAS INSIDE                                                |             | D |
| 180010348 | 6300 | AGRONOMY     | 2/28/2018 22:38 | s.22(1)                                            |                                                                               |             | D |
| 180010716 | 6300 | AGRONOMY     | 3/3/2018 2:57   |                                                    |                                                                               |             | A |
| 180012702 | 0    | ALBERNI      | 3/14/2018 21:44 | MVI - With Injuries                                | MVI - MOTOR VEHICLE INCIDENT                                                  |             | C |
| 180010495 | 1000 | ALBERNI      | 3/1/2018 21:41  | s.22(1)                                            |                                                                               |             | A |
| 180011156 | 1100 | ALBERNI      | 3/5/2018 22:12  |                                                    |                                                                               |             | C |
| 180011326 | 1300 | ALBERNI      | 3/6/2018 21:09  |                                                    |                                                                               |             | C |
| 180012673 | 1300 | ALBERNI      | 3/14/2018 19:04 |                                                    |                                                                               |             | C |
| 180010022 | 1500 | ALBERNI      | 2/27/2018 0:29  |                                                    |                                                                               |             | C |
| 180012164 | 1600 | ALBERNI      | 3/11/2018 17:38 |                                                    |                                                                               |             | B |
| 180012519 | 2100 | ALBERTA      | 3/13/2018 18:45 | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | C |
| 180010813 | 3100 | ALBERTA      | 3/3/2018 17:47  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     |             | C |
| 180010437 | 3100 | ALBERTA      | 3/1/2018 13:57  | s.22(1)                                            |                                                                               |             | B |
| 180010250 | 2400 | ALDER        | 2/28/2018 12:06 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     |             | A |
| 180012174 | 2400 | ALDER        | 3/11/2018 18:49 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                       |             | B |
| 180011449 | 0    | ALEXANDER    | 3/7/2018 18:19  | s.22(1)                                            |                                                                               |             | D |
| 180012153 | 0    | ALEXANDER    | 3/11/2018 16:34 |                                                    |                                                                               |             | C |
| 180011168 | 0    | ALEXANDER    | 3/6/2018 0:00   |                                                    |                                                                               |             | C |
| 180012469 | 0    | ALEXANDER    | 3/13/2018 12:53 |                                                    |                                                                               |             | D |
| 180011207 | 100  | ALEXANDER    | 3/6/2018 9:54   |                                                    |                                                                               |             | D |
| 180011737 | 100  | ALEXANDER    | 3/9/2018 11:05  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                             |             | B |
| 180010653 | 300  | ALEXANDER    | 3/2/2018 19:38  | s.22(1)                                            |                                                                               |             | A |
| 180010657 | 300  | ALEXANDER    | 3/2/2018 19:50  | Public Service - Unclassified(remarks req)         | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE |             | A |
| 180010739 | 300  | ALEXANDER    | 3/3/2018 7:57   | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            |             | C |
| 180010754 | 300  | ALEXANDER    | 3/3/2018 10:14  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | C |
| 180011253 | 300  | ALEXANDER    | 3/6/2018 14:20  | s.22(1)                                            |                                                                               |             | D |
| 180011916 | 300  | ALEXANDER    | 3/10/2018 8:16  |                                                    |                                                                               |             | B |
| 180012560 | 300  | ALEXANDER    | 3/14/2018 2:59  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | C |
| 180010896 | 300  | ALEXANDER    | 3/4/2018 10:55  | s.22(1)                                            |                                                                               | EEN BREATHS | C |
| 180011442 | 300  | ALEXANDER    | 3/7/2018 17:25  |                                                    |                                                                               |             | A |
| 180011736 | 300  | ALEXANDER    | 3/9/2018 10:55  |                                                    |                                                                               |             | B |
| 180010112 | 300  | ALEXANDER    | 2/27/2018 14:48 | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | A |
| 180010849 | 300  | ALEXANDER    | 3/4/2018 0:03   | s.22(1)                                            |                                                                               |             | B |
| 180011176 | 300  | ALEXANDER    | 3/6/2018 4:29   |                                                    |                                                                               |             | C |
| 180011299 | 300  | ALEXANDER    | 3/6/2018 18:47  |                                                    |                                                                               |             | C |
| 180012401 | 300  | ALEXANDER    | 3/13/2018 1:49  |                                                    |                                                                               |             | B |
| 180012415 | 300  | ALEXANDER    | 3/13/2018 4:26  |                                                    |                                                                               |             | B |
| 180010425 | 300  | ALEXANDER    | 3/1/2018 12:05  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |             | B |
| 180012313 | 300  | ALEXANDER    | 3/12/2018 15:41 | s.22(1)                                            |                                                                               |             | C |
| 180010969 | 400  | ALEXANDER    | 3/4/2018 21:41  |                                                    |                                                                               |             | B |
| 180011539 | 400  | ALEXANDER    | 3/8/2018 8:52   |                                                    |                                                                               |             | A |



|           |      |             |                 |                                                   |                                                                         |  |   |
|-----------|------|-------------|-----------------|---------------------------------------------------|-------------------------------------------------------------------------|--|---|
| 180011929 | 400  | ALEXANDER   | 3/10/2018 10:43 | s.22(1)                                           |                                                                         |  | B |
| 180010672 | 400  | ALEXANDER   | 3/2/2018 21:41  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | A |
| 180011490 | 500  | ALEXANDER   | 3/8/2018 0:13   | s.22(1)                                           |                                                                         |  | D |
| 180012691 | 500  | ALEXANDER   | 3/14/2018 20:02 | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | C |
| 180011713 | 4100 | ALEXANDRA   | 3/9/2018 6:33   | Alarm Active/No Fire - Sprink Surge/Dis           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | D |
| 180011376 | 2200 | ALLISON     | 3/7/2018 6:47   | s.22(1)                                           |                                                                         |  | A |
| 180012575 | 200  | ALVIN NAROD | 3/14/2018 8:06  | Public Service - Assisted BCAS/Police             | s.22(1)                                                                 |  | D |
| 180011768 | 7500 | ANGUS       | 3/9/2018 14:21  | s.22(1)                                           |                                                                         |  | B |
| 180010476 | 5000 | ANN         | 3/1/2018 20:10  |                                                   |                                                                         |  | A |
| 180011906 | 3500 | ANZIO       | 3/10/2018 7:29  | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | B |
| 180010904 | 8400 | AQUA        | 3/4/2018 12:39  | s.22(1)                                           |                                                                         |  | C |
| 180011978 | 100  | AQUARIUS    | 3/10/2018 15:33 | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | B |
| 180010372 | 100  | AQUARIUS    | 3/1/2018 3:13   | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | D |
| 180011222 | 0    | ARBUTUS     | 3/6/2018 11:20  | s.22(1)                                           |                                                                         |  | D |
| 180012251 | 0    | ARBUTUS     | 3/12/2018 5:58  | Public Hazard - Lines Down                        | ELECTRICAL WIRES DOWN ON THE GROUND                                     |  | B |
| 180010184 | 2200 | ARBUTUS     | 2/27/2018 23:30 | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | D |
| 180010611 | 6300 | ARGYLE      | 3/2/2018 14:39  | Alarm Active/No Fire - Detector - Carbon Monoxide | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | B |
| 180011096 | 4000 | ASH         | 3/5/2018 15:50  | Alarm Active/No Fire - Testing                    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               |  | D |
| 180012646 | 5000 | ASH         | 3/14/2018 16:35 | s.22(1)                                           |                                                                         |  | D |
| 180010100 | 6100 | ASH         | 2/27/2018 13:50 |                                                   |                                                                         |  | A |
| 180011689 | 8400 | ASH         | 3/9/2018 0:05   |                                                   |                                                                         |  | D |
| 180010756 | 0    | ATHLETES    | 3/3/2018 10:24  |                                                   |                                                                         |  | C |
| 180011026 | 0    | ATHLETES    | 3/5/2018 8:51   | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | D |
| 180011728 | 0    | ATHLETES    | 3/9/2018 10:18  | s.22(1)                                           |                                                                         |  | B |
| 180011769 | 0    | ATHLETES    | 3/9/2018 14:23  |                                                   |                                                                         |  | B |
| 180012573 | 0    | ATHLETES    | 3/14/2018 7:56  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | C |
| 180010099 | 5400 | BAILLIE     | 2/27/2018 13:28 | s.22(1)                                           |                                                                         |  | A |
| 180012024 | 0    | BALACLAVA   | 3/10/2018 20:49 | MVI - With No Injuries                            | MVI - MOTOR VEHICLE INCIDENT                                            |  | A |
| 180011302 | 2500 | BALSAM      | 3/6/2018 19:12  | Alarm Active/No Fire - Detector - Construction    | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | C |
| 180012074 | 5800 | BALSAM      | 3/11/2018 5:01  | s.22(1)                                           |                                                                         |  | A |
| 180011614 | 5800 | BALSAM      | 3/8/2018 16:09  | Public Service - Assisted BCAS/Police             | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      |  | A |
| 180012201 | 5800 | BALSAM      | 3/11/2018 21:17 | s.22(1)                                           |                                                                         |  | B |
| 180010160 | 6000 | BALSAM      | 2/27/2018 20:34 | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | D |
| 180011265 | 6000 | BALSAM      | 3/6/2018 15:13  | Public Service - Non-Medical Lift Assist          | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      |  | D |
| 180011664 | 6000 | BALSAM      | 3/8/2018 21:02  | Response - Cancelled - En Route                   | s.22(1)                                                                 |  | D |
| 180012463 | 6000 | BALSAM      | 3/13/2018 12:12 | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | D |
| 180011848 | 1100 | BARCLAY     | 3/9/2018 23:54  | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | A |
| 180012052 | 1100 | BARCLAY     | 3/11/2018 0:09  | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | A |
| 180010377 | 1100 | BARCLAY     | 3/1/2018 4:34   | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 |  | D |
| 180011043 | 1100 | BARCLAY     | 3/5/2018 10:37  | s.22(1)                                           |                                                                         |  | D |
| 180010273 | 1600 | BARCLAY     | 2/28/2018 14:59 | Response - Cancelled - On Scene                   | s.22(1)                                                                 |  | A |
| 180010563 | 1600 | BARCLAY     | 3/2/2018 9:51   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | B |
| 180010652 | 1600 | BARCLAY     | 3/2/2018 19:35  | Alarm Active/No Fire - Detector - Cooking         | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE |  | A |
| 180011086 | 1600 | BARCLAY     | 3/5/2018 14:25  | s.22(1)                                           |                                                                         |  | D |
| 180011220 | 1600 | BARCLAY     | 3/6/2018 11:15  | Alarm Active/No Fire - Unclassified(remarks req)  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | D |
| 180011606 | 1600 | BARCLAY     | 3/8/2018 15:24  | s.22(1)                                           |                                                                         |  | A |
| 180011973 | 1600 | BARCLAY     | 3/10/2018 15:07 |                                                   |                                                                         |  | B |
| 180012116 | 1600 | BARCLAY     | 3/11/2018 12:18 | Public Service - Trapped In Elevator              | RESCUE - NO IMMEDIATE RISK OR DANGER                                    |  | C |
| 180012456 | 1600 | BARCLAY     | 3/13/2018 11:32 | s.22(1)                                           |                                                                         |  | D |
| 180010622 | 1700 | BARCLAY     | 3/2/2018 15:12  |                                                   |                                                                         |  | B |
| 180010135 | 1700 | BARCLAY     | 2/27/2018 17:08 |                                                   |                                                                         |  | D |
| 180012115 | 1900 | BARCLAY     | 3/11/2018 11:45 |                                                   |                                                                         |  | C |



|           |      |           |                 |                                                      |                                                                 |  |   |
|-----------|------|-----------|-----------------|------------------------------------------------------|-----------------------------------------------------------------|--|---|
| 180012648 | 2000 | BARCLAY   | 3/14/2018 16:45 | s.22(1)                                              |                                                                 |  | C |
| 180011755 | 2000 | BARCLAY   | 3/9/2018 12:47  | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      |  | B |
| 180012165 | 0    | BAUER     | 3/11/2018 17:42 | s.22(1)                                              |                                                                 |  | C |
| 180010365 | 1600 | BAYSHORE  | 3/1/2018 1:11   |                                                      |                                                                 |  | D |
| 180011962 | 1600 | BAYSHORE  | 3/10/2018 14:11 |                                                      |                                                                 |  | B |
| 180012486 | 1600 | BAYSHORE  | 3/13/2018 14:56 | Alarm Active/No Fire - Sprink Surge/Dis              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      |  | D |
| 180010554 | 2200 | BAYSWATER | 3/2/2018 8:54   | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      |  | B |
| 180010562 | 400  | BEACH     | 3/2/2018 9:48   | s.22(1)                                              |                                                                 |  | B |
| 180011935 | 600  | BEACH     | 3/10/2018 11:31 |                                                      |                                                                 |  | B |
| 180012465 | 900  | BEACH     | 3/13/2018 12:19 |                                                      |                                                                 |  | D |
| 180010656 | 1000 | BEACH     | 3/2/2018 19:40  |                                                      |                                                                 |  | A |
| 180011221 | 1100 | BEACH     | 3/6/2018 11:19  |                                                      |                                                                 |  | D |
| 180011225 | 1100 | BEACH     | 3/6/2018 11:30  |                                                      |                                                                 |  | D |
| 180012438 | 1600 | BEACH     | 3/13/2018 10:15 |                                                      |                                                                 |  | D |
| 180011699 | 1900 | BEACH     | 3/9/2018 2:39   |                                                      |                                                                 |  | D |
| 180011828 | 4200 | BEATRICE  | 3/9/2018 22:19  | Public Service - Assisted BCAS/Police                | MEDICAL AID ROUTINE BCAS OR PUBLIC                              |  | A |
| 180011898 | 5700 | BEATRICE  | 3/10/2018 5:44  | s.22(1)                                              |                                                                 |  | A |
| 180010323 | 500  | BEATTY    | 2/28/2018 19:58 |                                                      |                                                                 |  | D |
| 180010685 | 700  | BEATTY    | 3/2/2018 23:01  |                                                      |                                                                 |  | A |
| 180010818 | 700  | BEATTY    | 3/3/2018 18:58  |                                                      |                                                                 |  | B |
| 180010864 | 700  | BEATTY    | 3/4/2018 1:55   |                                                      |                                                                 |  | B |
| 180011108 | 0    | BENTALL   | 3/5/2018 17:00  | Response - Unfounded - Smoke/Steam/Dust/Mistaken     | FIRE CONFINED TO A GASOLINE OR UNKNOWN FUEL SOURCE VEHICLE      |  | C |
| 180010561 | 5900 | BERTON    | 3/2/2018 9:37   | Alarm Active/No Fire - Testing                       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      |  | B |
| 180010794 | 0    | BIDWELL   | 3/3/2018 15:50  | Response - Cancelled - On Scene                      | s.22(1)                                                         |  | C |
| 180011356 | 0    | BIDWELL   | 3/7/2018 1:54   | FIRE - Fire Department Responded Reportable - 1000   | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                         |  | C |
| 180010591 | 1100 | BIDWELL   | 3/2/2018 12:41  | s.22(1)                                              |                                                                 |  | B |
| 180010910 | 1200 | BIDWELL   | 3/4/2018 13:25  | Response - Cancelled - On Scene                      | s.22(1)                                                         |  | C |
| 180011323 | 2600 | BIRCH     | 3/6/2018 21:04  | s.22(1)                                              |                                                                 |  | C |
| 180011276 | 5600 | BIRNEY    | 3/6/2018 16:39  | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      |  | D |
| 180012395 | 5600 | BIRNEY    | 3/13/2018 0:45  | Public Service - Trapped In Elevator                 | RESCUE - NO IMMEDIATE RISK OR DANGER                            |  | B |
| 180010191 | 5700 | BIRNEY    | 2/28/2018 1:03  | s.22(1)                                              |                                                                 |  | D |
| 180011095 | 0    | BLAKE     | 3/5/2018 15:42  |                                                      |                                                                 |  | D |
| 180011430 | 2400 | BLENHEIM  | 3/7/2018 15:54  |                                                      |                                                                 |  | A |
| 180010619 | 3200 | BLENHEIM  | 3/2/2018 15:01  |                                                      |                                                                 |  | B |
| 180011883 | 0    | BOUNDARY  | 3/10/2018 3:22  | Response - Cancelled - En Route                      | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)             |  | A |
| 180010505 | 900  | BOUNDARY  | 3/1/2018 23:20  | FIRE - Fire Department Responded Reportable - 1000   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       |  | A |
| 180011404 | 900  | BOUNDARY  | 3/7/2018 11:38  | s.22(1)                                              |                                                                 |  | A |
| 180011591 | 1000 | BOUNDARY  | 3/8/2018 13:58  | FIRE - Non-Reportable - Outdoor Burning - Non-Permit | FIRE THREATENING OR INVOLVING AN OUTBUILDING OR DETACHED GARAGE |  | A |
| 180010938 | 2300 | BOUNDARY  | 3/4/2018 17:02  | Response - Unfounded - No Incident Found             | s.22(1)                                                         |  | B |
| 180010900 | 4600 | BOUNDARY  | 3/4/2018 11:34  | s.22(1)                                              |                                                                 |  | C |
| 180011701 | 5000 | BOUNDARY  | 3/9/2018 3:02   |                                                      |                                                                 |  | D |
| 180010514 | 5000 | BOUNDARY  | 3/2/2018 1:08   |                                                      |                                                                 |  | A |
| 180011054 | 5500 | BOUNDARY  | 3/5/2018 11:18  |                                                      |                                                                 |  | D |
| 180012048 | 5900 | BOUNDARY  | 3/10/2018 23:19 |                                                      |                                                                 |  | A |
| 180012186 | 6100 | BOUNDARY  | 3/11/2018 20:09 |                                                      |                                                                 |  | B |
| 180011718 | 4100 | BRANT     | 3/9/2018 7:21   | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       |  | B |
| 180011486 | 4100 | BRANT     | 3/7/2018 23:04  | s.22(1)                                              |                                                                 |  | D |
| 180011861 | 4100 | BRANT     | 3/10/2018 0:43  |                                                      |                                                                 |  | A |
| 180010643 | 0    | BRIDGEWAY | 3/2/2018 18:31  | MVI - Extrication Required                           | TRAFFIC / TRANSPORTATION ACCIDENT - BUS                         |  | A |
| 180010229 | 0 W  | BROADWAY  | 2/28/2018 9:07  | s.22(1)                                              |                                                                 |  | A |
| 180010357 | 0 E  | BROADWAY  | 3/1/2018 0:07   |                                                      |                                                                 |  | D |
| 180011228 | 0 E  | BROADWAY  | 3/6/2018 11:59  |                                                      |                                                                 |  | D |

|           |        |           |                 |                                                    |                                                            |  |   |
|-----------|--------|-----------|-----------------|----------------------------------------------------|------------------------------------------------------------|--|---|
| 180011651 | 0 W    | BROADWAY  | 3/8/2018 19:52  | s.22(1)                                            |                                                            |  | D |
| 180012228 | 0 W    | BROADWAY  | 3/12/2018 0:01  | Response - Cancelled - En Route                    | FALLS - NOT ALERT - PUBLIC PLACE                           |  | B |
| 180012234 | 0 E    | BROADWAY  | 3/12/2018 1:31  | Response - Cancelled - On Scene                    | s.22(1)                                                    |  | B |
| 180011762 | 100 E  | BROADWAY  | 3/9/2018 13:55  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | B |
| 180010636 | 300 E  | BROADWAY  | 3/2/2018 17:21  | Response - Cancelled - En Route                    | s.22(1)                                                    |  | A |
| 180012137 | 300 E  | BROADWAY  | 3/11/2018 14:53 | s.22(1)                                            |                                                            |  | C |
| 180010123 | 300 E  | BROADWAY  | 2/27/2018 15:46 |                                                    |                                                            |  | A |
| 180011117 | 400 W  | BROADWAY  | 3/5/2018 17:45  |                                                    |                                                            |  | C |
| 180010819 | 500 W  | BROADWAY  | 3/3/2018 18:59  |                                                    |                                                            |  | B |
| 180010235 | 600 W  | BROADWAY  | 2/28/2018 10:00 |                                                    |                                                            |  | A |
| 180010158 | 600 W  | BROADWAY  | 2/27/2018 20:32 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | D |
| 180012351 | 700 E  | BROADWAY  | 3/12/2018 19:15 | s.22(1)                                            |                                                            |  | B |
| 180012148 | 700 W  | BROADWAY  | 3/11/2018 16:04 | Public Service - Assisted BCAS/Police              | ASSIST THE PUBLIC OR OTHER AGENCY                          |  | C |
| 180012452 | 700 E  | BROADWAY  | 3/13/2018 11:21 | s.22(1)                                            |                                                            |  | D |
| 180010400 | 800 E  | BROADWAY  | 3/1/2018 8:25   |                                                    |                                                            |  | B |
| 180012587 | 800 W  | BROADWAY  | 3/14/2018 9:33  |                                                    |                                                            |  | D |
| 180010306 | 1000 W | BROADWAY  | 2/28/2018 18:36 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | D |
| 180012298 | 1100 W | BROADWAY  | 3/12/2018 12:59 | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | C |
| 180010152 | 1100 E | BROADWAY  | 2/27/2018 20:06 | s.22(1)                                            |                                                            |  | D |
| 180011139 | 1400 E | BROADWAY  | 3/5/2018 19:50  |                                                    |                                                            |  | C |
| 180010688 | 1400 E | BROADWAY  | 3/2/2018 23:23  |                                                    |                                                            |  | A |
| 180012515 | 1500 W | BROADWAY  | 3/13/2018 18:24 | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    |  | C |
| 180010506 | 1500 E | BROADWAY  | 3/1/2018 23:40  | s.22(1)                                            |                                                            |  | A |
| 180010839 | 1600 E | BROADWAY  | 3/3/2018 22:33  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | B |
| 180010650 | 1700 E | BROADWAY  | 3/2/2018 19:16  | s.22(1)                                            |                                                            |  | A |
| 180012200 | 2000 W | BROADWAY  | 3/11/2018 21:17 |                                                    |                                                            |  | B |
| 180010450 | 2200 W | BROADWAY  | 3/1/2018 15:57  |                                                    | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    |  | B |
| 180012192 | 2200 W | BROADWAY  | 3/11/2018 20:34 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | B |
| 180012279 | 2200 W | BROADWAY  | 3/12/2018 11:08 | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | C |
| 180012627 | 2400 E | BROADWAY  | 3/14/2018 14:38 | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | D |
| 180011905 | 2400 E | BROADWAY  | 3/10/2018 7:05  | s.22(1)                                            |                                                            |  | B |
| 180010726 | 2400 E | BROADWAY  | 3/3/2018 5:00   | Response - Cancelled - On Scene                    | s.22(1)                                                    |  | A |
| 180010326 | 2400 W | BROADWAY  | 2/28/2018 20:20 | s.22(1)                                            |                                                            |  | D |
| 180011513 | 2400 E | BROADWAY  | 3/8/2018 4:13   | Alarm Active/No Fire - Electrical Surge            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | D |
| 180011395 | 2500 W | BROADWAY  | 3/7/2018 9:12   | s.22(1)                                            |                                                            |  | A |
| 180011459 | 2500 W | BROADWAY  | 3/7/2018 19:27  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | D |
| 180010173 | 2700 E | BROADWAY  | 2/27/2018 22:02 | s.22(1)                                            |                                                            |  | D |
| 180010909 | 3000 E | BROADWAY  | 3/4/2018 13:14  | Response - Cancelled - On Scene                    | s.22(1)                                                    |  | C |
| 180010253 | 3100 W | BROADWAY  | 2/28/2018 12:12 | Response - Cancelled - On Scene                    |                                                            |  | A |
| 180010692 | 3100 E | BROADWAY  | 3/3/2018 0:04   | Public Service - Assisted BCAS/Police              | MEDICAL AID ROUTINE BCAS OR PUBLIC                         |  | A |
| 180011008 | 3400 W | BROADWAY  | 3/5/2018 5:40   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    |  | B |
| 180010666 | 3400 W | BROADWAY  | 3/2/2018 20:39  | s.22(1)                                            |                                                            |  | A |
| 180010228 | 3500 W | BROADWAY  | 2/28/2018 8:52  |                                                    |                                                            |  | A |
| 180012154 | 6500   | BROOKS    | 3/11/2018 16:35 |                                                    |                                                            |  | B |
| 180011740 | 400    | BROUGHTON | 3/9/2018 11:13  |                                                    |                                                            |  | B |
| 180012471 | 400    | BROUGHTON | 3/13/2018 13:02 | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | D |
| 180012685 | 500    | BROUGHTON | 3/14/2018 19:42 | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | C |
| 180012364 | 1000   | BROUGHTON | 3/12/2018 20:42 | s.22(1)                                            |                                                            |  | B |
| 180011142 | 1100   | BROUGHTON | 3/5/2018 19:58  |                                                    |                                                            |  | C |
| 180010209 | 1100   | BROUGHTON | 2/28/2018 3:46  |                                                    |                                                            |  | D |
| 180010513 | 1100   | BROUGHTON | 3/2/2018 0:59   |                                                    |                                                            |  | A |
| 180010723 | 1100   | BROUGHTON | 3/3/2018 4:01   | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                          |  | A |



|           |      |                |                 |                                                   |                                                                        |   |
|-----------|------|----------------|-----------------|---------------------------------------------------|------------------------------------------------------------------------|---|
| 180010876 | 1100 | BROUGHTON      | 3/4/2018 4:40   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | B |
| 180010982 | 1100 | BROUGHTON      | 3/4/2018 23:27  | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | B |
| 180011073 | 1100 | BROUGHTON      | 3/5/2018 12:38  | s.22(1)                                           |                                                                        | D |
| 180011131 | 1100 | BROUGHTON      | 3/5/2018 18:42  |                                                   |                                                                        | C |
| 180011338 | 1100 | BROUGHTON      | 3/6/2018 23:12  | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | C |
| 180011494 | 1100 | BROUGHTON      | 3/8/2018 1:28   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | D |
| 180011697 | 1100 | BROUGHTON      | 3/9/2018 2:36   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | D |
| 180012248 | 1100 | BROUGHTON      | 3/12/2018 4:42  | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | B |
| 180012355 | 1100 | BROUGHTON      | 3/12/2018 19:55 | s.22(1)                                           |                                                                        | B |
| 180010312 | 0    | BRUNSWICK      | 2/28/2018 18:54 |                                                   |                                                                        | D |
| 180010647 | 2400 | BRUNSWICK      | 3/2/2018 18:53  | Public Service - Unclassified(remarks req)        | ASSIST THE PUBLIC OR OTHER AGENCY                                      | A |
| 180011780 | 600  | BUCKETWHEEL    | 3/9/2018 15:58  | Response - Cancelled - On Scene                   | s.22(1)                                                                | B |
| 180010401 | 600  | BUCKETWHEEL    | 3/1/2018 8:30   | s.22(1)                                           |                                                                        | B |
| 180010364 | 1000 | BURNABY        | 3/1/2018 1:05   | Public Service - Non-Medical Lift Assist          | ASSIST THE PUBLIC OR OTHER AGENCY                                      | D |
| 180011882 | 1100 | BURNABY        | 3/10/2018 3:18  | Public Service - Assisted BCAS/Police             | s.22(1)                                                                | A |
| 180012017 | 1100 | BURNABY        | 3/10/2018 20:07 | s.22(1)                                           |                                                                        | A |
| 180010789 | 1200 | BURNABY        | 3/3/2018 15:35  |                                                   |                                                                        | C |
| 180011747 | 1300 | BURNABY        | 3/9/2018 12:22  |                                                   |                                                                        | B |
| 180010486 | 0    | BURRARD        | 3/1/2018 21:06  |                                                   |                                                                        | A |
| 180010501 | 0    | BURRARD        | 3/1/2018 22:37  | Response - Unfounded - Smoke/Steam/Dust/Mistaken  | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE        | A |
| 180010811 | 0    | BURRARD        | 3/3/2018 17:22  | s.22(1)                                           |                                                                        | B |
| 180010828 | 0    | BURRARD        | 3/3/2018 20:31  |                                                   |                                                                        | B |
| 180011538 | 0    | BURRARD        | 3/8/2018 8:36   | Haz-Mat - Flammable/Combustible Liquids           | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL              | A |
| 180011629 | 0    | BURRARD        | 3/8/2018 18:15  | MVI - Pedestrian Struck                           | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK | D |
| 180012540 | 0    | BURRARD        | 3/13/2018 21:53 | s.22(1)                                           |                                                                        | C |
| 180010430 | 200  | BURRARD        | 3/1/2018 12:47  | Response - Cancelled - On Scene                   | s.22(1)                                                                | B |
| 180012297 | 600  | BURRARD        | 3/12/2018 12:50 | s.22(1)                                           |                                                                        | C |
| 180012658 | 600  | BURRARD        | 3/14/2018 17:18 | Response - Unfounded - No Incident Found          | s.22(1)                                                                | C |
| 180010898 | 600  | BURRARD        | 3/4/2018 11:27  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | C |
| 180011024 | 600  | BURRARD        | 3/5/2018 8:45   | s.22(1)                                           |                                                                        | D |
| 180010728 | 800  | BURRARD        | 3/3/2018 5:23   | Response - Cancelled - No Response                | s.22(1)                                                                | A |
| 180011463 | 800  | BURRARD        | 3/7/2018 20:02  | s.22(1)                                           |                                                                        | D |
| 180011523 | 800  | BURRARD        | 3/8/2018 7:41   |                                                   |                                                                        | A |
| 180010856 | 900  | BURRARD        | 3/4/2018 1:22   | Response - Cancelled - En Route                   | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                | B |
| 180010651 | 900  | BURRARD        | 3/2/2018 19:19  | s.22(1)                                           |                                                                        | A |
| 180010913 | 900  | BURRARD        | 3/4/2018 14:08  |                                                   |                                                                        | C |
| 180012206 | 900  | BURRARD        | 3/11/2018 21:33 |                                                   |                                                                        | B |
| 180011999 | 900  | BURRARD        | 3/10/2018 18:04 | Response - Cancelled - On Scene                   | s.22(1)                                                                | A |
| 180011915 | 1000 | BURRARD        | 3/10/2018 8:10  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | B |
| 180012093 | 1000 | BURRARD        | 3/11/2018 9:09  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | C |
| 180010267 | 1000 | BURRARD        | 2/28/2018 14:02 | s.22(1)                                           |                                                                        | A |
| 180010304 | 1000 | BURRARD        | 2/28/2018 18:23 | Response - Cancelled - En Route                   | s.22(1)                                                                | D |
| 180010569 | 1000 | BURRARD        | 3/2/2018 10:42  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | B |
| 180010590 | 1000 | BURRARD        | 3/2/2018 12:31  | Alarm Active/No Fire - Testing                    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | B |
| 180011090 | 1000 | BURRARD        | 3/5/2018 14:48  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | D |
| 180011482 | 1000 | BURRARD        | 3/7/2018 22:23  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | D |
| 180012596 | 1000 | BURRARD        | 3/14/2018 10:56 | Alarm Active/No Fire - Testing                    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | D |
| 180010149 | 1100 | BURRARD        | 2/27/2018 20:00 | s.22(1)                                           |                                                                        | D |
| 180012443 | 1200 | BURRARD        | 3/13/2018 10:46 |                                                   |                                                                        | D |
| 180010181 | 1500 | BURRARD        | 2/27/2018 23:24 | Response - Unfounded - Smoke/Steam/Dust/Mistaken  | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                   | D |
| 180010579 | 2000 | BURRARD        | 3/2/2018 11:39  | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                           | B |
| 180010536 | 1400 | BURRARD STREET | 3/2/2018 6:04   | Response - Unfounded - No Incident Found          | s.22(1)                                                                | A |

|           |      |               |                 |                                                    |         |                                                                               |   |
|-----------|------|---------------|-----------------|----------------------------------------------------|---------|-------------------------------------------------------------------------------|---|
| 180011120 | 300  | BUTE          | 3/5/2018 17:53  | Public Service - Assisted BCAS/Police              | s.22(1) |                                                                               | D |
| 180012331 | 800  | BUTE          | 3/12/2018 17:15 | FIRE - Fire Department Responded Reportable - 1000 |         | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                          | B |
| 180011662 | 1000 | BUTE          | 3/8/2018 21:00  | Alarm Active/No Fire - Detector - Cooking          |         | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE | D |
| 180010324 | 1100 | BUTE          | 2/28/2018 19:58 | s.22(1)                                            |         |                                                                               | D |
| 180012631 | 1300 | BUTE          | 3/14/2018 15:17 |                                                    |         |                                                                               | D |
| 180011925 | 7700 | BUTLER        | 3/10/2018 10:06 |                                                    |         |                                                                               | B |
| 180010104 | 0    | CAMBIE        | 2/27/2018 14:07 |                                                    |         |                                                                               | A |
| 180010105 | 0    | CAMBIE        | 2/27/2018 14:14 | MVI - With Injuries                                |         | TRAFFIC / TRANSPORTATION ACCIDENT - UNKNOWN STATUS (THIRD PARTY CALL)         | A |
| 180010432 | 0    | CAMBIE        | 3/1/2018 12:58  | s.22(1)                                            |         |                                                                               | B |
| 180010512 | 0    | CAMBIE        | 3/2/2018 0:51   | Response - Cancelled - On Scene                    | s.22(1) |                                                                               | A |
| 180010858 | 0    | CAMBIE        | 3/4/2018 1:26   | s.22(1)                                            |         |                                                                               | B |
| 180011171 | 0    | CAMBIE        | 3/6/2018 2:14   |                                                    |         |                                                                               | C |
| 180011813 | 0    | CAMBIE        | 3/9/2018 20:44  | MVI - Routine Cleanup                              |         | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL                     | A |
| 180011986 | 0    | CAMBIE        | 3/10/2018 16:29 | s.22(1)                                            |         |                                                                               | B |
| 180012349 | 0    | CAMBIE        | 3/12/2018 18:46 |                                                    |         |                                                                               | B |
| 180012506 | 0    | CAMBIE        | 3/13/2018 16:50 | Response - Cancelled - On Scene                    | s.22(1) |                                                                               | C |
| 180010503 | 100  | CAMBIE        | 3/1/2018 23:12  | Response - Cancelled - En Route                    |         |                                                                               | A |
| 180011031 | 200  | CAMBIE        | 3/5/2018 9:18   | s.22(1)                                            |         |                                                                               | D |
| 180010183 | 300  | CAMBIE        | 2/27/2018 23:31 | Response - Cancelled - On Scene                    | s.22(1) |                                                                               | D |
| 180011865 | 300  | CAMBIE        | 3/10/2018 0:55  | s.22(1)                                            |         |                                                                               | A |
| 180011138 | 800  | CAMBIE        | 3/5/2018 19:50  |                                                    |         |                                                                               | C |
| 180012381 | 800  | CAMBIE        | 3/12/2018 22:58 | Response - Cancelled - On Scene                    | s.22(1) |                                                                               | B |
| 180010826 | 1000 | CAMBIE        | 3/3/2018 20:28  | s.22(1)                                            |         |                                                                               | B |
| 180011423 | 1000 | CAMBIE        | 3/7/2018 14:16  | Alarm Active/No Fire - Detector - Construction     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | A |
| 180010221 | 2100 | CAMBIE        | 2/28/2018 7:45  | FIRE - Fire Department Responded Reportable - 1000 |         | FIRE CONFINED TO A GASOLINE OR UNKNOWN FUEL SOURCE VEHICLE                    | A |
| 180011313 | 2300 | CAMBIE        | 3/6/2018 20:03  | Alarm Active/No Fire - Detector - Other            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | C |
| 180010669 | 2700 | CAMBIE        | 3/2/2018 20:57  | Response - Cancelled - On Scene                    | s.22(1) |                                                                               | A |
| 180010271 | 3000 | CAMBIE        | 2/28/2018 14:53 | Alarm Active/No Fire - Detector - Other            |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | A |
| 180010277 | 3000 | CAMBIE        | 2/28/2018 15:19 | Response - Cancelled - En Route                    |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | A |
| 180012604 | 3000 | CAMBIE        | 3/14/2018 11:55 | Alarm Active/No Fire - Detector - Steam            |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | D |
| 180011966 | 4000 | CAMBIE        | 3/10/2018 14:45 | Alarm Active/No Fire - Detector - Construction     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | B |
| 180012446 | 4400 | CAMBIE        | 3/13/2018 11:05 | Public Service - Trapped In Elevator               |         | RESCUE - NO IMMEDIATE RISK OR DANGER                                          | D |
| 180010526 | 4500 | CAMBIE        | 3/2/2018 2:51   | Alarm Active/No Fire - Detector - Other            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | A |
| 180010534 | 4500 | CAMBIE        | 3/2/2018 5:14   | Alarm Active/No Fire - Unclassified(remarks req)   |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | A |
| 180012147 | 4600 | CAMBIE        | 3/11/2018 15:41 | s.22(1)                                            |         |                                                                               | C |
| 180011954 | 4600 | CAMBIE        | 3/10/2018 13:24 | FIRE - Fire Department Responded Reportable - 1000 |         | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                          | B |
| 180011236 | 5500 | CAMBIE        | 3/6/2018 12:56  | Public Service - Non-Medical Lift Assist           |         | ASSIST THE PUBLIC OR OTHER AGENCY                                             | D |
| 180010321 | 6400 | CAMBIE        | 2/28/2018 19:51 | Response - Unfounded - No Incident Found           | s.22(1) |                                                                               | D |
| 180011957 | 8100 | CAMBIE        | 3/10/2018 13:45 | Alarm Active/No Fire - Pull Station                |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | B |
| 180010205 | 8400 | CAMBIE        | 2/28/2018 3:41  | s.22(1)                                            |         |                                                                               | D |
| 180010634 | 8400 | CAMBIE        | 3/2/2018 16:52  |                                                    |         |                                                                               | B |
| 180010917 | 8400 | CAMBIE        | 3/4/2018 14:35  |                                                    |         |                                                                               | C |
| 180011140 | 8400 | CAMBIE        | 3/5/2018 19:50  |                                                    |         |                                                                               | C |
| 180012398 | 8400 | CAMBIE        | 3/13/2018 1:23  |                                                    |         |                                                                               | B |
| 180010153 | 1400 | CAMBIE STREET | 2/27/2018 20:08 | Response - Cancelled - En Route                    | s.22(1) |                                                                               | D |
| 180011057 | 3600 | CAMERON       | 3/5/2018 11:42  | Alarm Active/No Fire - Detector - Other            |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | D |
| 180010696 | 400  | CAMPBELL      | 3/3/2018 0:30   | s.22(1)                                            |         |                                                                               | A |
| 180010715 | 400  | CAMPBELL      | 3/3/2018 2:49   |                                                    |         | ASSAULT - POSSIBLE DANGEROUS BODY AREA                                        | A |
| 180012698 | 400  | CAMPBELL      | 3/14/2018 21:08 | Haz-Mat - Gases - Propane                          |         | ODOUR OR SMELL OF UNKNONWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE            | C |
| 180010433 | 500  | CAMPBELL      | 3/1/2018 12:58  | s.22(1)                                            |         |                                                                               | B |
| 180010698 | 500  | CAMPBELL      | 3/3/2018 0:41   |                                                    |         |                                                                               | A |
| 180010177 | 0    | CARDERO       | 2/27/2018 22:25 |                                                    |         |                                                                               | D |



|           |      |            |                 |                                                |                                                                    |   |
|-----------|------|------------|-----------------|------------------------------------------------|--------------------------------------------------------------------|---|
| 180010078 | 500  | CARDERO    | 2/27/2018 10:37 | Alarm Active/No Fire - Detector - Construction | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | A |
| 180011888 | 800  | CARDERO    | 3/10/2018 3:55  | s.22(1)                                        |                                                                    | A |
| 180012584 | 1200 | CARDERO    | 3/14/2018 9:11  |                                                |                                                                    | D |
| 180011250 | 5500 | CARNARVON  | 3/6/2018 14:02  | Alarm Active/No Fire - Testing                 | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | D |
| 180011106 | 0    | CAROLINA   | 3/5/2018 16:39  | Response - Cancelled - On Scene                | s.22(1)                                                            | C |
| 180011857 | 200  | CARRALL    | 3/10/2018 0:19  | s.22(1)                                        |                                                                    | A |
| 180011520 | 300  | CARRALL    | 3/8/2018 7:08   | Haz-Mat - Unclassified(Remarks Req)            | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL          | D |
| 180011101 | 300  | CARRALL    | 3/5/2018 16:14  | Response - Unfounded - No Incident Found       | s.22(1)                                                            | D |
| 180010037 | 400  | CARRALL    | 2/27/2018 4:50  | Response - Cancelled - On Scene                | ASSAULT - POSSIBLE DANGEROUS BODY AREA                             | C |
| 180010646 | 400  | CARRALL    | 3/2/2018 18:47  | s.22(1)                                        |                                                                    | A |
| 180010997 | 400  | CARRALL    | 3/5/2018 2:42   | Response - Cancelled - On Scene                | s.22(1)                                                            | B |
| 180011127 | 400  | CARRALL    | 3/5/2018 18:24  | s.22(1)                                        |                                                                    | C |
| 180012151 | 400  | CARRALL    | 3/11/2018 16:09 |                                                |                                                                    | C |
| 180012132 | 500  | CARRALL    | 3/11/2018 14:22 |                                                |                                                                    | C |
| 180010060 | 4900 | CARTIER    | 2/27/2018 8:55  |                                                |                                                                    | A |
| 180010824 | 4900 | CARTIER    | 3/3/2018 19:49  |                                                |                                                                    | B |
| 180010192 | 8700 | CARTIER    | 2/28/2018 1:08  |                                                |                                                                    | D |
| 180012494 | 800  | CASSIAR    | 3/13/2018 15:36 |                                                |                                                                    | D |
| 180010734 | 900  | CASSIAR    | 3/3/2018 6:33   | Public Service - Non-Medical Lift Assist       | MEDICAL AID ROUTINE BCAS OR PUBLIC                                 | A |
| 180011937 | 2000 | CASSIAR    | 3/10/2018 12:09 | s.22(1)                                        |                                                                    | B |
| 180012410 | 2000 | CASSIAR    | 3/13/2018 3:46  |                                                |                                                                    | B |
| 180012598 | 2200 | CASSIAR    | 3/14/2018 11:03 |                                                |                                                                    | D |
| 180012255 | 2200 | CASSIAR    | 3/12/2018 6:50  |                                                |                                                                    | C |
| 180011605 | 2200 | CASSIAR    | 3/8/2018 15:20  |                                                |                                                                    | A |
| 180012503 | 2200 | CASSIAR    | 3/13/2018 16:24 | Public Service - Non-Medical Lift Assist       | ASSIST THE PUBLIC OR OTHER AGENCY                                  | D |
| 180012639 | 2200 | CASSIAR    | 3/14/2018 15:54 | s.22(1)                                        |                                                                    | D |
| 180011658 | 2500 | CASSIAR    | 3/8/2018 20:50  | MVI - With No Injuries                         | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                         | D |
| 180010517 | 700  | CENTENNIAL | 3/2/2018 1:14   | s.22(1)                                        |                                                                    | A |
| 180010551 | 200  | CENTRAL    | 3/2/2018 8:41   |                                                |                                                                    | B |
| 180010978 | 200  | CENTRAL    | 3/4/2018 23:14  |                                                |                                                                    | B |
| 180011487 | 200  | CENTRAL    | 3/7/2018 23:12  |                                                |                                                                    | D |
| 180010047 | 7700 | CHAMPLAIN  | 2/27/2018 7:21  |                                                |                                                                    | C |
| 180012695 | 7800 | CHAMPLAIN  | 3/14/2018 20:54 |                                                |                                                                    | C |
| 180011502 | 4800 | CHANCELLOR | 3/8/2018 3:01   |                                                |                                                                    | D |
| 180012120 | 1500 | CHARLES    | 3/11/2018 12:42 |                                                |                                                                    | C |
| 180012124 | 1600 | CHARLES    | 3/11/2018 13:26 |                                                |                                                                    | C |
| 180010790 | 1900 | CHARLES    | 3/3/2018 15:39  |                                                |                                                                    | C |
| 180010440 | 4900 | CHATHAM    | 3/1/2018 14:25  | Public Service - Assisted BCAS/Police          | s.22(1)                                                            | B |
| 180011052 | 5200 | CHESTER    | 3/5/2018 11:14  | s.22(1)                                        |                                                                    | D |
| 180011508 | 5300 | CHESTER    | 3/8/2018 3:43   |                                                |                                                                    | D |
| 180012314 | 5700 | CHESTER    | 3/12/2018 15:47 | Alarm Active/No Fire - Detector - Other        | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                          | C |
| 180010732 | 6300 | CHESTER    | 3/3/2018 6:19   | s.22(1)                                        |                                                                    | A |
| 180011821 | 6300 | CHESTER    | 3/9/2018 21:45  | Response - Cancelled - On Scene                | s.22(1)                                                            | A |
| 180010499 | 6400 | CHESTER    | 3/1/2018 22:20  | s.22(1)                                        |                                                                    | A |
| 180010176 | 1100 | CHESTNUT   | 2/27/2018 22:24 | Response - Cancelled - On Scene                | s.22(1)                                                            | D |
| 180010658 | 1100 | CHESTNUT   | 3/2/2018 19:55  | Alarm Active/No Fire - Testing                 | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | A |
| 180011128 | 1400 | CHESTNUT   | 3/5/2018 18:26  | Alarm Active/No Fire - Detector - Cooking      | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | C |
| 180011179 | 700  | CHILCO     | 3/6/2018 4:57   | s.22(1)                                        |                                                                    | C |
| 180012177 | 1000 | CHILCO     | 3/11/2018 18:58 |                                                |                                                                    | B |
| 180011379 | 1000 | CHILCO     | 3/7/2018 7:09   |                                                |                                                                    | C |
| 180010602 | 3300 | CHURCH     | 3/2/2018 13:36  |                                                |                                                                    | B |
| 180011871 | 0    | CITADEL    | 3/10/2018 1:47  | MVI - With No Injuries                         | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - MULTIPLE PTS | A |

|           |      |                  |                 |                                                    |                                                                               |   |
|-----------|------|------------------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------------|---|
| 180012250 | 600  | CITADEL          | 3/12/2018 5:51  | Response - Cancelled - On Scene                    | s.22(1)                                                                       | B |
| 180011649 | 0    | CLANCY LORANGER  | 3/8/2018 19:46  | MVI - Pedestrian Struck                            | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK        | D |
| 180011060 | 4500 | CLANCY LORANGER  | 3/5/2018 11:50  | Response - Cancelled - En Route                    | s.22(1)                                                                       | D |
| 180011650 | 4500 | CLANCY LORANGER  | 3/8/2018 19:47  | s.22(1)                                            |                                                                               | D |
| 180012580 | 6400 | CLARENDON        | 3/14/2018 8:31  |                                                    |                                                                               | D |
| 180010069 | 0    | CLARK            | 2/27/2018 9:54  | Public Hazard - Unclassified(remarks req)          | ODOUR OR SMELL OF UNKNONWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE            | A |
| 180010313 | 0    | CLARK            | 2/28/2018 19:00 | Response - Cancelled - On Scene                    | s.22(1)                                                                       | D |
| 180011048 | 0    | CLARK            | 3/5/2018 10:55  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - UNKNOWN STATUS (THIRD PARTY CALL)         | D |
| 180011464 | 0    | CLARK            | 3/7/2018 20:02  | Haz-Mat - Unclassified(Remarks Req)                | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL                     | D |
| 180011635 | 0    | CLARK            | 3/8/2018 18:51  | Response - Unfounded - No Incident Found           | s.22(1)                                                                       | D |
| 180011832 | 0    | CLARK            | 3/9/2018 22:25  | s.22(1)                                            |                                                                               | A |
| 180012550 | 0    | CLARK            | 3/13/2018 23:21 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - MULTIPLE PTS            | C |
| 180011917 | 2700 | CLARK            | 3/10/2018 8:46  | s.22(1)                                            |                                                                               | B |
| 180012020 | 0    | COAL HARBOUR     | 3/10/2018 20:12 |                                                    |                                                                               | A |
| 180012583 | 5500 | COLLEGE HIGHROAD | 3/14/2018 8:52  | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            | D |
| 180011724 | 2900 | COLLINGWOOD      | 3/9/2018 9:25   | Response - Cancelled - On Scene                    | s.22(1)                                                                       | B |
| 180010240 | 4300 | COLLINGWOOD      | 2/28/2018 10:49 | s.22(1)                                            |                                                                               | A |
| 180010779 | 0    | COLUMBIA         | 3/3/2018 13:45  |                                                    |                                                                               | C |
| 180011547 | 0    | COLUMBIA         | 3/8/2018 9:40   | Response - Cancelled - On Scene                    | s.22(1)                                                                       | A |
| 180012611 | 0    | COLUMBIA         | 3/14/2018 13:01 | MVI - With No Injuries                             | MVI - CLEAN-UP, NO INJURIES                                                   | D |
| 180012612 | 0    | COLUMBIA         | 3/14/2018 13:08 | Response - Cancelled - No Response                 | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                           | D |
| 180012708 | 0    | COLUMBIA         | 3/14/2018 22:27 | s.22(1)                                            |                                                                               | C |
| 180011959 | 200  | COLUMBIA         | 3/10/2018 14:04 |                                                    |                                                                               | B |
| 180011602 | 300  | COLUMBIA         | 3/8/2018 15:08  |                                                    |                                                                               | A |
| 180012072 | 300  | COLUMBIA         | 3/11/2018 4:56  | Haz-Mat - Gases - Natural Gas                      | SMELL OF COMPRESSED GAS INSIDE                                                | A |
| 180011110 | 300  | COLUMBIA         | 3/5/2018 17:04  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | D |
| 180011908 | 300  | COLUMBIA         | 3/10/2018 7:38  | s.22(1)                                            |                                                                               | B |
| 180012403 | 300  | COLUMBIA         | 3/13/2018 2:08  |                                                    |                                                                               | B |
| 180010948 | 1700 | COLUMBIA         | 3/4/2018 17:52  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                                  | C |
| 180010802 | 5400 | COLUMBIA         | 3/3/2018 16:29  | FIRE - Fire Department Responded Reportable - 1000 | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE | C |
| 180010383 | 0    | COMMERCIAL       | 3/1/2018 6:00   | Response - Cancelled - On Scene                    | s.22(1)                                                                       | D |
| 180011677 | 0    | COMMERCIAL       | 3/8/2018 22:25  | s.22(1)                                            |                                                                               | D |
| 180012015 | 0    | COMMERCIAL       | 3/10/2018 19:57 | MVI - Pedestrian Struck                            | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK        | A |
| 180012300 | 0    | COMMERCIAL       | 3/12/2018 13:05 | s.22(1)                                            |                                                                               | C |
| 180012390 | 0    | COMMERCIAL       | 3/13/2018 0:10  | Response - Cancelled - No Response                 | s.22(1)                                                                       | B |
| 180012511 | 0    | COMMERCIAL       | 3/13/2018 17:45 | Response - Cancelled - On Scene                    |                                                                               | C |
| 180012638 | 0    | COMMERCIAL       | 3/14/2018 15:49 | s.22(1)                                            |                                                                               | D |
| 180010281 | 800  | COMMERCIAL       | 2/28/2018 15:45 | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                                  | A |
| 180010295 | 1400 | COMMERCIAL       | 2/28/2018 17:27 | Response - Unfounded - No Incident Found           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            | A |
| 180012305 | 1500 | COMMERCIAL       | 3/12/2018 14:54 | s.22(1)                                            |                                                                               | C |
| 180010363 | 1600 | COMMERCIAL       | 3/1/2018 1:03   | Response - Unfounded - No Incident Found           | s.22(1)                                                                       | D |
| 180010957 | 2200 | COMMERCIAL       | 3/4/2018 19:13  | s.22(1)                                            |                                                                               | B |
| 180012489 | 2400 | COMMERCIAL       | 3/13/2018 14:58 | Response - Cancelled - En Route                    | s.22(1)                                                                       | D |
| 180011112 | 2500 | COMMERCIAL       | 3/5/2018 17:13  | Response - Cancelled - On Scene                    |                                                                               | C |
| 180011787 | 2500 | COMMERCIAL       | 3/9/2018 16:53  | Response - Cancelled - En Route                    |                                                                               | B |
| 180010169 | 2500 | COMMERCIAL       | 2/27/2018 21:18 | s.22(1)                                            |                                                                               | D |
| 180010722 | 2600 | COMMERCIAL       | 3/3/2018 4:00   | Response - Cancelled - On Scene                    | s.22(1)                                                                       | A |
| 180011312 | 3000 | COMMERCIAL       | 3/6/2018 19:59  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     | C |
| 180010316 | 3200 | COMMERCIAL       | 2/28/2018 19:25 | s.22(1)                                            |                                                                               | D |
| 180011274 | 3500 | COMMERCIAL       | 3/6/2018 16:25  |                                                    |                                                                               | D |
| 180011600 | 4700 | COMMERCIAL       | 3/8/2018 14:52  |                                                    |                                                                               | A |
| 180012070 | 5600 | COMMERCIAL       | 3/11/2018 4:34  |                                                    |                                                                               | A |



|           |       |            |                 |                                                  |                                                                         |   |
|-----------|-------|------------|-----------------|--------------------------------------------------|-------------------------------------------------------------------------|---|
| 180010329 | 0     | COMOX      | 2/28/2018 20:42 | Response - Unfounded - No Incident Found         | ODOUR OR SMELL OF UNKNONWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE      | D |
| 180010677 | 1000  | COMOX      | 3/2/2018 22:05  | s.22(1)                                          |                                                                         | A |
| 180010771 | 1000  | COMOX      | 3/3/2018 12:16  | Response - Unfounded - Smoke/Steam/Dust/Mistaken | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE         | C |
| 180011028 | 1200  | COMOX      | 3/5/2018 8:59   | s.22(1)                                          |                                                                         | D |
| 180011991 | 1700  | COMOX      | 3/10/2018 16:59 |                                                  |                                                                         | B |
| 180010886 | 1800  | COMOX      | 3/4/2018 8:16   | Response - Cancelled - On Scene                  | s.22(1)                                                                 | C |
| 180010523 | 2000  | COMOX      | 3/2/2018 2:11   | s.22(1)                                          |                                                                         | A |
| 180012219 | 2000  | COMOX      | 3/11/2018 23:07 |                                                  |                                                                         | B |
| 180011055 | 900   | COOPERAGE  | 3/5/2018 11:30  |                                                  |                                                                         | D |
| 180011806 | 3600  | COQUIHALLA | 3/9/2018 19:52  |                                                  |                                                                         | A |
| 180010436 | 0 E   | CORDOVA    | 3/1/2018 13:35  | Response - Cancelled - En Route                  | s.22(1)                                                                 | B |
| 180011353 | 0 E   | CORDOVA    | 3/7/2018 1:19   | MVI - Routine Cleanup                            | MVI - MOTOR VEHICLE INCIDENT                                            | C |
| 180011794 | 0 E   | CORDOVA    | 3/9/2018 17:57  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180011820 | 0 W   | CORDOVA    | 3/9/2018 21:23  | s.22(1)                                          |                                                                         | A |
| 180011961 | 0 E   | CORDOVA    | 3/10/2018 14:07 | Response - Cancelled - On Scene                  | s.22(1)                                                                 | B |
| 180012182 | 0 W   | CORDOVA    | 3/11/2018 19:52 | s.22(1)                                          |                                                                         | B |
| 180012532 | 0 E   | CORDOVA    | 3/13/2018 20:53 | MVI - Pedestrian Struck                          | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK  | C |
| 180011528 | 0 E   | CORDOVA    | 3/8/2018 8:08   | s.22(1)                                          |                                                                         | A |
| 180010851 | 0 W   | CORDOVA    | 3/4/2018 0:24   | Response - Cancelled - On Scene                  | s.22(1)                                                                 | B |
| 180010285 | 0 E   | CORDOVA    | 2/28/2018 16:07 | s.22(1)                                          |                                                                         | A |
| 180010801 | 0 E   | CORDOVA    | 3/3/2018 16:15  |                                                  |                                                                         | C |
| 180011998 | 0 E   | CORDOVA    | 3/10/2018 18:00 | Response - Cancelled - En Route                  | s.22(1)                                                                 | A |
| 180012247 | 0 E   | CORDOVA    | 3/12/2018 4:26  | s.22(1)                                          |                                                                         | B |
| 180012373 | 0 E   | CORDOVA    | 3/12/2018 21:46 |                                                  |                                                                         | B |
| 180010057 | 0 W   | CORDOVA    | 2/27/2018 8:15  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180011488 | 0 W   | CORDOVA    | 3/7/2018 23:23  | s.22(1)                                          |                                                                         | D |
| 180012067 | 0 W   | CORDOVA    | 3/11/2018 3:42  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180010645 | 0 E   | CORDOVA    | 3/2/2018 18:34  | Alarm Active/No Fire - Detector - Cooking        | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | A |
| 180011416 | 0 E   | CORDOVA    | 3/7/2018 12:33  | s.22(1)                                          |                                                                         | A |
| 180011712 | 0 W   | CORDOVA    | 3/9/2018 6:27   | Response - Cancelled - No Response               | s.22(1)                                                                 | D |
| 180010066 | 100 E | CORDOVA    | 2/27/2018 9:43  | s.22(1)                                          |                                                                         | A |
| 180010248 | 100 E | CORDOVA    | 2/28/2018 11:51 | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180010877 | 100 E | CORDOVA    | 3/4/2018 4:48   | s.22(1)                                          |                                                                         | B |
| 180011377 | 100 E | CORDOVA    | 3/7/2018 6:48   |                                                  |                                                                         | A |
| 180011603 | 100 E | CORDOVA    | 3/8/2018 15:09  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180011669 | 100 E | CORDOVA    | 3/8/2018 21:44  | Alarm Active/No Fire - Detector - Cooking        | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | D |
| 180012028 | 100 E | CORDOVA    | 3/10/2018 21:21 | s.22(1)                                          |                                                                         | A |
| 180011295 | 100 W | CORDOVA    | 3/6/2018 18:32  |                                                  |                                                                         | C |
| 180011692 | 100 E | CORDOVA    | 3/9/2018 0:29   |                                                  |                                                                         | D |
| 180010155 | 100 E | CORDOVA    | 2/27/2018 20:20 | Response - Cancelled - On Scene                  | ASSAULT - POSSIBLE DANGEROUS BODY AREA                                  | D |
| 180010537 | 100 E | CORDOVA    | 3/2/2018 6:05   | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180010781 | 100 E | CORDOVA    | 3/3/2018 14:10  | Response - Cancelled - On Scene                  |                                                                         | C |
| 180010797 | 100 E | CORDOVA    | 3/3/2018 15:59  | s.22(1)                                          |                                                                         | C |
| 180011334 | 100 E | CORDOVA    | 3/6/2018 22:28  |                                                  |                                                                         | C |
| 180011177 | 100 E | CORDOVA    | 3/6/2018 4:38   |                                                  |                                                                         | C |
| 180010219 | 100 E | CORDOVA    | 2/28/2018 7:36  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180011014 | 100 E | CORDOVA    | 3/5/2018 7:16   | s.22(1)                                          |                                                                         | D |
| 180012281 | 100 E | CORDOVA    | 3/12/2018 11:10 |                                                  |                                                                         | C |
| 180012386 | 100 E | CORDOVA    | 3/12/2018 23:44 |                                                  |                                                                         | B |
| 180012504 | 100 E | CORDOVA    | 3/13/2018 16:33 | Response - Unfounded - No Incident Found         | s.22(1)                                                                 | D |
| 180010661 | 100 W | CORDOVA    | 3/2/2018 20:24  | Response - Cancelled - On Scene                  | s.22(1)                                                                 | A |
| 180011969 | 100 W | CORDOVA    | 3/10/2018 14:49 | Alarm Active/No Fire - Unclassified(remarks req) | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |



|           |        |           |                 |                                                    |                                                            |   |
|-----------|--------|-----------|-----------------|----------------------------------------------------|------------------------------------------------------------|---|
| 180011298 | 200 E  | CORDOVA   | 3/6/2018 18:42  | s.22(1)                                            |                                                            | C |
| 180011610 | 200 E  | CORDOVA   | 3/8/2018 15:46  | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180011912 | 200 E  | CORDOVA   | 3/10/2018 7:53  | s.22(1)                                            |                                                            | B |
| 180012493 | 200 E  | CORDOVA   | 3/13/2018 15:27 | FIRE - Fire Department Responded Reportable - 1000 | BURNING COMPLAINT                                          | D |
| 180012063 | 300 E  | CORDOVA   | 3/11/2018 3:04  | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180010681 | 300 E  | CORDOVA   | 3/2/2018 22:33  | s.22(1)                                            |                                                            | A |
| 180011637 | 300 E  | CORDOVA   | 3/8/2018 19:00  |                                                    |                                                            | D |
| 180011923 | 300 E  | CORDOVA   | 3/10/2018 9:23  |                                                    |                                                            | B |
| 180012106 | 300 E  | CORDOVA   | 3/11/2018 10:54 |                                                    |                                                            | C |
| 180012304 | 300 E  | CORDOVA   | 3/12/2018 14:16 |                                                    |                                                            | C |
| 180012711 | 300 E  | CORDOVA   | 3/14/2018 23:14 |                                                    |                                                            | C |
| 180011009 | 400 E  | CORDOVA   | 3/5/2018 5:45   |                                                    |                                                            | B |
| 180011352 | 400 E  | CORDOVA   | 3/7/2018 1:16   |                                                    |                                                            | C |
| 180010850 | 400 E  | CORDOVA   | 3/4/2018 0:16   | Response - Cancelled - On Scene                    | s.22(1)                                                    | B |
| 180011688 | 400 E  | CORDOVA   | 3/8/2018 23:54  | s.22(1)                                            |                                                            | D |
| 180011834 | 400 E  | CORDOVA   | 3/9/2018 22:34  |                                                    |                                                            | A |
| 180012047 | 400 E  | CORDOVA   | 3/10/2018 23:17 |                                                    |                                                            | A |
| 180010903 | 400 E  | CORDOVA   | 3/4/2018 12:34  |                                                    |                                                            | C |
| 180012656 | 400 E  | CORDOVA   | 3/14/2018 17:12 |                                                    |                                                            | C |
| 180011644 | 400 E  | CORDOVA   | 3/8/2018 19:13  |                                                    |                                                            | D |
| 180012013 | 400 E  | CORDOVA   | 3/10/2018 19:53 | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180012176 | 400 E  | CORDOVA   | 3/11/2018 18:56 | s.22(1)                                            |                                                            | B |
| 180011164 | 500 E  | CORDOVA   | 3/5/2018 22:57  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | C |
| 180011919 | 500 E  | CORDOVA   | 3/10/2018 9:01  | Response - Cancelled - On Scene                    | s.22(1)                                                    | B |
| 180012288 | 500 E  | CORDOVA   | 3/12/2018 11:48 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180010162 | 600 W  | CORDOVA   | 2/27/2018 20:36 | Response - Cancelled - On Scene                    | s.22(1)                                                    | D |
| 180011116 | 600 W  | CORDOVA   | 3/5/2018 17:34  | s.22(1)                                            |                                                            | D |
| 180011709 | 600 W  | CORDOVA   | 3/9/2018 6:13   | Public Service - Trapped In Elevator               | RESCUE - NO IMMEDIATE RISK OR DANGER                       | D |
| 180011804 | 600 W  | CORDOVA   | 3/9/2018 19:48  | Response - Unfounded - No Incident Found           | s.22(1)                                                    | A |
| 180010431 | 600 W  | CORDOVA   | 3/1/2018 12:51  | Response - Unfounded - No Incident Found           |                                                            | B |
| 180011075 | 600 E  | CORDOVA   | 3/5/2018 12:47  | Response - Cancelled - En Route                    |                                                            | D |
| 180012660 | 1000 W | CORDOVA   | 3/14/2018 17:34 | Response - Cancelled - On Scene                    |                                                            | C |
| 180011078 | 1200 W | CORDOVA   | 3/5/2018 13:25  | s.22(1)                                            |                                                            | D |
| 180010847 | 2100   | CORNWALL  | 3/3/2018 23:47  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | B |
| 180011187 | 2100   | CORNWALL  | 3/6/2018 6:54   | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  | D |
| 180011525 | 3500   | CORSICA   | 3/8/2018 7:49   | s.22(1)                                            |                                                            | D |
| 180010865 | 1900   | CREELMAN  | 3/4/2018 1:59   | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  | B |
| 180010866 | 1900   | CREELMAN  | 3/4/2018 2:16   | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | B |
| 180012341 | 1600   | CYPRESS   | 3/12/2018 17:47 | s.22(1)                                            |                                                            | C |
| 180010353 | 0      | DALHOUSIE | 2/28/2018 23:20 | Public Service - Locked In/Out                     | RESCUE - NO IMMEDIATE RISK OR DANGER                       | D |
| 180011358 | 0      | DAVIE     | 3/7/2018 2:22   | s.22(1)                                            |                                                            | C |
| 180011439 | 0      | DAVIE     | 3/7/2018 16:51  |                                                    |                                                            | D |
| 180011731 | 0      | DAVIE     | 3/9/2018 10:33  | Public Hazard - Lines Down                         | WIRES OVERHEAD - ELECTRICAL PROBLEM WITH OVERHEAD WIRES    | B |
| 180011753 | 0      | DAVIE     | 3/9/2018 12:42  | Response - Cancelled - On Scene                    | s.22(1)                                                    | B |
| 180012467 | 0      | DAVIE     | 3/13/2018 12:37 | s.22(1)                                            |                                                            | D |
| 180012687 | 0      | DAVIE     | 3/14/2018 19:46 | Response - Unfounded - No Incident Found           | s.22(1)                                                    | C |
| 180011405 | 100    | DAVIE     | 3/7/2018 11:39  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180010822 | 200    | DAVIE     | 3/3/2018 19:36  | s.22(1)                                            |                                                            | B |
| 180010521 | 300    | DAVIE     | 3/2/2018 1:51   |                                                    |                                                            | A |
| 180010552 | 600    | DAVIE     | 3/2/2018 8:51   | Response - Cancelled - En Route                    | s.22(1)                                                    | B |
| 180011380 | 600    | DAVIE     | 3/7/2018 7:26   | s.22(1)                                            |                                                            | A |
| 180010455 | 900    | DAVIE     | 3/1/2018 17:14  |                                                    |                                                            | B |



|           |      |          |                 |                                           |                                                            |  |   |
|-----------|------|----------|-----------------|-------------------------------------------|------------------------------------------------------------|--|---|
| 180010201 | 1000 | DAVIE    | 2/28/2018 2:26  | Response - Cancelled - On Scene           | s.22(1)                                                    |  | D |
| 180010720 | 1000 | DAVIE    | 3/3/2018 3:25   | Response - Cancelled - En Route           |                                                            |  | A |
| 180010872 | 1000 | DAVIE    | 3/4/2018 2:56   | s.22(1)                                   |                                                            |  | B |
| 180011347 | 1000 | DAVIE    | 3/7/2018 0:41   |                                           |                                                            |  | C |
| 180010525 | 1000 | DAVIE    | 3/2/2018 2:47   | Response - Cancelled - On Scene           | s.22(1)                                                    |  | A |
| 180010953 | 1000 | DAVIE    | 3/4/2018 18:50  | s.22(1)                                   |                                                            |  | B |
| 180011476 | 1000 | DAVIE    | 3/7/2018 21:56  |                                           |                                                            |  | D |
| 180011507 | 1000 | DAVIE    | 3/8/2018 3:42   |                                           |                                                            |  | D |
| 180011970 | 1100 | DAVIE    | 3/10/2018 14:49 |                                           |                                                            |  | B |
| 180011443 | 1100 | DAVIE    | 3/7/2018 17:45  |                                           |                                                            |  | D |
| 180011761 | 1100 | DAVIE    | 3/9/2018 13:52  | Response - Cancelled - On Scene           | s.22(1)                                                    |  | B |
| 180012061 | 1100 | DAVIE    | 3/11/2018 1:38  | Response - Cancelled - On Scene           |                                                            |  | A |
| 180012497 | 1100 | DAVIE    | 3/13/2018 15:56 | s.22(1)                                   |                                                            |  | D |
| 180010172 | 1100 | DAVIE    | 2/27/2018 21:47 |                                           |                                                            |  | D |
| 180011723 | 1100 | DAVIE    | 3/9/2018 9:03   | Response - Cancelled - On Scene           | ASSIST THE PUBLIC OR OTHER AGENCY                          |  | B |
| 180010337 | 1100 | DAVIE    | 2/28/2018 21:32 | s.22(1)                                   |                                                            |  | D |
| 180011146 | 1100 | DAVIE    | 3/5/2018 20:19  |                                           |                                                            |  | C |
| 180011797 | 1100 | DAVIE    | 3/9/2018 18:52  |                                           |                                                            |  | A |
| 180012342 | 1100 | DAVIE    | 3/12/2018 17:51 |                                           |                                                            |  | B |
| 180010278 | 1100 | DAVIE    | 2/28/2018 15:21 | Response - Unfounded - No Incident Found  | ASSAULT - POSSIBLE DANGEROUS BODY AREA                     |  | A |
| 180012227 | 1200 | DAVIE    | 3/11/2018 23:57 | s.22(1)                                   |                                                            |  | B |
| 180012246 | 1200 | DAVIE    | 3/12/2018 4:07  |                                           |                                                            |  | B |
| 180011386 | 1200 | DAVIE    | 3/7/2018 8:23   |                                           |                                                            |  | A |
| 180012343 | 1600 | DAVIE    | 3/12/2018 17:54 |                                           |                                                            |  | B |
| 180011038 | 1600 | DAVIE    | 3/5/2018 10:04  |                                           |                                                            |  | D |
| 180012378 | 1700 | DAVIE    | 3/12/2018 22:28 |                                           |                                                            |  | B |
| 180012083 | 1700 | DAVIE    | 3/11/2018 6:37  | Response - Cancelled - On Scene           | s.22(1)                                                    |  | C |
| 180012703 | 1700 | DAVIE    | 3/14/2018 21:57 | s.22(1)                                   |                                                            |  | C |
| 180010140 | 1700 | DAVIE    | 2/27/2018 18:02 |                                           |                                                            |  | D |
| 180011166 | 0    | DENMAN   | 3/5/2018 23:17  |                                           |                                                            |  | C |
| 180011964 | 0    | DENMAN   | 3/10/2018 14:31 | MVI - With Injuries                       | MVI - MOTOR VEHICLE INCIDENT                               |  | B |
| 180011720 | 1100 | DENMAN   | 3/9/2018 8:07   | s.22(1)                                   |                                                            |  | B |
| 180010115 | 1100 | DENMAN   | 2/27/2018 14:59 | Alarm Active/No Fire - Pull Station       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | A |
| 180011198 | 6200 | DOMAN    | 3/6/2018 8:22   | s.22(1)                                   |                                                            |  | D |
| 180011683 | 6700 | DOMAN    | 3/8/2018 23:15  |                                           |                                                            |  | D |
| 180011948 | 100  | DRAKE    | 3/10/2018 12:55 |                                           |                                                            |  | B |
| 180011980 | 100  | DRAKE    | 3/10/2018 15:49 | Response - Cancelled - No Response        | s.22(1)                                                    |  | B |
| 180010987 | 700  | DRAKE    | 3/5/2018 0:07   | Response - Cancelled - On Scene           |                                                            |  | B |
| 180011066 | 3900 | DUMFRIES | 3/5/2018 12:10  | s.22(1)                                   |                                                            |  | D |
| 180011564 | 4200 | DUMFRIES | 3/8/2018 11:43  |                                           |                                                            |  | A |
| 180010215 | 5100 | DUMFRIES | 2/28/2018 6:29  | Alarm Active/No Fire - Testing            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | D |
| 180011317 | 5100 | DUMFRIES | 3/6/2018 20:29  | s.22(1)                                   |                                                            |  | C |
| 180011155 | 6700 | DUMFRIES | 3/5/2018 22:09  |                                           |                                                            |  | C |
| 180010679 | 6700 | DUMFRIES | 3/2/2018 22:27  |                                           |                                                            |  | A |
| 180012439 | 0    | DUNBAR   | 3/13/2018 10:26 | Response - Cancelled - En Route           | s.22(1)                                                    |  | D |
| 180010332 | 3300 | DUNBAR   | 2/28/2018 21:15 | s.22(1)                                   |                                                            |  | D |
| 180010502 | 0    | DUNLEVY  | 3/1/2018 23:11  | Response - Cancelled - On Scene           | s.22(1)                                                    |  | A |
| 180011623 | 0    | DUNLEVY  | 3/8/2018 17:17  | Public Service - Locked In/Out            | RESCUE - NO IMMEDIATE RISK OR DANGER                       |  | D |
| 180012407 | 100  | DUNLEVY  | 3/13/2018 3:13  | s.22(1)                                   |                                                            |  | B |
| 180010596 | 200  | DUNLEVY  | 3/2/2018 13:01  |                                           |                                                            |  | B |
| 180010690 | 200  | DUNLEVY  | 3/2/2018 23:47  | Alarm Active/No Fire - Detector - Cooking | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | A |
| 180011004 | 200  | DUNLEVY  | 3/5/2018 4:05   | s.22(1)                                   |                                                            |  | B |

|           |      |           |                 |                                                    |                                                            |   |
|-----------|------|-----------|-----------------|----------------------------------------------------|------------------------------------------------------------|---|
| 180010247 | 400  | DUNLEVY   | 2/28/2018 11:42 | s.22(1)                                            |                                                            | A |
| 180010371 | 400  | DUNLEVY   | 3/1/2018 2:13   |                                                    |                                                            | D |
| 180010373 | 400  | DUNLEVY   | 3/1/2018 3:56   | Response - Cancelled - On Scene                    | s.22(1)                                                    | D |
| 180012108 | 400  | DUNLEVY   | 3/11/2018 11:06 | Response - Cancelled - On Scene                    |                                                            | C |
| 180012344 | 400  | DUNLEVY   | 3/12/2018 18:07 | s.22(1)                                            |                                                            | B |
| 180012590 | 400  | DUNLEVY   | 3/14/2018 10:04 |                                                    |                                                            | D |
| 180011362 | 0    | DUNSMUIR  | 3/7/2018 3:15   |                                                    |                                                            | C |
| 180011406 | 0    | DUNSMUIR  | 3/7/2018 11:41  |                                                    |                                                            | A |
| 180011231 | 100  | DUNSMUIR  | 3/6/2018 12:20  |                                                    |                                                            | D |
| 180012361 | 500  | DUNSMUIR  | 3/12/2018 20:36 |                                                    |                                                            | B |
| 180010237 | 600  | DUNSMUIR  | 2/28/2018 10:14 | Response - Unfounded - No Incident Found           | ASSIST THE PUBLIC OR OTHER AGENCY                          | A |
| 180012076 | 600  | DUNSMUIR  | 3/11/2018 5:23  | s.22(1)                                            |                                                            | A |
| 180011645 | 600  | DUNSMUIR  | 3/8/2018 19:26  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    | D |
| 180010137 | 1000 | DUNSMUIR  | 2/27/2018 17:30 | Response - Cancelled - On Scene                    | s.22(1)                                                    | D |
| 180011130 | 1000 | DUNSMUIR  | 3/5/2018 18:39  | s.22(1)                                            |                                                            | C |
| 180010121 | 4700 | EARLES    | 2/27/2018 15:35 |                                                    |                                                            | A |
| 180010989 | 5300 | EARLES    | 3/5/2018 0:09   |                                                    |                                                            | B |
| 180012592 | 1800 | EAST      | 3/14/2018 10:08 | Alarm Active/No Fire - Electrical Surge            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | D |
| 180010082 | 2100 | EAST      | 2/27/2018 11:07 | s.22(1)                                            |                                                            | A |
| 180011462 | 2400 | EDDINGTON | 3/7/2018 20:01  | Response - Cancelled - En Route                    | s.22(1)                                                    | D |
| 180011642 | 6600 | ELLIOTT   | 3/8/2018 19:12  | s.22(1)                                            |                                                            | D |
| 180010311 | 6600 | ELLIOTT   | 2/28/2018 18:52 |                                                    |                                                            | D |
| 180011033 | 6600 | ELLIOTT   | 3/5/2018 9:42   |                                                    |                                                            | D |
| 180010280 | 7200 | ELMHURST  | 2/28/2018 15:25 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | A |
| 180010531 | 2300 | ETON      | 3/2/2018 4:35   | s.22(1)                                            |                                                            | A |
| 180010609 | 2700 | ETON      | 3/2/2018 14:26  |                                                    |                                                            | B |
| 180012324 | 3600 | ETON      | 3/12/2018 16:28 | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | C |
| 180010368 | 2900 | EUCLID    | 3/1/2018 1:27   | s.22(1)                                            |                                                            | D |
| 180011974 | 0    | EXPO      | 3/10/2018 15:09 |                                                    |                                                            | B |
| 180011592 | 0    | EXPO      | 3/8/2018 14:02  |                                                    |                                                            | A |
| 180010695 | 500  | EXPO      | 3/3/2018 0:17   |                                                    |                                                            | A |
| 180011958 | 800  | EXPO      | 3/10/2018 13:45 |                                                    |                                                            | B |
| 180010675 | 1000 | EXPO      | 3/2/2018 21:56  |                                                    |                                                            | A |
| 180010701 | 1000 | EXPO      | 3/3/2018 1:10   |                                                    |                                                            | A |
| 180011654 | 1000 | EXPO      | 3/8/2018 20:12  |                                                    |                                                            | D |
| 180010154 | 3500 | FALAISE   | 2/27/2018 20:17 |                                                    |                                                            | D |
| 180011976 | 3500 | FALAISE   | 3/10/2018 15:26 |                                                    |                                                            | B |
| 180010942 | 0    | FIR       | 3/4/2018 17:22  |                                                    |                                                            | C |
| 180012539 | 2900 | FIR       | 3/13/2018 21:41 |                                                    |                                                            | C |
| 180011936 | 4500 | FLEMING   | 3/10/2018 12:08 |                                                    |                                                            | B |
| 180012602 | 5500 | FLEMING   | 3/14/2018 11:53 |                                                    |                                                            | D |
| 180010680 | 6900 | FLEMING   | 3/2/2018 22:32  |                                                    |                                                            | A |
| 180011122 | 3400 | FOSTER    | 3/5/2018 18:07  |                                                    |                                                            | C |
| 180012614 | 1600 | FRANCES   | 3/14/2018 12:49 | Public Service - Unclassified(remarks req)         | ASSIST THE PUBLIC OR OTHER AGENCY                          | D |
| 180012033 | 1700 | FRANKLIN  | 3/10/2018 22:00 | s.22(1)                                            |                                                            | A |
| 180012557 | 1700 | FRANKLIN  | 3/14/2018 1:13  | Response - Cancelled - On Scene                    | s.22(1)                                                    | C |
| 180011690 | 1700 | FRANKLIN  | 3/9/2018 0:21   | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | D |
| 180012158 | 2100 | FRANKLIN  | 3/11/2018 16:52 | Response - Cancelled - On Scene                    | s.22(1)                                                    | C |
| 180012409 | 2200 | FRANKLIN  | 3/13/2018 3:29  | Response - Cancelled - On Scene                    |                                                            | B |
| 180010117 | 2600 | FRANKLIN  | 2/27/2018 15:04 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | A |
| 180010485 | 0    | FRASER    | 3/1/2018 20:58  | s.22(1)                                            |                                                            | A |
| 180010785 | 0    | FRASER    | 3/3/2018 14:48  | Response - Cancelled - On Scene                    | s.22(1)                                                    | C |



|           |       |         |                 |                                                      |                                                              |  |   |
|-----------|-------|---------|-----------------|------------------------------------------------------|--------------------------------------------------------------|--|---|
| 180010854 | 0     | FRASER  | 3/4/2018 0:48   | s.22(1)                                              |                                                              |  | B |
| 180010914 | 0     | FRASER  | 3/4/2018 14:17  |                                                      |                                                              |  | C |
| 180010935 | 0     | FRASER  | 3/4/2018 16:36  |                                                      |                                                              |  | C |
| 180010966 | 0     | FRASER  | 3/4/2018 21:25  | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                   |  | B |
| 180011277 | 0     | FRASER  | 3/6/2018 17:04  | FIRE - Fire Department Responded Reportable - 1000   | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                      |  | C |
| 180011444 | 0     | FRASER  | 3/7/2018 17:48  | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | A |
| 180012292 | 0     | FRASER  | 3/12/2018 12:21 | Alarm Active/No Fire - Sprink Surge/Dis              | SMELL OF COMPRESSED GAS OUTSIDE                              |  | C |
| 180012651 | 0     | FRASER  | 3/14/2018 16:59 | MVI - With No Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS |  | C |
| 180010097 | 2400  | FRASER  | 2/27/2018 12:49 | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    |  | A |
| 180011115 | 2400  | FRASER  | 3/5/2018 17:31  | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | C |
| 180012302 | 2400  | FRASER  | 3/12/2018 13:45 | Response - Cancelled - On Scene                      |                                                              |  | C |
| 180012474 | 2400  | FRASER  | 3/13/2018 13:23 | Response - Cancelled - On Scene                      |                                                              |  | D |
| 180010834 | 3400  | FRASER  | 3/3/2018 21:48  | s.22(1)                                              |                                                              |  | B |
| 180012384 | 4000  | FRASER  | 3/12/2018 23:25 | Public Hazard - Unclassified(remarks req)            | SMELL OF COMPRESSED GAS INSIDE                               |  | B |
| 180011540 | 4800  | FRASER  | 3/8/2018 8:56   | s.22(1)                                              |                                                              |  | A |
| 180012479 | 5500  | FRASER  | 3/13/2018 14:06 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    |  | D |
| 180011604 | 5600  | FRASER  | 3/8/2018 15:19  | s.22(1)                                              |                                                              |  | A |
| 180012633 | 5600  | FRASER  | 3/14/2018 15:26 | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | D |
| 180010608 | 6300  | FRASER  | 3/2/2018 14:18  | s.22(1)                                              |                                                              |  | B |
| 180012327 | 6500  | FRASER  | 3/12/2018 16:59 |                                                      |                                                              |  | B |
| 180010907 | 6900  | FRASER  | 3/4/2018 13:03  |                                                      |                                                              |  | C |
| 180010977 | 5800  | FREMLIN | 3/4/2018 23:09  |                                                      |                                                              |  | B |
| 180011706 | 8600  | FREMLIN | 3/9/2018 5:44   | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | D |
| 180011945 | 8600  | FREMLIN | 3/10/2018 12:35 | s.22(1)                                              |                                                              |  | B |
| 180010783 | 8600  | FREMLIN | 3/3/2018 14:43  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - CONFIRMED FALSE ALARM                      |  | C |
| 180010180 | 0 N   | GARDEN  | 2/27/2018 23:07 | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | D |
| 180011516 | 200 N | GARDEN  | 3/8/2018 5:30   | s.22(1)                                              |                                                              |  | D |
| 180012482 | 1100  | GARDEN  | 3/13/2018 14:19 |                                                      |                                                              |  | D |
| 180011411 | 1900  | GARDEN  | 3/7/2018 12:19  |                                                      |                                                              |  | A |
| 180011289 | 3400  | GARDEN  | 3/6/2018 17:59  | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    |  | D |
| 180012035 | 5100  | GASTON  | 3/10/2018 22:25 | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | A |
| 180010509 | 0 W   | GEORGIA | 3/2/2018 0:07   | MVI - With No Injuries                               | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                    |  | A |
| 180012216 | 0     | GEORGIA | 3/11/2018 23:02 | FIRE - Non-Reportable - Outdoor Burning - Non-Permit | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                      |  | B |
| 180012319 | 0 W   | GEORGIA | 3/12/2018 16:12 | Response - Cancelled - No Response                   | s.22(1)                                                      |  | C |
| 180010815 | 100 W | GEORGIA | 3/3/2018 18:36  | s.22(1)                                              |                                                              |  | B |
| 180011668 | 100 W | GEORGIA | 3/8/2018 21:39  |                                                      |                                                              |  | D |
| 180011727 | 100 W | GEORGIA | 3/9/2018 10:12  |                                                      |                                                              |  | B |
| 180011378 | 100 E | GEORGIA | 3/7/2018 6:54   |                                                      | s.22(1)                                                      |  | C |
| 180010120 | 200 E | GEORGIA | 2/27/2018 15:30 | Alarm Active/No Fire - Detector - Steam              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180010279 | 200 E | GEORGIA | 2/28/2018 15:26 | s.22(1)                                              |                                                              |  | A |
| 180010351 | 200 E | GEORGIA | 2/28/2018 23:08 |                                                      |                                                              |  | D |
| 180010631 | 200 E | GEORGIA | 3/2/2018 16:37  | Response - Unfounded - No Incident Found             | s.22(1)                                                      |  | B |
| 180010758 | 200 E | GEORGIA | 3/3/2018 10:47  | s.22(1)                                              |                                                              |  | C |
| 180011011 | 200 E | GEORGIA | 3/5/2018 6:50   |                                                      |                                                              |  | D |
| 180011037 | 200 E | GEORGIA | 3/5/2018 10:04  |                                                      |                                                              |  | D |
| 180011105 | 200 E | GEORGIA | 3/5/2018 16:33  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | D |
| 180011163 | 200 E | GEORGIA | 3/5/2018 22:57  | s.22(1)                                              |                                                              |  | C |
| 180012003 | 200 E | GEORGIA | 3/10/2018 18:28 | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180012112 | 200 E | GEORGIA | 3/11/2018 11:33 | s.22(1)                                              |                                                              |  | C |
| 180012317 | 200 E | GEORGIA | 3/12/2018 16:07 |                                                      |                                                              |  | C |
| 180012123 | 200 E | GEORGIA | 3/11/2018 13:06 |                                                      |                                                              |  | C |
| 180012645 | 200 E | GEORGIA | 3/14/2018 16:20 | Response - Cancelled - On Scene                      | s.22(1)                                                      |  | D |

|           |        |           |                 |                                                      |                                                                |   |
|-----------|--------|-----------|-----------------|------------------------------------------------------|----------------------------------------------------------------|---|
| 180010447 | 300 W  | GEORGIA   | 3/1/2018 15:34  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180011398 | 300 W  | GEORGIA   | 3/7/2018 10:10  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | A |
| 180011596 | 300 W  | GEORGIA   | 3/8/2018 14:28  | s.22(1)                                              |                                                                | A |
| 180010030 | 400 W  | GEORGIA   | 2/27/2018 2:34  | Alarm Active/No Fire - Testing                       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | C |
| 180011617 | 500 W  | GEORGIA   | 3/8/2018 16:32  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | A |
| 180011206 | 600 W  | GEORGIA   | 3/6/2018 9:53   | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180011441 | 600 W  | GEORGIA   | 3/7/2018 17:13  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180010448 | 700 W  | GEORGIA   | 3/1/2018 15:49  | s.22(1)                                              |                                                                | B |
| 180010764 | 700 W  | GEORGIA   | 3/3/2018 11:36  | Response - Cancelled - En Route                      | s.22(1)                                                        | C |
| 180011746 | 800 W  | GEORGIA   | 3/9/2018 12:11  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180011984 | 800 E  | GEORGIA   | 3/10/2018 16:20 | Response - Cancelled - On Scene                      | s.22(1)                                                        | B |
| 180010796 | 900 W  | GEORGIA   | 3/3/2018 15:57  | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | C |
| 180011647 | 900 W  | GEORGIA   | 3/8/2018 19:34  | s.22(1)                                              |                                                                | D |
| 180011661 | 900 W  | GEORGIA   | 3/8/2018 20:58  |                                                      |                                                                | D |
| 180011782 | 1000 W | GEORGIA   | 3/9/2018 16:16  | Response - Unfounded - No Incident Found             | s.22(1)                                                        | B |
| 180012372 | 1000 W | GEORGIA   | 3/12/2018 21:34 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180010085 | 1000 W | GEORGIA   | 2/27/2018 11:33 | s.22(1)                                              |                                                                | A |
| 180011500 | 1000 W | GEORGIA   | 3/8/2018 2:18   | Response - Cancelled - On Scene                      | s.22(1)                                                        | D |
| 180011631 | 1000 W | GEORGIA   | 3/8/2018 18:24  | Public Service - Trapped In Elevator                 | RESCUE - NO IMMEDIATE RISK OR DANGER                           | D |
| 180011710 | 1000 W | GEORGIA   | 3/9/2018 6:16   | s.22(1)                                              |                                                                | D |
| 180011927 | 1000 W | GEORGIA   | 3/10/2018 10:17 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180010186 | 1100 W | GEORGIA   | 2/27/2018 23:41 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180012140 | 1100 W | GEORGIA   | 3/11/2018 14:53 | s.22(1)                                              |                                                                | C |
| 180010572 | 1200 W | GEORGIA   | 3/2/2018 10:54  | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180012484 | 1200 W | GEORGIA   | 3/13/2018 14:36 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180011562 | 1200 W | GEORGIA   | 3/8/2018 11:35  | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | A |
| 180011648 | 1600 E | GEORGIA   | 3/8/2018 19:39  | s.22(1)                                              |                                                                | D |
| 180011102 | 1700 E | GEORGIA   | 3/5/2018 16:24  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                      | D |
| 180011135 | 1800 E | GEORGIA   | 3/5/2018 19:34  | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                      | C |
| 180012624 | 1800 E | GEORGIA   | 3/14/2018 14:11 | Alarm Active/No Fire - Testing                       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180012161 | 1800 E | GEORGIA   | 3/11/2018 17:11 | s.22(1)                                              |                                                                | B |
| 180012301 | 1900 E | GEORGIA   | 3/12/2018 13:24 |                                                      |                                                                | C |
| 180012714 | 900    | GILFORD   | 3/14/2018 23:34 | Response - Cancelled - No Response                   | s.22(1)                                                        | C |
| 180011327 | 900    | GILFORD   | 3/6/2018 21:31  | s.22(1)                                              |                                                                | C |
| 180010089 | 1100   | GILFORD   | 2/27/2018 11:53 |                                                      |                                                                | A |
| 180010288 | 1100   | GILFORD   | 2/28/2018 16:34 | Response - Cancelled - On Scene                      | s.22(1)                                                        | A |
| 180011143 | 1100   | GILFORD   | 3/5/2018 20:02  | s.22(1)                                              |                                                                | C |
| 180010964 | 4700   | GLADSTONE | 3/4/2018 20:54  |                                                      |                                                                | B |
| 180012495 | 0      | GLEN      | 3/13/2018 15:39 | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS | D |
| 180010264 | 0      | GORE      | 2/28/2018 13:38 | Response - Cancelled - On Scene                      | s.22(1)                                                        | A |
| 180011783 | 0      | GORE      | 3/9/2018 16:22  | s.22(1)                                              |                                                                | B |
| 180012027 | 0      | GORE      | 3/10/2018 21:18 |                                                      |                                                                | A |
| 180011394 | 300    | GORE      | 3/7/2018 9:10   |                                                      |                                                                | A |
| 180011872 | 500    | GORE      | 3/10/2018 1:55  | Response - Cancelled - En Route                      | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE      | A |
| 180012422 | 500    | GORE      | 3/13/2018 6:37  | FIRE - Non-Reportable - Outdoor Burning - Non-Permit | BURNING COMPLAINT                                              | B |
| 180010211 | 600    | GORE      | 2/28/2018 4:58  | s.22(1)                                              |                                                                | D |
| 180010217 | 600    | GORE      | 2/28/2018 7:00  |                                                      |                                                                | A |
| 180011687 | 600    | GORE      | 3/8/2018 23:49  | Response - Cancelled - On Scene                      | s.22(1)                                                        | D |
| 180011754 | 600    | GORE      | 3/9/2018 12:46  | s.22(1)                                              |                                                                | B |
| 180011949 | 600    | GORE      | 3/10/2018 12:56 | s.22(1)                                              |                                                                | B |
| 180010260 | 0      | GRANDVIEW | 2/28/2018 12:53 | Public Hazard - Electrical(remarks req)              | WIRES OVERHEAD - ELECTRICAL PROBLEM WITH OVERHEAD WIRES        | A |
| 180011707 | 0      | GRANDVIEW | 3/9/2018 5:51   | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                     | D |



|           |      |           |                 |                                                      |                                                                        |  |   |
|-----------|------|-----------|-----------------|------------------------------------------------------|------------------------------------------------------------------------|--|---|
| 180012009 | 0    | GRANDVIEW | 3/10/2018 19:26 | s.22(1)                                              |                                                                        |  | A |
| 180012203 | 2600 | GRANDVIEW | 3/11/2018 21:29 | Public Service - Unclassified(remarks req)           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                     |  | B |
| 180012205 | 2900 | GRANDVIEW | 3/11/2018 21:32 | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | B |
| 180012555 | 0    | GRANT     | 3/14/2018 0:29  | s.22(1)                                              |                                                                        |  | C |
| 180010195 | 1400 | GRANT     | 2/28/2018 1:41  |                                                      |                                                                        |  | D |
| 180011174 | 1400 | GRANT     | 3/6/2018 4:16   | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | C |
| 180012618 | 2200 | GRANT     | 3/14/2018 13:50 | s.22(1)                                              |                                                                        |  | D |
| 180011549 | 2500 | GRANT     | 3/8/2018 9:45   |                                                      |                                                                        |  | A |
| 180011519 | 2700 | GRANT     | 3/8/2018 6:35   |                                                      |                                                                        |  | A |
| 180011332 | 2800 | GRANT     | 3/6/2018 22:16  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | C |
| 180010071 | 0    | GRANVILLE | 2/27/2018 10:05 | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - UNKNOWN PX              |  | A |
| 180010457 | 0    | GRANVILLE | 3/1/2018 17:30  | Response - Unfounded - No Incident Found             | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | A |
| 180010570 | 0    | GRANVILLE | 3/2/2018 10:45  | Response - Cancelled - En Route                      | s.22(1)                                                                |  | B |
| 180010808 | 0    | GRANVILLE | 3/3/2018 17:15  | s.22(1)                                              |                                                                        |  | B |
| 180010833 | 0    | GRANVILLE | 3/3/2018 21:43  | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                             |  | B |
| 180010986 | 0    | GRANVILLE | 3/5/2018 0:00   | FIRE - Fire Department Responded Reportable - 1000   | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                |  | B |
| 180011020 | 0    | GRANVILLE | 3/5/2018 8:22   | s.22(1)                                              |                                                                        |  | D |
| 180011077 | 0    | GRANVILLE | 3/5/2018 13:04  |                                                      |                                                                        |  | D |
| 180011211 | 0    | GRANVILLE | 3/6/2018 10:33  | MVI - With No Injuries                               | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS         |  | D |
| 180011607 | 0    | GRANVILLE | 3/8/2018 15:35  | s.22(1)                                              |                                                                        |  | A |
| 180011934 | 0    | GRANVILLE | 3/10/2018 11:30 | MVI - With Injuries                                  | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - UNKNOWN PX              |  | B |
| 180012099 | 0    | GRANVILLE | 3/11/2018 10:11 | MVI - With Injuries                                  | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                              |  | C |
| 180012229 | 0    | GRANVILLE | 3/12/2018 0:13  | s.22(1)                                              |                                                                        |  | B |
| 180012289 | 0    | GRANVILLE | 3/12/2018 11:55 | MVI - With No Injuries                               | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - MULTIPLE PTS     |  | C |
| 180012706 | 0    | GRANVILLE | 3/14/2018 22:17 | FIRE - Non-Reportable - Outdoor Burning - Non-Permit | BURNING COMPLAINT                                                      |  | C |
| 180010421 | 400  | GRANVILLE | 3/1/2018 11:38  | Response - Cancelled - En Route                      | s.22(1)                                                                |  | B |
| 180010693 | 400  | GRANVILLE | 3/3/2018 0:10   | s.22(1)                                              |                                                                        |  | A |
| 180011195 | 400  | GRANVILLE | 3/6/2018 8:16   | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | D |
| 180011268 | 400  | GRANVILLE | 3/6/2018 15:34  | Response - Cancelled - On Scene                      |                                                                        |  | D |
| 180010298 | 600  | GRANVILLE | 2/28/2018 17:33 | s.22(1)                                              |                                                                        |  | A |
| 180010848 | 600  | GRANVILLE | 3/3/2018 23:58  |                                                      |                                                                        |  | B |
| 180011333 | 600  | GRANVILLE | 3/6/2018 22:27  |                                                      |                                                                        |  | C |
| 180012460 | 600  | GRANVILLE | 3/13/2018 12:01 | Response - Unfounded - No Incident Found             | s.22(1)                                                                |  | D |
| 180011809 | 600  | GRANVILLE | 3/9/2018 20:17  | Public Service - Trapped In Elevator                 |                                                                        |  | A |
| 180012448 | 600  | GRANVILLE | 3/13/2018 11:16 | s.22(1)                                              |                                                                        |  | D |
| 180011653 | 600  | GRANVILLE | 3/8/2018 20:01  |                                                      |                                                                        |  | D |
| 180010567 | 700  | GRANVILLE | 3/2/2018 10:13  |                                                      |                                                                        |  | B |
| 180012222 | 700  | GRANVILLE | 3/11/2018 23:37 | Alarm Active/No Fire - Detector - Construction       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180010093 | 700  | GRANVILLE | 2/27/2018 12:10 | s.22(1)                                              |                                                                        |  | A |
| 180011189 | 700  | GRANVILLE | 3/6/2018 7:11   | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010882 | 800  | GRANVILLE | 3/4/2018 6:55   | Response - Cancelled - No Response                   | s.22(1)                                                                |  | C |
| 180011369 | 800  | GRANVILLE | 3/7/2018 4:59   | s.22(1)                                              |                                                                        |  | C |
| 180012417 | 800  | GRANVILLE | 3/13/2018 5:24  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180012055 | 900  | GRANVILLE | 3/11/2018 0:38  | s.22(1)                                              |                                                                        |  | A |
| 180012316 | 900  | GRANVILLE | 3/12/2018 16:01 | Response - Unfounded - No Incident Found             | s.22(1)                                                                |  | C |
| 180011833 | 900  | GRANVILLE | 3/9/2018 22:29  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180010145 | 1000 | GRANVILLE | 2/27/2018 19:01 | s.22(1)                                              |                                                                        |  | D |
| 180010189 | 1000 | GRANVILLE | 2/28/2018 0:34  | Response - Cancelled - En Route                      | ASSAULT - MULTIPLE VICTIMS                                             |  | D |
| 180010366 | 1000 | GRANVILLE | 3/1/2018 1:15   | s.22(1)                                              |                                                                        |  | D |
| 180012086 | 1000 | GRANVILLE | 3/11/2018 8:12  |                                                      |                                                                        |  | C |
| 180010705 | 1000 | GRANVILLE | 3/3/2018 1:30   |                                                      |                                                                        |  | A |
| 180010724 | 1000 | GRANVILLE | 3/3/2018 4:18   |                                                      |                                                                        |  | A |



|           |      |                |                 |                                                   |                                                              |   |
|-----------|------|----------------|-----------------|---------------------------------------------------|--------------------------------------------------------------|---|
| 180010289 | 1100 | GRANVILLE      | 2/28/2018 16:58 | s.22(1)                                           |                                                              | A |
| 180011733 | 1100 | GRANVILLE      | 3/9/2018 10:39  |                                                   |                                                              | B |
| 180011874 | 1100 | GRANVILLE      | 3/10/2018 2:29  | Response - Cancelled - On Scene                   | s.22(1)                                                      | A |
| 180010094 | 1100 | GRANVILLE      | 2/27/2018 12:11 | Response - Cancelled - On Scene                   | s.22(1)                                                      | A |
| 180011287 | 1100 | GRANVILLE      | 3/6/2018 17:53  | s.22(1)                                           |                                                              | D |
| 180011685 | 1100 | GRANVILLE      | 3/8/2018 23:40  |                                                   |                                                              | D |
| 180012036 | 1100 | GRANVILLE      | 3/10/2018 22:25 |                                                   |                                                              | A |
| 180012402 | 1100 | GRANVILLE      | 3/13/2018 1:56  |                                                   |                                                              | B |
| 180012705 | 1100 | GRANVILLE      | 3/14/2018 22:12 | Response - Cancelled - On Scene                   | s.22(1)                                                      | C |
| 180012224 | 1100 | GRANVILLE      | 3/11/2018 23:51 | s.22(1)                                           |                                                              | B |
| 180010198 | 1100 | GRANVILLE      | 2/28/2018 2:08  | Response - Cancelled - On Scene                   | s.22(1)                                                      | D |
| 180010571 | 1200 | GRANVILLE      | 3/2/2018 10:50  | s.22(1)                                           |                                                              | B |
| 180011410 | 1200 | GRANVILLE      | 3/7/2018 12:01  | Response - Cancelled - On Scene                   | s.22(1)                                                      | A |
| 180011397 | 1200 | GRANVILLE      | 3/7/2018 9:42   | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | A |
| 180010068 | 1200 | GRANVILLE      | 2/27/2018 9:54  | s.22(1)                                           |                                                              | A |
| 180010032 | 1300 | GRANVILLE      | 2/27/2018 3:22  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | C |
| 180012019 | 1300 | GRANVILLE      | 3/10/2018 20:10 | s.22(1)                                           |                                                              | A |
| 180011081 | 1300 | GRANVILLE      | 3/5/2018 13:42  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | D |
| 180010439 | 1300 | GRANVILLE      | 3/1/2018 14:05  | MVI - With No Injuries                            | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS/ADD RESP REQ       | B |
| 180011633 | 1300 | GRANVILLE      | 3/8/2018 18:39  | Response - Unfounded - No Incident Found          | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                    | D |
| 180010443 | 1500 | GRANVILLE      | 3/1/2018 15:06  | s.22(1)                                           |                                                              | B |
| 180010560 | 1500 | GRANVILLE      | 3/2/2018 9:34   |                                                   |                                                              | B |
| 180011599 | 1500 | GRANVILLE      | 3/8/2018 14:44  |                                                   |                                                              | A |
| 180011071 | 2300 | GRANVILLE      | 3/5/2018 12:33  |                                                   |                                                              | D |
| 180010467 | 2500 | GRANVILLE      | 3/1/2018 19:11  |                                                   |                                                              | A |
| 180011575 | 2800 | GRANVILLE      | 3/8/2018 12:33  |                                                   |                                                              | A |
| 180010809 | 5300 | GRANVILLE      | 3/3/2018 17:17  |                                                   |                                                              | C |
| 180012053 | 6800 | GRANVILLE      | 3/11/2018 0:18  |                                                   |                                                              | A |
| 180010456 | 8200 | GRANVILLE      | 3/1/2018 17:29  | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS | A |
| 180011849 | 8600 | GRANVILLE      | 3/9/2018 23:56  | s.22(1)                                           |                                                              | A |
| 180010493 | 8700 | GRANVILLE      | 3/1/2018 21:31  |                                                   |                                                              | A |
| 180012230 | 0    | GRAVELEY       | 3/12/2018 0:12  |                                                   |                                                              | B |
| 180012202 | 1400 | GRAVELEY       | 3/11/2018 21:27 |                                                   |                                                              | B |
| 180011180 | 1600 | GRAVELEY       | 3/6/2018 5:26   |                                                   |                                                              | C |
| 180011671 | 1600 | GRAVELEY       | 3/8/2018 21:49  |                                                   |                                                              | D |
| 180011224 | 2200 | GRAVELEY       | 3/6/2018 11:30  | Haz-Mat - Gases                                   | ALARM ACTIVATED - CONFIRMED FALSE ALARM                      | D |
| 180012437 | 2900 | GRAVELEY       | 3/13/2018 10:11 | s.22(1)                                           |                                                              | D |
| 180010919 | 3000 | GRAVELEY       | 3/4/2018 14:52  |                                                   |                                                              | C |
| 180010510 | 700  | GREAT NORTHERN | 3/2/2018 0:11   | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | A |
| 180010632 | 700  | GREAT NORTHERN | 3/2/2018 16:42  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | B |
| 180010315 | 800  | GRIFFITHS      | 2/28/2018 19:20 | Response - Cancelled - On Scene                   | s.22(1)                                                      | D |
| 180011676 | 800  | GRIFFITHS      | 3/8/2018 22:17  | s.22(1)                                           |                                                              | D |
| 180012678 | 2700 | GUELPH         | 3/14/2018 19:30 | Response - Cancelled - No Response                | MEDICAL AID ROUTINE BCAS OR PUBLIC                           | C |
| 180011342 | 800  | HAMILTON       | 3/7/2018 0:08   | s.22(1)                                           |                                                              | C |
| 180010500 | 800  | HAMILTON       | 3/1/2018 22:34  |                                                   |                                                              | A |
| 180011495 | 800  | HAMILTON       | 3/8/2018 1:44   |                                                   |                                                              | D |
| 180011698 | 800  | HAMILTON       | 3/9/2018 2:37   | Response - Cancelled - No Response                | s.22(1)                                                      | D |
| 180012018 | 800  | HAMILTON       | 3/10/2018 20:07 | s.22(1)                                           |                                                              | A |
| 180012172 | 800  | HAMILTON       | 3/11/2018 18:33 | Public Service - Unclassified(remarks req)        | ALARM ACTIVATED - CONFIRMED FALSE ALARM                      | B |
| 180010687 | 1100 | HAMILTON       | 3/2/2018 23:16  | s.22(1)                                           |                                                              | A |
| 180010689 | 1100 | HAMILTON       | 3/2/2018 23:25  |                                                   |                                                              | A |
| 180011745 | 5600 | HAMPTON        | 3/9/2018 11:47  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | B |



|           |      |          |                 |                                                    |                                                                 |   |
|-----------|------|----------|-----------------|----------------------------------------------------|-----------------------------------------------------------------|---|
| 180012122 | 5600 | HAMPTON  | 3/11/2018 12:58 | s.22(1)                                            |                                                                 | C |
| 180010416 | 5700 | HAMPTON  | 3/1/2018 11:17  |                                                    |                                                                 | B |
| 180010943 | 5700 | HAMPTON  | 3/4/2018 17:25  |                                                    |                                                                 | B |
| 180012079 | 1100 | HARO     | 3/11/2018 5:37  | Response - Cancelled - On Scene                    | s.22(1)                                                         | A |
| 180011294 | 1200 | HARO     | 3/6/2018 18:15  | s.22(1)                                            |                                                                 | C |
| 180012547 | 1200 | HARO     | 3/13/2018 22:37 |                                                    |                                                                 | C |
| 180010490 | 1200 | HARO     | 3/1/2018 21:25  |                                                    |                                                                 | A |
| 180010033 | 1600 | HARO     | 2/27/2018 3:37  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | C |
| 180012007 | 1600 | HARO     | 3/10/2018 19:02 | s.22(1)                                            |                                                                 | A |
| 180011336 | 1600 | HARO     | 3/6/2018 22:55  |                                                    |                                                                 | C |
| 180011548 | 1600 | HARO     | 3/8/2018 9:42   |                                                    |                                                                 | A |
| 180010478 | 1900 | HARO     | 3/1/2018 20:31  |                                                    |                                                                 | A |
| 180012107 | 1900 | HARO     | 3/11/2018 11:06 |                                                    |                                                                 | C |
| 180011315 | 2000 | HARRISON | 3/6/2018 20:09  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | C |
| 180012059 | 2000 | HARRISON | 3/11/2018 1:10  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | A |
| 180010857 | 2000 | HARRISON | 3/4/2018 1:25   | s.22(1)                                            |                                                                 | B |
| 180011191 | 2100 | HARRISON | 3/6/2018 7:15   |                                                    |                                                                 | C |
| 180012264 | 2100 | HARRISON | 3/12/2018 9:04  | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                              | C |
| 180011202 | 2300 | HARRISON | 3/6/2018 9:02   | s.22(1)                                            |                                                                 | D |
| 180011659 | 2300 | HARRISON | 3/8/2018 20:51  |                                                    |                                                                 | D |
| 180010673 | 1000 | HARWOOD  | 3/2/2018 21:41  |                                                    |                                                                 | A |
| 180010667 | 1000 | HARWOOD  | 3/2/2018 20:47  |                                                    |                                                                 | A |
| 180010382 | 1100 | HARWOOD  | 3/1/2018 5:44   |                                                    |                                                                 | D |
| 180010766 | 1200 | HARWOOD  | 3/3/2018 12:06  | Response - Cancelled - On Scene                    | s.22(1)                                                         | C |
| 180012366 | 1300 | HARWOOD  | 3/12/2018 20:50 | s.22(1)                                            |                                                                 | B |
| 180010555 | 1600 | HARWOOD  | 3/2/2018 8:55   |                                                    |                                                                 | B |
| 180010110 | 0 E  | HASTINGS | 2/27/2018 14:37 |                                                    |                                                                 | A |
| 180010330 | 0 E  | HASTINGS | 2/28/2018 20:54 |                                                    |                                                                 | D |
| 180010374 | 0 E  | HASTINGS | 3/1/2018 4:05   |                                                    |                                                                 | D |
| 180010397 | 0 E  | HASTINGS | 3/1/2018 8:18   | Response - Cancelled - On Scene                    | s.22(1)                                                         | B |
| 180010678 | 0 E  | HASTINGS | 3/2/2018 22:17  | Response - Cancelled - On Scene                    |                                                                 | A |
| 180011065 | 0 E  | HASTINGS | 3/5/2018 12:09  | Response - Cancelled - On Scene                    |                                                                 | D |
| 180011069 | 0 E  | HASTINGS | 3/5/2018 12:25  | Response - Cancelled - On Scene                    |                                                                 | D |
| 180011072 | 0 W  | HASTINGS | 3/5/2018 12:33  | FIRE - Fire Department Responded Reportable - 1000 | BURNING COMPLAINT                                               | D |
| 180011082 | 0 E  | HASTINGS | 3/5/2018 14:09  | Response - Cancelled - On Scene                    | s.22(1)                                                         | D |
| 180011245 | 0 E  | HASTINGS | 3/6/2018 13:25  | s.22(1)                                            |                                                                 | D |
| 180011304 | 0 E  | HASTINGS | 3/6/2018 19:24  |                                                    |                                                                 | C |
| 180011320 | 0 E  | HASTINGS | 3/6/2018 20:39  |                                                    |                                                                 | C |
| 180011371 | 0 E  | HASTINGS | 3/7/2018 5:08   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                         | C |
| 180011372 | 0 E  | HASTINGS | 3/7/2018 5:10   | Response - Unfounded - Smoke/Steam/Dust/Mistaken   | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE | C |
| 180011492 | 0 E  | HASTINGS | 3/8/2018 0:15   | s.22(1)                                            |                                                                 | D |
| 180011511 | 0 E  | HASTINGS | 3/8/2018 4:07   | Response - Unfounded - No Incident Found           | BURNING COMPLAINT                                               | D |
| 180011774 | 0 E  | HASTINGS | 3/9/2018 14:48  | s.22(1)                                            |                                                                 | B |
| 180011831 | 0 E  | HASTINGS | 3/9/2018 22:24  |                                                    |                                                                 | A |
| 180012114 | 0 E  | HASTINGS | 3/11/2018 11:41 | MVI - With No Injuries                             | MVI - MOTOR VEHICLE INCIDENT                                    | C |
| 180012287 | 0 E  | HASTINGS | 3/12/2018 11:45 | s.22(1)                                            |                                                                 | C |
| 180012478 | 0 W  | HASTINGS | 3/13/2018 14:05 |                                                    |                                                                 | D |
| 180012545 | 0 E  | HASTINGS | 3/13/2018 22:25 | Response - Cancelled - On Scene                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                          | C |
| 180012593 | 0 E  | HASTINGS | 3/14/2018 10:35 | Response - Cancelled - En Route                    | s.22(1)                                                         | D |
| 180011350 | 0 E  | HASTINGS | 3/7/2018 0:56   | Response - Cancelled - On Scene                    |                                                                 | C |
| 180010769 | 0 E  | HASTINGS | 3/3/2018 12:12  | s.22(1)                                            |                                                                 | C |
| 180010654 | 0 W  | HASTINGS | 3/2/2018 19:39  |                                                    |                                                                 | A |

|           |     |          |                 |                                                    |         |                                                                         |   |
|-----------|-----|----------|-----------------|----------------------------------------------------|---------|-------------------------------------------------------------------------|---|
| 180011497 | 0 W | HASTINGS | 3/8/2018 1:54   | s.22(1)                                            |         |                                                                         | D |
| 180011656 | 0 W | HASTINGS | 3/8/2018 20:27  | Response - Cancelled - En Route                    | s.22(1) |                                                                         | D |
| 180012188 | 0 W | HASTINGS | 3/11/2018 20:19 | FIRE - Fire Department Responded Reportable - 1000 |         | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                    | B |
| 180012278 | 0 W | HASTINGS | 3/12/2018 11:00 | s.22(1)                                            |         |                                                                         | C |
| 180012346 | 0 W | HASTINGS | 3/12/2018 18:17 |                                                    |         |                                                                         | B |
| 180010699 | 0 E | HASTINGS | 3/3/2018 0:41   | Public Service - Trapped In Elevator               |         | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | A |
| 180010772 | 0 E | HASTINGS | 3/3/2018 12:19  | s.22(1)                                            |         |                                                                         | C |
| 180010293 | 0 W | HASTINGS | 2/28/2018 17:23 |                                                    |         |                                                                         | D |
| 180010352 | 0 W | HASTINGS | 2/28/2018 23:18 | Alarm Active/No Fire - Detector - Cigarette Smoke  |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180011721 | 0 W | HASTINGS | 3/9/2018 8:14   | Alarm Active/No Fire - Pull Station                |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180012642 | 0 W | HASTINGS | 3/14/2018 16:04 | s.22(1)                                            |         |                                                                         | D |
| 180010213 | 0 E | HASTINGS | 2/28/2018 5:56  | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | D |
| 180012666 | 0 E | HASTINGS | 3/14/2018 18:22 | FIRE - Fire Department Responded Reportable - 1000 |         | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | C |
| 180010300 | 0 W | HASTINGS | 2/28/2018 17:40 | Response - Unfounded - No Incident Found           | s.22(1) |                                                                         | A |
| 180011930 | 0 W | HASTINGS | 3/10/2018 10:52 | s.22(1)                                            |         |                                                                         | B |
| 180010044 | 0 E | HASTINGS | 2/27/2018 6:38  | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | C |
| 180011010 | 0 E | HASTINGS | 3/5/2018 6:34   |                                                    |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180012368 | 0 E | HASTINGS | 3/12/2018 21:13 | s.22(1)                                            |         |                                                                         | B |
| 180012659 | 0 E | HASTINGS | 3/14/2018 17:26 |                                                    |         |                                                                         | C |
| 180010449 | 0 W | HASTINGS | 3/1/2018 15:50  | Alarm Active/No Fire - Detector - Steam            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180010349 | 0 E | HASTINGS | 2/28/2018 22:57 | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | D |
| 180010470 | 0 E | HASTINGS | 3/1/2018 19:15  | s.22(1)                                            |         |                                                                         | A |
| 180010747 | 0 E | HASTINGS | 3/3/2018 8:51   |                                                    |         |                                                                         | C |
| 180011209 | 0 E | HASTINGS | 3/6/2018 9:58   |                                                    |         |                                                                         | D |
| 180011258 | 0 E | HASTINGS | 3/6/2018 14:39  |                                                    |         |                                                                         | D |
| 180011273 | 0 E | HASTINGS | 3/6/2018 16:19  |                                                    |         |                                                                         | D |
| 180012170 | 0 E | HASTINGS | 3/11/2018 18:28 |                                                    |         |                                                                         | B |
| 180012318 | 0 E | HASTINGS | 3/12/2018 16:11 |                                                    |         |                                                                         | C |
| 180012647 | 0 E | HASTINGS | 3/14/2018 16:42 |                                                    |         |                                                                         | D |
| 180012663 | 0 E | HASTINGS | 3/14/2018 17:52 |                                                    |         |                                                                         | C |
| 180010902 | 0 E | HASTINGS | 3/4/2018 12:32  |                                                    |         |                                                                         | C |
| 180011282 | 0 E | HASTINGS | 3/6/2018 17:26  |                                                    |         |                                                                         | C |
| 180010021 | 0 E | HASTINGS | 2/27/2018 0:23  | Public Service - Trapped In Elevator               |         | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | C |
| 180010024 | 0 E | HASTINGS | 2/27/2018 0:35  | s.22(1)                                            |         |                                                                         | C |
| 180010126 | 0 E | HASTINGS | 2/27/2018 16:09 |                                                    |         |                                                                         | A |
| 180010175 | 0 E | HASTINGS | 2/27/2018 22:18 | FIRE - Fire Department Responded Reportable - 1000 |         | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                    | D |
| 180010479 | 0 E | HASTINGS | 3/1/2018 20:37  | Alarm Active/No Fire - Sprink Surge/Dis            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | A |
| 180010832 | 0 E | HASTINGS | 3/3/2018 21:31  | s.22(1)                                            |         |                                                                         | B |
| 180011012 | 0 E | HASTINGS | 3/5/2018 6:56   | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | D |
| 180011049 | 0 E | HASTINGS | 3/5/2018 10:57  | s.22(1)                                            |         |                                                                         | D |
| 180011062 | 0 E | HASTINGS | 3/5/2018 11:57  |                                                    |         |                                                                         | D |
| 180011349 | 0 E | HASTINGS | 3/7/2018 0:56   |                                                    |         |                                                                         | C |
| 180011359 | 0 E | HASTINGS | 3/7/2018 2:45   | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | C |
| 180011373 | 0 E | HASTINGS | 3/7/2018 5:12   | Public Service - Trapped In Elevator               |         | RESCUE - NO IMMEDIATE RISK OR DANGER                                    | C |
| 180011572 | 0 E | HASTINGS | 3/8/2018 12:11  | s.22(1)                                            |         |                                                                         | A |
| 180012068 | 0 E | HASTINGS | 3/11/2018 4:03  |                                                    |         |                                                                         | A |
| 180012388 | 0 E | HASTINGS | 3/13/2018 0:01  |                                                    |         |                                                                         | B |
| 180012534 | 0 E | HASTINGS | 3/13/2018 21:14 |                                                    |         |                                                                         | C |
| 180012088 | 0 E | HASTINGS | 3/11/2018 8:26  | Public Service - Assisted Other Agency             |         | SMELL OF COMPRESSED GAS OUTSIDE                                         | C |
| 180010157 | 0 W | HASTINGS | 2/27/2018 20:32 | s.22(1)                                            |         |                                                                         | D |
| 180011084 | 0 E | HASTINGS | 3/5/2018 14:10  |                                                    |         |                                                                         | D |
| 180012240 | 0 E | HASTINGS | 3/12/2018 2:40  | Response - Cancelled - En Route                    | s.22(1) |                                                                         | B |



|           |       |          |                 |                                                   |         |                                                            |   |
|-----------|-------|----------|-----------------|---------------------------------------------------|---------|------------------------------------------------------------|---|
| 180010139 | 100 E | HASTINGS | 2/27/2018 18:02 | Response - Cancelled - On Scene                   | s.22(1) |                                                            | D |
| 180010868 | 100 E | HASTINGS | 3/4/2018 2:26   | Response - Cancelled - On Scene                   |         |                                                            | B |
| 180011251 | 100 E | HASTINGS | 3/6/2018 14:11  | s.22(1)                                           |         |                                                            | D |
| 180011307 | 100 E | HASTINGS | 3/6/2018 19:38  |                                                   |         |                                                            | C |
| 180011354 | 100 E | HASTINGS | 3/7/2018 1:31   |                                                   |         |                                                            | C |
| 180012599 | 100 W | HASTINGS | 3/14/2018 11:16 | Response - Cancelled - On Scene                   | s.22(1) |                                                            | D |
| 180010243 | 100 E | HASTINGS | 2/28/2018 11:11 | s.22(1)                                           |         |                                                            | A |
| 180011344 | 100 E | HASTINGS | 3/7/2018 0:23   | Alarm Active/No Fire - Detector - Cigarette Smoke |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180011835 | 100 E | HASTINGS | 3/9/2018 22:39  | Response - Cancelled - On Scene                   | s.22(1) |                                                            | A |
| 180012558 | 100 E | HASTINGS | 3/14/2018 2:08  | Alarm Active/No Fire - Detector - Cooking         |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180010310 | 100 W | HASTINGS | 2/28/2018 18:48 | Response - Cancelled - On Scene                   | s.22(1) |                                                            | D |
| 180010718 | 100 W | HASTINGS | 3/3/2018 3:09   | s.22(1)                                           |         |                                                            | A |
| 180011080 | 100 W | HASTINGS | 3/5/2018 13:34  |                                                   |         |                                                            | D |
| 180011181 | 100 W | HASTINGS | 3/6/2018 5:39   |                                                   |         |                                                            | C |
| 180011292 | 100 W | HASTINGS | 3/6/2018 18:10  |                                                   |         |                                                            | C |
| 180010620 | 100 E | HASTINGS | 3/2/2018 15:04  |                                                   |         |                                                            | B |
| 180010592 | 100 E | HASTINGS | 3/2/2018 12:42  | Response - Cancelled - On Scene                   | s.22(1) |                                                            | B |
| 180010806 | 100 E | HASTINGS | 3/3/2018 17:06  | Response - Unfounded - No Incident Found          |         |                                                            | B |
| 180010807 | 100 E | HASTINGS | 3/3/2018 17:06  | Response - Unfounded - No Incident Found          |         |                                                            | B |
| 180011113 | 100 E | HASTINGS | 3/5/2018 17:25  | Response - Cancelled - En Route                   |         | ASSAULT - POSSIBLE DANGEROUS BODY AREA                     | C |
| 180011284 | 100 E | HASTINGS | 3/6/2018 17:33  | s.22(1)                                           |         |                                                            | C |
| 180011301 | 100 E | HASTINGS | 3/6/2018 19:11  |                                                   |         |                                                            | C |
| 180012510 | 100 E | HASTINGS | 3/13/2018 17:30 |                                                   |         |                                                            | C |
| 180010453 | 100 E | HASTINGS | 3/1/2018 16:17  |                                                   |         |                                                            | B |
| 180010923 | 100 W | HASTINGS | 3/4/2018 15:36  |                                                   |         |                                                            | C |
| 180011098 | 100 W | HASTINGS | 3/5/2018 16:06  | Response - Cancelled - On Scene                   | s.22(1) |                                                            | D |
| 180011983 | 100 W | HASTINGS | 3/10/2018 16:15 | s.22(1)                                           |         |                                                            | B |
| 180010641 | 100 E | HASTINGS | 3/2/2018 18:21  |                                                   |         |                                                            | A |
| 180011621 | 100 W | HASTINGS | 3/8/2018 17:16  |                                                   |         |                                                            | A |
| 180011493 | 100 E | HASTINGS | 3/8/2018 0:26   | Response - Cancelled - On Scene                   | s.22(1) |                                                            | D |
| 180011931 | 100 E | HASTINGS | 3/10/2018 10:55 | s.22(1)                                           |         |                                                            | B |
| 180010035 | 100 E | HASTINGS | 2/27/2018 3:45  | Response - Cancelled - En Route                   | s.22(1) |                                                            | C |
| 180010070 | 100 E | HASTINGS | 2/27/2018 9:55  | Alarm Active/No Fire - Detector - Cigarette Smoke |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180010208 | 100 E | HASTINGS | 2/28/2018 3:46  | s.22(1)                                           |         |                                                            | D |
| 180010339 | 100 E | HASTINGS | 2/28/2018 21:38 |                                                   |         |                                                            | D |
| 180010423 | 100 E | HASTINGS | 3/1/2018 11:47  | Alarm Active/No Fire - Detector - Cigarette Smoke |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | B |
| 180010545 | 100 E | HASTINGS | 3/2/2018 8:03   | s.22(1)                                           |         |                                                            | B |
| 180010721 | 100 E | HASTINGS | 3/3/2018 3:33   |                                                   |         |                                                            | A |
| 180010749 | 100 E | HASTINGS | 3/3/2018 9:20   |                                                   |         |                                                            | C |
| 180010837 | 100 E | HASTINGS | 3/3/2018 22:07  |                                                   |         |                                                            | B |
| 180010939 | 100 E | HASTINGS | 3/4/2018 17:02  | Alarm Active/No Fire - Detector - Other           |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | B |
| 180012037 | 100 E | HASTINGS | 3/10/2018 22:35 | Alarm Active/No Fire - Pull Station               |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180012502 | 100 E | HASTINGS | 3/13/2018 16:23 | Public Service - Assisted BCAS/Police             |         | ASSIST THE PUBLIC OR OTHER AGENCY                          | D |
| 180010034 | 100 E | HASTINGS | 2/27/2018 3:38  | Alarm Active/No Fire - Detector - Cigarette Smoke |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180010266 | 100 E | HASTINGS | 2/28/2018 14:01 | Response - Cancelled - En Route                   | s.22(1) |                                                            | A |
| 180010469 | 100 E | HASTINGS | 3/1/2018 19:14  | s.22(1)                                           |         |                                                            | A |
| 180010633 | 100 E | HASTINGS | 3/2/2018 16:47  |                                                   |         |                                                            | A |
| 180010664 | 100 E | HASTINGS | 3/2/2018 20:33  | Response - Cancelled - On Scene                   | s.22(1) |                                                            | A |
| 180011613 | 100 E | HASTINGS | 3/8/2018 16:04  | s.22(1)                                           |         |                                                            | A |
| 180011981 | 100 E | HASTINGS | 3/10/2018 15:49 | Response - Cancelled - On Scene                   | s.22(1) |                                                            | B |
| 180011987 | 100 E | HASTINGS | 3/10/2018 16:32 | s.22(1)                                           |         |                                                            | B |
| 180012198 | 100 E | HASTINGS | 3/11/2018 20:55 |                                                   |         |                                                            | B |



|           |       |          |                 |                                                   |                                                                        |  |   |
|-----------|-------|----------|-----------------|---------------------------------------------------|------------------------------------------------------------------------|--|---|
| 180012483 | 100 E | HASTINGS | 3/13/2018 14:31 | s.22(1)                                           |                                                                        |  | D |
| 180012505 | 100 E | HASTINGS | 3/13/2018 16:49 |                                                   |                                                                        |  | D |
| 180012564 | 100 E | HASTINGS | 3/14/2018 4:16  |                                                   |                                                                        |  | C |
| 180012569 | 100 E | HASTINGS | 3/14/2018 7:01  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180012636 | 100 E | HASTINGS | 3/14/2018 15:36 | s.22(1)                                           |                                                                        |  | D |
| 180012655 | 100 E | HASTINGS | 3/14/2018 17:07 |                                                   |                                                                        |  | C |
| 180010079 | 100 E | HASTINGS | 2/27/2018 10:41 |                                                   |                                                                        |  | A |
| 180010092 | 100 E | HASTINGS | 2/27/2018 12:10 |                                                   |                                                                        |  | A |
| 180010291 | 100 E | HASTINGS | 2/28/2018 17:18 | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010962 | 100 E | HASTINGS | 3/4/2018 20:24  | Response - Cancelled - On Scene                   | s.22(1)                                                                |  | B |
| 180011017 | 100 E | HASTINGS | 3/5/2018 7:31   | Response - Cancelled - En Route                   |                                                                        |  | D |
| 180011093 | 100 E | HASTINGS | 3/5/2018 15:26  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180011279 | 100 E | HASTINGS | 3/6/2018 17:14  | s.22(1)                                           |                                                                        |  | C |
| 180011296 | 100 E | HASTINGS | 3/6/2018 18:34  |                                                   |                                                                        |  | C |
| 180011705 | 100 E | HASTINGS | 3/9/2018 4:49   |                                                   |                                                                        |  | D |
| 180011853 | 100 E | HASTINGS | 3/10/2018 0:12  | Response - Cancelled - On Scene                   | s.22(1)                                                                |  | A |
| 180012215 | 100 E | HASTINGS | 3/11/2018 22:42 | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180012244 | 100 E | HASTINGS | 3/12/2018 3:42  | s.22(1)                                           |                                                                        |  | B |
| 180012576 | 100 E | HASTINGS | 3/14/2018 8:08  | Response - Cancelled - On Scene                   | s.22(1)                                                                |  | D |
| 180012613 | 100 E | HASTINGS | 3/14/2018 13:10 | Response - Cancelled - On Scene                   |                                                                        |  | D |
| 180010098 | 100 E | HASTINGS | 2/27/2018 13:00 | s.22(1)                                           |                                                                        |  | A |
| 180010565 | 100 E | HASTINGS | 3/2/2018 10:08  |                                                   |                                                                        |  | B |
| 180012060 | 200 W | HASTINGS | 3/11/2018 1:18  |                                                   |                                                                        |  | A |
| 180010446 | 200 E | HASTINGS | 3/1/2018 15:24  |                                                   |                                                                        |  | B |
| 180010406 | 200 E | HASTINGS | 3/1/2018 9:13   |                                                   |                                                                        |  | B |
| 180012069 | 200 E | HASTINGS | 3/11/2018 4:06  |                                                   |                                                                        |  | A |
| 180012551 | 200 E | HASTINGS | 3/13/2018 23:32 |                                                   |                                                                        |  | C |
| 180010356 | 200 E | HASTINGS | 3/1/2018 0:02   |                                                   |                                                                        |  | D |
| 180010096 | 200 E | HASTINGS | 2/27/2018 12:36 | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180010995 | 200 E | HASTINGS | 3/5/2018 1:48   | Response - Cancelled - No Response                | s.22(1)                                                                |  | B |
| 180010133 | 200 E | HASTINGS | 2/27/2018 16:59 | Response - Cancelled - On Scene                   |                                                                        |  | D |
| 180011743 | 200 E | HASTINGS | 3/9/2018 11:32  | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180012031 | 200 E | HASTINGS | 3/10/2018 21:55 | Response - Cancelled - En Route                   | s.22(1)                                                                |  | A |
| 180010483 | 200 E | HASTINGS | 3/1/2018 20:47  | s.22(1)                                           |                                                                        |  | A |
| 180011448 | 200 E | HASTINGS | 3/7/2018 18:15  |                                                   |                                                                        |  | D |
| 180010185 | 200 E | HASTINGS | 2/27/2018 23:38 | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010379 | 200 E | HASTINGS | 3/1/2018 4:53   | s.22(1)                                           |                                                                        |  | D |
| 180010519 | 200 E | HASTINGS | 3/2/2018 1:32   | Response - Unfounded - No Incident Found          | s.22(1)                                                                |  | A |
| 180011322 | 200 E | HASTINGS | 3/6/2018 20:58  | s.22(1)                                           |                                                                        |  | C |
| 180011499 | 200 E | HASTINGS | 3/8/2018 2:15   |                                                   |                                                                        |  | D |
| 180010429 | 300 E | HASTINGS | 3/1/2018 12:40  | MVI - Pedestrian Struck                           | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | B |
| 180012509 | 300 E | HASTINGS | 3/13/2018 17:29 | s.22(1)                                           |                                                                        |  | C |
| 180012619 | 300 E | HASTINGS | 3/14/2018 13:50 |                                                   |                                                                        |  | D |
| 180011479 | 300 W | HASTINGS | 3/7/2018 22:00  | Response - Cancelled - On Scene                   | s.22(1)                                                                |  | D |
| 180011061 | 300 E | HASTINGS | 3/5/2018 11:55  | s.22(1)                                           |                                                                        |  | D |
| 180011387 | 300 E | HASTINGS | 3/7/2018 8:28   |                                                   |                                                                        |  | A |
| 180010214 | 300 E | HASTINGS | 2/28/2018 6:25  |                                                   |                                                                        |  | D |
| 180010820 | 300 E | HASTINGS | 3/3/2018 19:25  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180011169 | 300 E | HASTINGS | 3/6/2018 1:41   | s.22(1)                                           |                                                                        |  | C |
| 180011190 | 300 E | HASTINGS | 3/6/2018 7:15   |                                                   |                                                                        |  | D |
| 180012328 | 300 E | HASTINGS | 3/12/2018 17:07 |                                                   |                                                                        |  | C |
| 180012084 | 300 E | HASTINGS | 3/11/2018 7:22  |                                                   |                                                                        |  | C |



|           |        |          |                 |                                                   |                                                                               |   |
|-----------|--------|----------|-----------------|---------------------------------------------------|-------------------------------------------------------------------------------|---|
| 180011764 | 400 W  | HASTINGS | 3/9/2018 14:04  | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | B |
| 180011566 | 400 E  | HASTINGS | 3/8/2018 11:47  | Response - Cancelled - On Scene                   | s.22(1)                                                                       | A |
| 180011503 | 400 E  | HASTINGS | 3/8/2018 3:11   | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | D |
| 180010774 | 400 E  | HASTINGS | 3/3/2018 12:54  | s.22(1)                                           |                                                                               | C |
| 180011056 | 400 E  | HASTINGS | 3/5/2018 11:38  |                                                   |                                                                               | D |
| 180011950 | 400 E  | HASTINGS | 3/10/2018 13:01 |                                                   |                                                                               | B |
| 180010109 | 400 E  | HASTINGS | 2/27/2018 14:30 | Response - Cancelled - On Scene                   | s.22(1)                                                                       | A |
| 180010338 | 500 E  | HASTINGS | 2/28/2018 21:36 | s.22(1)                                           |                                                                               | D |
| 180012045 | 500 W  | HASTINGS | 3/10/2018 23:10 |                                                   |                                                                               | A |
| 180012233 | 500 W  | HASTINGS | 3/12/2018 1:18  |                                                   |                                                                               | B |
| 180010227 | 500 E  | HASTINGS | 2/28/2018 8:47  |                                                   |                                                                               | A |
| 180010999 | 500 E  | HASTINGS | 3/5/2018 3:02   |                                                   |                                                                               | B |
| 180012044 | 500 E  | HASTINGS | 3/10/2018 23:05 | Public Service - Non-Medical Lift Assist          | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            | A |
| 180012521 | 500 E  | HASTINGS | 3/13/2018 18:54 | s.22(1)                                           |                                                                               | C |
| 180010386 | 500 W  | HASTINGS | 3/1/2018 6:48   |                                                   |                                                                               | D |
| 180010665 | 500 W  | HASTINGS | 3/2/2018 20:34  |                                                   |                                                                               | A |
| 180011467 | 500 W  | HASTINGS | 3/7/2018 20:20  | Response - Cancelled - On Scene                   | s.22(1)                                                                       | D |
| 180011560 | 500 W  | HASTINGS | 3/8/2018 11:30  | s.22(1)                                           |                                                                               | A |
| 180011240 | 500 E  | HASTINGS | 3/6/2018 13:12  |                                                   |                                                                               | D |
| 180011363 | 500 E  | HASTINGS | 3/7/2018 3:15   |                                                   |                                                                               | C |
| 180011810 | 500 E  | HASTINGS | 3/9/2018 20:22  | Response - Cancelled - On Scene                   | s.22(1)                                                                       | A |
| 180010041 | 600 E  | HASTINGS | 2/27/2018 6:06  | s.22(1)                                           |                                                                               | C |
| 180011023 | 600 E  | HASTINGS | 3/5/2018 8:41   |                                                   |                                                                               | D |
| 180011172 | 600 E  | HASTINGS | 3/6/2018 3:15   |                                                   |                                                                               | C |
| 180011217 | 600 E  | HASTINGS | 3/6/2018 10:59  |                                                   |                                                                               | D |
| 180011351 | 600 E  | HASTINGS | 3/7/2018 1:12   |                                                   |                                                                               | C |
| 180011409 | 600 E  | HASTINGS | 3/7/2018 11:56  | Response - Cancelled - On Scene                   | s.22(1)                                                                       | A |
| 180011900 | 600 E  | HASTINGS | 3/10/2018 6:26  | Response - Cancelled - On Scene                   |                                                                               | A |
| 180012171 | 600 E  | HASTINGS | 3/11/2018 18:31 | Alarm Active/No Fire - Detector - Other           | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE | B |
| 180011704 | 700 E  | HASTINGS | 3/9/2018 4:45   | Response - Cancelled - On Scene                   | s.22(1)                                                                       | D |
| 180010444 | 700 E  | HASTINGS | 3/1/2018 15:12  | Response - Cancelled - En Route                   |                                                                               | B |
| 180011290 | 700 W  | HASTINGS | 3/6/2018 18:02  | s.22(1)                                           |                                                                               | C |
| 180011533 | 700 W  | HASTINGS | 3/8/2018 8:18   |                                                   |                                                                               | A |
| 180010039 | 700 E  | HASTINGS | 2/27/2018 5:53  |                                                   |                                                                               | C |
| 180010459 | 700 E  | HASTINGS | 3/1/2018 17:46  |                                                   |                                                                               | A |
| 180012210 | 700 E  | HASTINGS | 3/11/2018 21:56 |                                                   |                                                                               | B |
| 180011241 | 800 W  | HASTINGS | 3/6/2018 13:12  |                                                   |                                                                               | D |
| 180010553 | 900 W  | HASTINGS | 3/2/2018 8:52   |                                                   |                                                                               | B |
| 180010674 | 900 E  | HASTINGS | 3/2/2018 21:48  |                                                   |                                                                               | A |
| 180010671 | 900 E  | HASTINGS | 3/2/2018 21:33  | Alarm Active/No Fire - Detector - Construction    | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                          | A |
| 180011076 | 1000 W | HASTINGS | 3/5/2018 12:58  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    | D |
| 180011739 | 1100 W | HASTINGS | 3/9/2018 11:10  | Response - Cancelled - En Route                   | s.22(1)                                                                       | B |
| 180012057 | 1100 W | HASTINGS | 3/11/2018 0:49  | s.22(1)                                           |                                                                               | A |
| 180011504 | 1200 W | HASTINGS | 3/8/2018 3:26   | Response - Cancelled - On Scene                   | s.22(1)                                                                       | D |
| 180011926 | 1300 E | HASTINGS | 3/10/2018 10:15 | Response - Unfounded - No Incident Found          |                                                                               | B |
| 180011319 | 1400 E | HASTINGS | 3/6/2018 20:38  | s.22(1)                                           |                                                                               | C |
| 180011854 | 1400 E | HASTINGS | 3/10/2018 0:12  | Response - Cancelled - On Scene                   | s.22(1)                                                                       | A |
| 180010245 | 1500 E | HASTINGS | 2/28/2018 11:30 | Public Service - Locked In/Out                    | RESCUE - NO IMMEDIATE RISK OR DANGER                                          | A |
| 180010088 | 1500 W | HASTINGS | 2/27/2018 11:47 | s.22(1)                                           |                                                                               | A |
| 180012109 | 1500 E | HASTINGS | 3/11/2018 11:18 |                                                   |                                                                               | C |
| 180011608 | 1600 E | HASTINGS | 3/8/2018 15:46  |                                                   |                                                                               | A |
| 180011818 | 1700 E | HASTINGS | 3/9/2018 21:11  |                                                   |                                                                               | A |

|           |        |                 |                 |                                                    |                                                                |   |
|-----------|--------|-----------------|-----------------|----------------------------------------------------|----------------------------------------------------------------|---|
| 180011348 | 2000 E | HASTINGS        | 3/7/2018 0:49   | Response - Cancelled - No Response                 | s.22(1)                                                        | C |
| 180011510 | 2000 E | HASTINGS        | 3/8/2018 4:02   | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS | D |
| 180012644 | 2200 E | HASTINGS        | 3/14/2018 16:17 | Response - Unfounded - No Incident Found           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180010481 | 2200 E | HASTINGS        | 3/1/2018 20:38  | Response - Cancelled - On Scene                    | FALLS - NOT ALERT - PUBLIC PLACE                               | A |
| 180011458 | 2500 E | HASTINGS        | 3/7/2018 19:20  | Response - Cancelled - On Scene                    | s.22(1)                                                        | D |
| 180011767 | 2600 E | HASTINGS        | 3/9/2018 14:18  | s.22(1)                                            |                                                                | B |
| 180010700 | 2900 E | HASTINGS        | 3/3/2018 0:49   | Response - Unfounded - No Incident Found           | s.22(1)                                                        | A |
| 180011873 | 3400 E | HASTINGS        | 3/10/2018 1:56  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - CONFIRMED FALSE ALARM                        | A |
| 180012259 | 3400 E | HASTINGS        | 3/12/2018 8:23  | s.22(1)                                            |                                                                | C |
| 180012450 | 3400 E | HASTINGS        | 3/13/2018 11:18 |                                                    |                                                                | D |
| 180012641 | 0      | HAWKS           | 3/14/2018 16:03 |                                                    |                                                                | D |
| 180011440 | 400    | HAWKS           | 3/7/2018 16:57  |                                                    | s.22(1)                                                        | D |
| 180011903 | 1100   | HAZELTON        | 3/10/2018 7:00  | s.22(1)                                            |                                                                | B |
| 180011099 | 2300   | HEALTH SCIENCES | 3/5/2018 16:07  | Public Service - Unclassified(remarks req)         | VAF - OCCUPATIONAL FIRST AID                                   | D |
| 180011963 | 0      | HEATHER         | 3/10/2018 14:18 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS | B |
| 180011730 | 2700   | HEATHER         | 3/9/2018 10:24  | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180010233 | 4800   | HEATHER         | 2/28/2018 9:48  | s.22(1)                                            |                                                                | A |
| 180011126 | 4900   | HEATHER         | 3/5/2018 18:23  |                                                    |                                                                | C |
| 180011531 | 4900   | HEATHER         | 3/8/2018 8:16   | FIRE - Fire Department Responded Reportable - 1000 | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE           | A |
| 180012623 | 4900   | HEATHER         | 3/14/2018 14:11 | s.22(1)                                            |                                                                | D |
| 180011875 | 6900   | HEATHER         | 3/10/2018 2:47  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                      | A |
| 180012265 | 7000   | HEATHER         | 3/12/2018 9:05  | s.22(1)                                            |                                                                | C |
| 180011877 | 0      | HEATLEY         | 3/10/2018 2:48  | Response - Cancelled - En Route                    | s.22(1)                                                        | A |
| 180010362 | 300    | HEATLEY         | 3/1/2018 0:54   | s.22(1)                                            |                                                                | D |
| 180012649 | 900    | HEATLEY         | 3/14/2018 16:46 |                                                    |                                                                | C |
| 180011582 | 0      | HELMCKEN        | 3/8/2018 13:10  |                                                    |                                                                | A |
| 180012424 | 400    | HELMCKEN        | 3/13/2018 7:46  | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180010496 | 400    | HELMCKEN        | 3/1/2018 21:53  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | A |
| 180011822 | 500    | HELMCKEN        | 3/9/2018 21:46  | s.22(1)                                            |                                                                | A |
| 180012282 | 500    | HELMCKEN        | 3/12/2018 11:12 |                                                    |                                                                | C |
| 180012371 | 500    | HELMCKEN        | 3/12/2018 21:29 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180010584 | 600    | HELMCKEN        | 3/2/2018 12:15  | s.22(1)                                            |                                                                | B |
| 180011450 | 600    | HELMCKEN        | 3/7/2018 18:36  | Response - Cancelled - On Scene                    | s.22(1)                                                        | D |
| 180011941 | 600    | HELMCKEN        | 3/10/2018 12:24 | s.22(1)                                            |                                                                | B |
| 180010522 | 600    | HELMCKEN        | 3/2/2018 2:06   |                                                    |                                                                | A |
| 180011178 | 800    | HELMCKEN        | 3/6/2018 4:50   |                                                    |                                                                | C |
| 180011887 | 800    | HELMCKEN        | 3/10/2018 3:42  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                              | A |
| 180012430 | 0      | HEMLOCK         | 3/13/2018 8:49  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                      | D |
| 180011634 | 2200   | HEMLOCK         | 3/8/2018 18:43  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                      | D |
| 180010621 | 2300   | HERMON          | 3/2/2018 15:09  | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180012237 | 2300   | HERMON          | 3/12/2018 2:07  | s.22(1)                                            |                                                                | B |
| 180010704 | 0      | HOMER           | 3/3/2018 1:30   |                                                    |                                                                | A |
| 180011876 | 0      | HOMER           | 3/10/2018 2:47  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                      | A |
| 180012038 | 0      | HOMER           | 3/10/2018 22:41 | s.22(1)                                            |                                                                | A |
| 180010844 | 500    | HOMER           | 3/3/2018 23:27  |                                                    |                                                                | B |
| 180012226 | 500    | HOMER           | 3/11/2018 23:54 |                                                    |                                                                | B |
| 180010727 | 600    | HOMER           | 3/3/2018 5:07   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                        | A |
| 180011972 | 800    | HOMER           | 3/10/2018 15:05 | s.22(1)                                            |                                                                | B |
| 180012257 | 900    | HOMER           | 3/12/2018 7:34  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | C |
| 180011722 | 1100   | HOMER           | 3/9/2018 8:42   | s.22(1)                                            |                                                                | B |
| 180011460 | 1100   | HOMER           | 3/7/2018 19:30  | Response - Cancelled - On Scene                    | s.22(1)                                                        | D |
| 180010529 | 1200   | HOMER           | 3/2/2018 3:21   | s.22(1)                                            |                                                                | A |



|           |      |        |                 |                                                      |         |                                                                           |   |
|-----------|------|--------|-----------------|------------------------------------------------------|---------|---------------------------------------------------------------------------|---|
| 180010460 | 1300 | HOMER  | 3/1/2018 17:50  | s.22(1)                                              |         |                                                                           | A |
| 180011432 | 0    | HORNBY | 3/7/2018 16:06  | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | A |
| 180011790 | 0    | HORNBY | 3/9/2018 17:14  | MVI - With No Injuries                               |         | TRAFFIC / TRANSPORTATION ACCIDENT - MULTIPLE VICTIMS/ MULTIPLE AMBULANCES | B |
| 180011357 | 700  | HORNBY | 3/7/2018 2:01   | FIRE - Non-Reportable - Outdoor Burning - Non-Permit |         | BURNING COMPLAINT                                                         | C |
| 180011977 | 700  | HORNBY | 3/10/2018 15:32 | s.22(1)                                              |         |                                                                           | B |
| 180012075 | 800  | HORNBY | 3/11/2018 5:01  |                                                      |         |                                                                           | A |
| 180010190 | 900  | HORNBY | 2/28/2018 0:45  | Alarm Active/No Fire - Detector - Other              |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | D |
| 180010077 | 1000 | HORNBY | 2/27/2018 10:35 | Alarm Active/No Fire - Detector - Cigarette Smoke    |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | A |
| 180012082 | 1000 | HORNBY | 3/11/2018 6:36  | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | A |
| 180010108 | 1100 | HORNBY | 2/27/2018 14:24 | s.22(1)                                              |         |                                                                           | A |
| 180010546 | 1100 | HORNBY | 3/2/2018 8:11   | Alarm Active/No Fire - Pull Station                  |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | B |
| 180010967 | 1100 | HORNBY | 3/4/2018 21:40  | s.22(1)                                              |         |                                                                           | B |
| 180012175 | 1100 | HORNBY | 3/11/2018 18:56 |                                                      |         |                                                                           | B |
| 180012414 | 1100 | HORNBY | 3/13/2018 4:25  | Response - Cancelled - En Route                      | s.22(1) |                                                                           | B |
| 180012632 | 1100 | HORNBY | 3/14/2018 15:24 | s.22(1)                                              |         |                                                                           | D |
| 180012526 | 1100 | HORNBY | 3/13/2018 19:40 |                                                      |         |                                                                           | C |
| 180012667 | 1100 | HORNBY | 3/14/2018 18:25 | Alarm Active/No Fire - Sprink Surge/Dis              |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | C |
| 180010709 | 1100 | HORNBY | 3/3/2018 2:04   | s.22(1)                                              |         |                                                                           | A |
| 180010845 | 1200 | HORNBY | 3/3/2018 23:27  |                                                      |         |                                                                           | B |
| 180011424 | 1200 | HORNBY | 3/7/2018 14:37  | Alarm Active/No Fire - Unclassified(remarks req)     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | A |
| 180011956 | 1200 | HORNBY | 3/10/2018 13:39 | Alarm Active/No Fire - Pull Station                  |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | B |
| 180011729 | 1200 | HORNBY | 3/9/2018 10:18  | s.22(1)                                              |         |                                                                           | B |
| 180010166 | 0    | HOWE   | 2/27/2018 20:55 | Response - Cancelled - En Route                      | s.22(1) |                                                                           | D |
| 180012046 | 0    | HOWE   | 3/10/2018 23:13 | Public Service - Assisted BCAS/Police                |         | ASSIST THE PUBLIC OR OTHER AGENCY                                         | A |
| 180011183 | 600  | HOWE   | 3/6/2018 6:00   | FIRE - Fire Department Responded Reportable - 1000   |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | C |
| 180010136 | 600  | HOWE   | 2/27/2018 17:16 | Response - Cancelled - En Route                      |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | D |
| 180011628 | 800  | HOWE   | 3/8/2018 18:15  | Alarm Active/No Fire - Detector - Construction       |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | D |
| 180010083 | 900  | HOWE   | 2/27/2018 11:15 | s.22(1)                                              |         |                                                                           | A |
| 180012669 | 1000 | HOWE   | 3/14/2018 18:28 | Alarm Active/No Fire - Detector - Cooking            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | C |
| 180010354 | 1000 | HOWE   | 2/28/2018 23:30 | Alarm Active/No Fire - Sprink Surge/Dis              |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | D |
| 180010932 | 1000 | HOWE   | 3/4/2018 16:29  | s.22(1)                                              |         |                                                                           | C |
| 180011590 | 1000 | HOWE   | 3/8/2018 13:57  | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | A |
| 180011643 | 1000 | HOWE   | 3/8/2018 19:12  | s.22(1)                                              |         |                                                                           | D |
| 180011842 | 1000 | HOWE   | 3/9/2018 23:19  | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | A |
| 180012095 | 1000 | HOWE   | 3/11/2018 9:26  | s.22(1)                                              |         |                                                                           | C |
| 180012242 | 1000 | HOWE   | 3/12/2018 2:51  | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | B |
| 180010945 | 1100 | HOWE   | 3/4/2018 17:40  | s.22(1)                                              |         |                                                                           | B |
| 180011700 | 1100 | HOWE   | 3/9/2018 2:56   | Alarm Active/No Fire - Detector - Other              |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | D |
| 180011860 | 1100 | HOWE   | 3/10/2018 0:41  | Alarm Active/No Fire - Unclassified(remarks req)     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | A |
| 180011890 | 1100 | HOWE   | 3/10/2018 4:20  | Alarm Active/No Fire - Unclassified(remarks req)     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                | A |
| 180012126 | 1100 | HOWE   | 3/11/2018 13:34 | s.22(1)                                              |         |                                                                           | C |
| 180010303 | 1200 | HOWE   | 2/28/2018 18:18 | Response - Cancelled - On Scene                      | s.22(1) |                                                                           | D |
| 180010231 | 1200 | HOWE   | 2/28/2018 9:32  | s.22(1)                                              |         |                                                                           | A |
| 180010375 | 1200 | HOWE   | 3/1/2018 4:30   |                                                      |         |                                                                           | D |
| 180010487 | 1200 | HOWE   | 3/1/2018 21:11  |                                                      |         |                                                                           | A |
| 180010768 | 1200 | HOWE   | 3/3/2018 12:08  |                                                      |         |                                                                           | C |
| 180011003 | 1200 | HOWE   | 3/5/2018 3:43   |                                                      |         |                                                                           | B |
| 180011173 | 1200 | HOWE   | 3/6/2018 3:49   |                                                      |         |                                                                           | C |
| 180011383 | 1200 | HOWE   | 3/7/2018 7:57   |                                                      |         |                                                                           | C |
| 180012097 | 1200 | HOWE   | 3/11/2018 10:07 |                                                      |         |                                                                           | C |
| 180012462 | 1200 | HOWE   | 3/13/2018 12:08 |                                                      |         |                                                                           | D |
| 180012577 | 1200 | HOWE   | 3/14/2018 8:24  |                                                      |         |                                                                           | D |

|           |       |                      |                 |                                           |                                                            |   |
|-----------|-------|----------------------|-----------------|-------------------------------------------|------------------------------------------------------------|---|
| 180012326 | 1200  | HOWE                 | 3/12/2018 16:38 | Public Service - Non-Medical Lift Assist  | ASSIST THE PUBLIC OR OTHER AGENCY                          | B |
| 180011866 | 1500  | HOWE                 | 3/10/2018 0:58  | Response - Cancelled - No Response        | s.22(1)                                                    | A |
| 180010343 | 8400  | HUDSON               | 2/28/2018 22:04 | s.22(1)                                   |                                                            | D |
| 180012004 | 8600  | HUDSON               | 3/10/2018 18:41 |                                           |                                                            | A |
| 180012295 | 8600  | HUDSON               | 3/12/2018 12:46 |                                           |                                                            | C |
| 180012457 | 8600  | HUDSON               | 3/13/2018 11:45 | Alarm Active/No Fire - Sprink Surge/Dis   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | D |
| 180012110 | 8700  | HUDSON               | 3/11/2018 11:23 | s.22(1)                                   |                                                            | C |
| 180012621 | 8800  | HUDSON               | 3/14/2018 13:53 | Public Service - Assisted BCAS/Police     | MEDICAL AID ROUTINE BCAS OR PUBLIC                         | D |
| 180010174 | 400   | INTERURBAN           | 2/27/2018 22:13 | s.22(1)                                   |                                                            | D |
| 180012195 | 5100  | INVERNESS            | 3/11/2018 20:46 |                                           |                                                            | B |
| 180012347 | 6000  | INVERNESS            | 3/12/2018 18:39 |                                           |                                                            | B |
| 180010081 | 6800  | INVERNESS            | 2/27/2018 10:54 |                                           |                                                            | A |
| 180012191 | 7400  | INVERNESS            | 3/11/2018 20:27 |                                           |                                                            | B |
| 180012091 | 5900  | IONA                 | 3/11/2018 9:02  |                                           |                                                            | C |
| 180011589 | 6000  | IONA                 | 3/8/2018 13:54  | Alarm Active/No Fire - Detector - Other   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180010052 | 2300  | IRONWORKERS MEMORIAL | 2/27/2018 8:04  | Response - Cancelled - En Route           | MVI - MOTOR VEHICLE INCIDENT                               | A |
| 180010751 | 2300  | IRONWORKERS MEMORIAL | 3/3/2018 9:56   | MVI - With Injuries                       | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT - MANY PATIENTS | C |
| 180010341 | 0     | JACKSON              | 2/28/2018 21:51 | Response - Cancelled - No Response        | s.22(1)                                                    | D |
| 180010134 | 300   | JACKSON              | 2/27/2018 17:07 | s.22(1)                                   |                                                            | D |
| 180010254 | 300   | JACKSON              | 2/28/2018 12:15 |                                           |                                                            | A |
| 180010385 | 300   | JACKSON              | 3/1/2018 6:22   | Response - Cancelled - On Scene           | s.22(1)                                                    | D |
| 180010533 | 300   | JACKSON              | 3/2/2018 5:06   | s.22(1)                                   |                                                            | A |
| 180011361 | 300   | JACKSON              | 3/7/2018 3:01   |                                           |                                                            | C |
| 180012293 | 300   | JACKSON              | 3/12/2018 12:33 | Response - Cancelled - On Scene           | s.22(1)                                                    | C |
| 180012549 | 300   | JACKSON              | 3/13/2018 22:53 | Response - Cancelled - On Scene           |                                                            | C |
| 180012559 | 300   | JACKSON              | 3/14/2018 2:19  | s.22(1)                                   |                                                            | C |
| 180012570 | 7500  | JASPER               | 3/14/2018 7:12  | Response - Cancelled - On Scene           | s.22(1)                                                    | D |
| 180011340 | 8400  | JELlicoe             | 3/6/2018 23:45  | s.22(1)                                   |                                                            | C |
| 180010535 | 4100  | JERICHO              | 3/2/2018 5:53   |                                           |                                                            | A |
| 180010494 | 4100  | JERICHO              | 3/1/2018 21:32  |                                           |                                                            | A |
| 180011670 | 4100  | JERICHO              | 3/8/2018 21:45  | Response - Cancelled - On Scene           | s.22(1)                                                    | D |
| 180010871 | 0     | JERVIS               | 3/4/2018 2:55   | s.22(1)                                   |                                                            | B |
| 180011796 | 0     | JERVIS               | 3/9/2018 18:32  | Response - Cancelled - On Scene           | s.22(1)                                                    | A |
| 180011107 | 600   | JERVIS               | 3/5/2018 16:44  | s.22(1)                                   |                                                            | D |
| 180010729 | 900   | JERVIS               | 3/3/2018 5:33   |                                           |                                                            | A |
| 180010084 | 1000  | JERVIS               | 2/27/2018 11:22 |                                           |                                                            | A |
| 180012716 | 1000  | JERVIS               | 3/14/2018 23:58 | Public Service - Trapped In Elevator      | RESCUE - NO IMMEDIATE RISK OR DANGER                       | C |
| 180010922 | 1100  | JERVIS               | 3/4/2018 15:20  | s.22(1)                                   |                                                            | C |
| 180011715 | 1100  | JERVIS               | 3/9/2018 7:07   | Public Service - Non-Medical Lift Assist  | ASSIST THE PUBLIC OR OTHER AGENCY                          | B |
| 180011433 | 0     | JOYCE                | 3/7/2018 16:10  | s.22(1)                                   |                                                            | A |
| 180011573 | 0     | JOYCE                | 3/8/2018 12:15  | MVI - With No Injuries                    | MVI - CLEAN-UP, NO INJURIES                                | A |
| 180012103 | 0     | JOYCE                | 3/11/2018 10:45 | MVI - With No Injuries                    | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES               | C |
| 180010610 | 4800  | JOYCE                | 3/2/2018 14:32  | Alarm Active/No Fire - Detector - Cooking | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | B |
| 180010612 | 5000  | JOYCE                | 3/2/2018 14:43  | Response - Cancelled - En Route           | s.22(1)                                                    | B |
| 180012306 | 5000  | JOYCE                | 3/12/2018 15:04 | s.22(1)                                   |                                                            | C |
| 180012155 | 5100  | JOYCE                | 3/11/2018 16:36 | Response - Cancelled - On Scene           | s.22(1)                                                    | C |
| 180010344 | 5100  | JOYCE                | 2/28/2018 22:10 | Response - Cancelled - On Scene           |                                                            | D |
| 180010409 | 200   | KAMLOOPS             | 3/1/2018 9:39   | s.22(1)                                   |                                                            | B |
| 180011413 | 1400  | KAMLOOPS             | 3/7/2018 12:19  |                                           |                                                            | A |
| 180010049 | 100 N | KASLO                | 2/27/2018 7:32  |                                           |                                                            | A |
| 180010778 | 0     | KEEFER               | 3/3/2018 13:39  |                                           |                                                            | C |
| 180010863 | 0     | KEEFER               | 3/4/2018 1:47   |                                           |                                                            | B |



|           |        |             |                 |                                                    |                                                                         |  |   |
|-----------|--------|-------------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------|--|---|
| 180011085 | 0      | KEEFER      | 3/5/2018 14:22  | s.22(1)                                            |                                                                         |  | D |
| 180012145 | 0      | KEEFER      | 3/11/2018 15:26 | Response - Cancelled - En Route                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                                  |  | C |
| 180012358 | 100    | KEEFER      | 3/12/2018 20:16 | s.22(1)                                            |                                                                         |  | B |
| 180012362 | 100    | KEEFER      | 3/12/2018 20:40 |                                                    |                                                                         |  | B |
| 180012005 | 100    | KEEFER      | 3/10/2018 18:43 | Response - Cancelled - On Scene                    | s.22(1)                                                                 |  | A |
| 180010161 | 100    | KEEFER      | 2/27/2018 20:32 | s.22(1)                                            |                                                                         |  | D |
| 180012118 | 100    | KEEFER      | 3/11/2018 12:34 |                                                    |                                                                         |  | C |
| 180012223 | 100    | KEEFER      | 3/11/2018 23:51 | FIRE - Fire Department Responded Reportable - 1000 | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE |  | B |
| 180011939 | 100    | KEEFER      | 3/10/2018 12:15 | Response - Cancelled - On Scene                    | s.22(1)                                                                 |  | B |
| 180010912 | 100    | KEEFER      | 3/4/2018 14:07  | s.22(1)                                            |                                                                         |  | C |
| 180011910 | 200    | KEEFER      | 3/10/2018 7:47  | Response - Cancelled - On Scene                    | MEDICAL AID EMERGENCY BCAS OR PUBLIC                                    |  | A |
| 180012700 | 200    | KEEFER      | 3/14/2018 21:31 | s.22(1)                                            |                                                                         |  | C |
| 180010994 | 200    | KEEFER      | 3/5/2018 1:35   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                 |  | B |
| 180010188 | 200    | KEEFER      | 2/27/2018 23:56 | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                 |  | D |
| 180012208 | 200    | KEEFER      | 3/11/2018 21:49 | s.22(1)                                            |                                                                         |  | B |
| 180012354 | 200    | KEEFER      | 3/12/2018 19:52 |                                                    |                                                                         |  | B |
| 180010165 | 300    | KEEFER      | 2/27/2018 20:52 |                                                    |                                                                         |  | D |
| 180011771 | 300    | KEEFER      | 3/9/2018 14:31  |                                                    |                                                                         |  | B |
| 180012263 | 300    | KEEFER      | 3/12/2018 8:48  |                                                    |                                                                         |  | C |
| 180011210 | 600    | KEEFER      | 3/6/2018 10:16  |                                                    |                                                                         |  | D |
| 180012022 | 800    | KEEFER      | 3/10/2018 20:20 |                                                    |                                                                         |  | A |
| 180010127 | 400 E  | KENT        | 2/27/2018 16:15 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | A |
| 180010706 | 2000 E | KENT        | 3/3/2018 1:41   | s.22(1)                                            |                                                                         |  | A |
| 180012321 | 3000 E | KENT        | 3/12/2018 16:17 | Haz-Mat - Gases - Propane                          | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | C |
| 180012537 | 3000 E | KENT        | 3/13/2018 21:33 | Public Service - Unclassified(remarks req)         | ODOUR OR SMELL OF UNKNONWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE      |  | C |
| 180010492 | 5800   | KERR        | 3/1/2018 21:31  | s.22(1)                                            |                                                                         |  | A |
| 180010417 | 7200   | KERR        | 3/1/2018 11:19  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | B |
| 180012380 | 7200   | KERR        | 3/12/2018 22:50 | s.22(1)                                            |                                                                         |  | B |
| 180012664 | 7200   | KERR        | 3/14/2018 18:07 |                                                    |                                                                         |  | C |
| 180011147 | 8600   | KERR        | 3/5/2018 20:19  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               |  | C |
| 180011477 | 5200   | KILLARNEY   | 3/7/2018 21:59  | s.22(1)                                            |                                                                         |  | D |
| 180010438 | 6200   | KILLARNEY   | 3/1/2018 13:59  |                                                    |                                                                         |  | B |
| 180010242 | 6400   | KILLARNEY   | 2/28/2018 11:08 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              |  | A |
| 180010454 | 0 E    | KING EDWARD | 3/1/2018 17:03  | MVI - With Injuries                                | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                               |  | A |
| 180012291 | 800 E  | KING EDWARD | 3/12/2018 12:15 | s.22(1)                                            |                                                                         |  | C |
| 180012026 | 1200 E | KING EDWARD | 3/10/2018 21:12 |                                                    |                                                                         |  | A |
| 180011725 | 1200 E | KING EDWARD | 3/9/2018 9:34   |                                                    |                                                                         |  | B |
| 180011094 | 2500 W | KING EDWARD | 3/5/2018 15:41  | MVI - With No Injuries                             | MVI - MOTOR VEHICLE INCIDENT                                            |  | D |
| 180011199 | 3000   | KINGS       | 3/6/2018 8:48   | s.22(1)                                            |                                                                         |  | D |
| 180010056 | 0      | KINGSWAY    | 2/27/2018 8:14  | MVI - With No Injuries                             | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS            |  | A |
| 180010974 | 0      | KINGSWAY    | 3/4/2018 22:54  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                               |  | B |
| 180011051 | 0      | KINGSWAY    | 3/5/2018 11:07  | s.22(1)                                            |                                                                         |  | D |
| 180011509 | 0      | KINGSWAY    | 3/8/2018 4:02   | Response - Unfounded - No Incident Found           | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS          |  | D |
| 180011752 | 0      | KINGSWAY    | 3/9/2018 12:41  | Public Hazard - Object Removed(remarks req)        | ASSIST THE PUBLIC OR OTHER AGENCY                                       |  | B |
| 180011732 | 0      | KINGSWAY    | 3/9/2018 10:33  | Response - Cancelled - On Scene                    | s.22(1)                                                                 |  | B |
| 180012643 | 0      | KINGSWAY    | 3/14/2018 16:11 | s.22(1)                                            |                                                                         |  | D |
| 180011068 | 300    | KINGSWAY    | 3/5/2018 12:15  |                                                    |                                                                         |  | D |
| 180011286 | 300    | KINGSWAY    | 3/6/2018 17:38  | Public Service - Trapped In Elevator               | RESCUE - NO IMMEDIATE RISK OR DANGER                                    |  | C |
| 180011530 | 1000   | KINGSWAY    | 3/8/2018 8:12   | s.22(1)                                            |                                                                         |  | A |
| 180011565 | 2300   | KINGSWAY    | 3/8/2018 11:43  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               |  | A |
| 180011266 | 2400   | KINGSWAY    | 3/6/2018 15:26  | s.22(1)                                            |                                                                         |  | D |
| 180010376 | 2600   | KINGSWAY    | 3/1/2018 4:32   |                                                    |                                                                         |  | D |



|           |      |               |                 |                                                  |         |                                                                             |   |
|-----------|------|---------------|-----------------|--------------------------------------------------|---------|-----------------------------------------------------------------------------|---|
| 180010520 | 2600 | KINGSWAY      | 3/2/2018 1:50   | s.22(1)                                          |         |                                                                             | A |
| 180010968 | 2800 | KINGSWAY      | 3/4/2018 21:40  |                                                  |         |                                                                             | B |
| 180011760 | 2800 | KINGSWAY      | 3/9/2018 13:47  |                                                  |         |                                                                             | B |
| 180011638 | 2900 | KINGSWAY      | 3/8/2018 19:04  |                                                  |         |                                                                             | D |
| 180010026 | 3100 | KINGSWAY      | 2/27/2018 1:46  | Response - Cancelled - En Route                  | s.22(1) |                                                                             | C |
| 180011034 | 3100 | KINGSWAY      | 3/5/2018 9:56   | s.22(1)                                          |         |                                                                             | D |
| 180012394 | 3100 | KINGSWAY      | 3/13/2018 0:40  |                                                  |         |                                                                             | B |
| 180011838 | 3300 | KINGSWAY      | 3/9/2018 22:56  | Response - Cancelled - No Response               | s.22(1) |                                                                             | A |
| 180011303 | 3300 | KINGSWAY      | 3/6/2018 19:15  | Response - Cancelled - On Scene                  |         |                                                                             | C |
| 180010292 | 3400 | KINGSWAY      | 2/28/2018 17:19 | s.22(1)                                          |         |                                                                             | D |
| 180012544 | 3400 | KINGSWAY      | 3/13/2018 22:25 |                                                  |         |                                                                             | C |
| 180010574 | 6200 | KIRKLAND      | 3/2/2018 11:00  |                                                  |         |                                                                             | B |
| 180010988 | 1400 | KITCHENER     | 3/5/2018 0:08   |                                                  |         |                                                                             | B |
| 180012626 | 1400 | KITCHENER     | 3/14/2018 14:36 |                                                  |         |                                                                             | D |
| 180010360 | 0    | KNIGHT        | 3/1/2018 0:21   |                                                  |         |                                                                             | D |
| 180012311 | 0    | KNIGHT        | 3/12/2018 15:33 | MVI - With No Injuries                           |         | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS                | C |
| 180012536 | 0    | KNIGHT        | 3/13/2018 21:27 | MVI - With No Injuries                           |         | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                         | C |
| 180010765 | 3700 | KNIGHT        | 3/3/2018 11:37  | s.22(1)                                          |         |                                                                             | C |
| 180011218 | 4500 | KNIGHT        | 3/6/2018 10:59  |                                                  |         |                                                                             | D |
| 180011673 | 4500 | KNIGHT        | 3/8/2018 21:58  |                                                  |         |                                                                             | D |
| 180011694 | 4500 | KNIGHT        | 3/9/2018 1:05   |                                                  |         |                                                                             | D |
| 180011553 | 4600 | KNIGHT        | 3/8/2018 10:02  |                                                  |         |                                                                             | A |
| 180011619 | 6600 | KNIGHT        | 3/8/2018 16:38  |                                                  |         |                                                                             | A |
| 180012453 | 6900 | KNIGHT        | 3/13/2018 11:24 | MVI - With Injuries                              |         | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                                   | D |
| 180011431 | 7100 | KNIGHT        | 3/7/2018 16:03  | MVI - With No Injuries                           |         | TRAFFIC / TRANSPORTATION ACCIDENT - NO INJURY - CONFIRMED - POLICE REFERRAL | A |
| 180012538 | 8000 | KNIGHT STREET | 3/13/2018 21:34 | MVI - With No Injuries                           |         | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                                   | C |
| 180012412 | 1800 | KNOX          | 3/13/2018 4:19  | s.22(1)                                          |         |                                                                             | B |
| 180011933 | 6900 | LA SALLE      | 3/10/2018 11:17 |                                                  |         |                                                                             | B |
| 180011223 | 6600 | LABURNUM      | 3/6/2018 11:22  |                                                  |         |                                                                             | D |
| 180012262 | 600  | LAKEWOOD      | 3/12/2018 8:40  | MVI - Cyclist Struck                             |         | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE                   | C |
| 180011280 | 1400 | LAKEWOOD      | 3/6/2018 17:19  | s.22(1)                                          |         |                                                                             | C |
| 180010040 | 1900 | LAKEWOOD      | 2/27/2018 6:03  |                                                  |         |                                                                             | C |
| 180010963 | 900  | LAMEYS MILL   | 3/4/2018 20:39  |                                                  |         |                                                                             | B |
| 180011498 | 1300 | LAMEYS MILL   | 3/8/2018 2:01   | Response - Cancelled - En Route                  | s.22(1) |                                                                             | D |
| 180012214 | 4700 | LANARK        | 3/11/2018 22:32 | Alarm Active/No Fire - Unclassified(remarks req) |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                   | B |
| 180010275 | 5900 | LANCASTER     | 2/28/2018 15:16 | Public Hazard - Lines Down                       |         | ELECTRICAL WIRES DOWN ON THE GROUND                                         | A |
| 180010064 | 2600 | LARCH         | 2/27/2018 9:11  | Alarm Active/No Fire - Intrusion/ Security Alarm |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                  | A |
| 180011558 | 5700 | LARCH         | 3/8/2018 10:42  | s.22(1)                                          |         |                                                                             | A |
| 180010550 | 6300 | LARKIN        | 3/2/2018 8:30   | Alarm Active/No Fire - Sprink Surge/Dis          |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                   | B |
| 180010573 | 6300 | LARKIN        | 3/2/2018 10:57  | Alarm Active/No Fire - Sprink Surge/Dis          |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                  | B |
| 180012284 | 0    | LAUREL        | 3/12/2018 11:16 | Public Hazard - Unclassified(remarks req)        |         | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE             | C |
| 180012413 | 0    | LAUREL        | 3/13/2018 4:20  | s.22(1)                                          |         |                                                                             | B |
| 180010196 | 2900 | LAUREL        | 2/28/2018 2:00  |                                                  |         |                                                                             | D |
| 180011522 | 8800 | LAUREL        | 3/8/2018 7:31   | Alarm Active/No Fire - Detector - Construction   |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                   | D |
| 180010387 | 8800 | LAUREL        | 3/1/2018 7:03   | Alarm Active/No Fire - Electrical Surge          |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                  | D |
| 180011152 | 1100 | LILLOOET      | 3/5/2018 21:48  | s.22(1)                                          |         |                                                                             | C |
| 180010742 | 2100 | LILLOOET      | 3/3/2018 8:10   |                                                  |         |                                                                             | C |
| 180010528 | 2300 | LIONS GATE    | 3/2/2018 3:01   | MVI - With No Injuries                           |         | MVI - MOTOR VEHICLE INCIDENT                                                | A |
| 180012152 | 2300 | LIONS GATE    | 3/11/2018 16:16 | MVI - With No Injuries                           |         | TRAFFIC INCIDENT - UNKN STATUS - MULTIPLE PTS                               | C |
| 180010799 | 2300 | LIONS GATE    | 3/3/2018 16:11  | MVI - With Injuries                              |         | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                                | C |
| 180011744 | 8200 | LORD          | 3/9/2018 11:37  | Alarm Active/No Fire - Detector - Construction   |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                  | B |
| 180010803 | 3500 | LOUGHEED      | 3/3/2018 16:30  | s.22(1)                                          |         |                                                                             | C |



|           |      |           |                 |                                                  |                                                                        |  |   |
|-----------|------|-----------|-----------------|--------------------------------------------------|------------------------------------------------------------------------|--|---|
| 180011002 | 0    | LOWER     | 3/5/2018 3:34   | s.22(1)                                          |                                                                        |  | B |
| 180012527 | 0    | LOWER     | 3/13/2018 19:43 | Response - Cancelled - On Scene                  | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | C |
| 180010441 | 1900 | LOWER     | 3/1/2018 14:26  | s.22(1)                                          |                                                                        |  | B |
| 180011000 | 1900 | LOWER     | 3/5/2018 3:16   |                                                  |                                                                        |  | B |
| 180011881 | 2200 | LOWER     | 3/10/2018 3:17  | Alarm Active/No Fire - Pull Station              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180011337 | 2700 | LYNBROOK  | 3/6/2018 23:00  | Response - Cancelled - En Route                  | s.22(1)                                                                |  | C |
| 180011750 | 6200 | MACDONALD | 3/9/2018 12:36  | Alarm Active/No Fire - Detector - Other          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              |  | B |
| 180012391 | 2800 | MACKENZIE | 3/13/2018 0:14  | MVI - With No Injuries                           | TRAFFIC INCIDENT - NOT ALERT/NOISY RESPS                               |  | B |
| 180012308 | 6400 | MACKENZIE | 3/12/2018 15:15 | Alarm Active/No Fire - Unclassified(remarks req) | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              |  | C |
| 180010053 | 0    | MAIN      | 2/27/2018 8:07  | s.22(1)                                          |                                                                        |  | A |
| 180010225 | 0    | MAIN      | 2/28/2018 8:12  |                                                  |                                                                        |  | A |
| 180010395 | 0    | MAIN      | 3/1/2018 8:09   |                                                  |                                                                        |  | B |
| 180010637 | 0    | MAIN      | 3/2/2018 17:39  | MVI - With No Injuries                           | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                              |  | A |
| 180010805 | 0    | MAIN      | 3/3/2018 16:48  | MVI - With Injuries                              | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                    |  | C |
| 180010906 | 0    | MAIN      | 3/4/2018 12:54  | Response - Cancelled - On Scene                  | s.22(1)                                                                |  | C |
| 180010993 | 0    | MAIN      | 3/5/2018 1:12   | Response - Cancelled - En Route                  | INTENTIONAL OVERDOSE - UNCONSCIOUS                                     |  | B |
| 180011153 | 0    | MAIN      | 3/5/2018 21:48  | s.22(1)                                          |                                                                        |  | C |
| 180011196 | 0    | MAIN      | 3/6/2018 8:17   | Response - Cancelled - On Scene                  | s.22(1)                                                                |  | D |
| 180011314 | 0    | MAIN      | 3/6/2018 20:05  | s.22(1)                                          |                                                                        |  | C |
| 180011390 | 0    | MAIN      | 3/7/2018 8:44   | Haz-Mat - Unclassified(Remarks Req)              | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL              |  | A |
| 180011419 | 0    | MAIN      | 3/7/2018 13:22  | s.22(1)                                          |                                                                        |  | A |
| 180011514 | 0    | MAIN      | 3/8/2018 5:14   |                                                  |                                                                        |  | D |
| 180011616 | 0    | MAIN      | 3/8/2018 16:23  | Response - Cancelled - On Scene                  | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | A |
| 180011674 | 0    | MAIN      | 3/8/2018 22:03  | s.22(1)                                          |                                                                        |  | D |
| 180011696 | 0    | MAIN      | 3/9/2018 1:39   | Response - Cancelled - On Scene                  | s.22(1)                                                                |  | D |
| 180011714 | 0    | MAIN      | 3/9/2018 6:53   | MVI - With Injuries                              | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS           |  | B |
| 180011734 | 0    | MAIN      | 3/9/2018 10:43  | MVI - With No Injuries                           | MVI - MOTOR VEHICLE INCIDENT                                           |  | B |
| 180011741 | 0    | MAIN      | 3/9/2018 11:18  | s.22(1)                                          |                                                                        |  | B |
| 180012012 | 0    | MAIN      | 3/10/2018 19:43 |                                                  |                                                                        |  | A |
| 180012041 | 0    | MAIN      | 3/10/2018 22:54 | Response - Unfounded - No Incident Found         | FIRE CONFINED TO A GASOLINE OR UNKNOWN FUEL SOURCE VEHICLE             |  | A |
| 180012085 | 0    | MAIN      | 3/11/2018 7:54  | s.22(1)                                          |                                                                        |  | C |
| 180012241 | 0    | MAIN      | 3/12/2018 2:47  |                                                  |                                                                        |  | B |
| 180012389 | 0    | MAIN      | 3/13/2018 0:09  |                                                  |                                                                        |  | B |
| 180012546 | 0    | MAIN      | 3/13/2018 22:27 | Response - Cancelled - On Scene                  | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE              |  | C |
| 180011118 | 100  | MAIN      | 3/5/2018 17:46  | s.22(1)                                          |                                                                        |  | C |
| 180010163 | 100  | MAIN      | 2/27/2018 20:42 |                                                  |                                                                        |  | D |
| 180010187 | 100  | MAIN      | 2/27/2018 23:56 |                                                  |                                                                        |  | D |
| 180010262 | 100  | MAIN      | 2/28/2018 12:59 |                                                  |                                                                        |  | A |
| 180011468 | 100  | MAIN      | 3/7/2018 20:22  |                                                  |                                                                        |  | D |
| 180012360 | 100  | MAIN      | 3/12/2018 20:35 |                                                  |                                                                        |  | B |
| 180012392 | 100  | MAIN      | 3/13/2018 0:26  |                                                  |                                                                        |  | B |
| 180011627 | 300  | MAIN      | 3/8/2018 18:08  |                                                  |                                                                        |  | D |
| 180012637 | 300  | MAIN      | 3/14/2018 15:46 |                                                  |                                                                        |  | D |
| 180010598 | 300  | MAIN      | 3/2/2018 13:06  | Response - Unfounded - No Incident Found         | s.22(1)                                                                |  | B |
| 180010603 | 400  | MAIN      | 3/2/2018 13:53  | Response - Unfounded - No Incident Found         |                                                                        |  | B |
| 180010325 | 400  | MAIN      | 2/28/2018 20:10 | s.22(1)                                          |                                                                        |  | D |
| 180010830 | 400  | MAIN      | 3/3/2018 21:22  |                                                  |                                                                        |  | B |
| 180010895 | 400  | MAIN      | 3/4/2018 10:52  |                                                  |                                                                        |  | C |
| 180010920 | 400  | MAIN      | 3/4/2018 14:56  |                                                  |                                                                        |  | C |
| 180011269 | 400  | MAIN      | 3/6/2018 15:41  |                                                  |                                                                        |  | D |
| 180011612 | 400  | MAIN      | 3/8/2018 15:57  | Response - Cancelled - On Scene                  | s.22(1)                                                                |  | A |
| 180012194 | 500  | MAIN      | 3/11/2018 20:40 | Haz-Mat - Gases - Natural Gas                    | SMELL OF COMPRESSED GAS OUTSIDE                                        |  | B |

|           |        |            |                 |                                                    |                                                                        |   |
|-----------|--------|------------|-----------------|----------------------------------------------------|------------------------------------------------------------------------|---|
| 180010283 | 600    | MAIN       | 2/28/2018 15:51 | Response - Cancelled - On Scene                    | s.22(1)                                                                | A |
| 180011817 | 700    | MAIN       | 3/9/2018 21:09  | s.22(1)                                            |                                                                        | A |
| 180010418 | 900    | MAIN       | 3/1/2018 11:20  |                                                    |                                                                        | B |
| 180010629 | 900    | MAIN       | 3/2/2018 16:21  |                                                    |                                                                        | B |
| 180010853 | 900    | MAIN       | 3/4/2018 0:48   |                                                    |                                                                        | B |
| 180011870 | 900    | MAIN       | 3/10/2018 1:39  | Response - Cancelled - En Route                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                                 | A |
| 180011355 | 1100   | MAIN       | 3/7/2018 1:35   | s.22(1)                                            |                                                                        | C |
| 180010131 | 1300   | MAIN       | 2/27/2018 16:51 | Response - Cancelled - On Scene                    | s.22(1)                                                                | D |
| 180011421 | 1300   | MAIN       | 3/7/2018 14:04  | Response - Cancelled - On Scene                    |                                                                        | A |
| 180011885 | 1300   | MAIN       | 3/10/2018 3:28  | Response - Cancelled - On Scene                    |                                                                        | A |
| 180011324 | 1500   | MAIN       | 3/6/2018 21:05  | Response - Cancelled - On Scene                    |                                                                        | C |
| 180011825 | 1500   | MAIN       | 3/9/2018 22:00  | Response - Cancelled - En Route                    |                                                                        | A |
| 180011968 | 1500   | MAIN       | 3/10/2018 14:47 | s.22(1)                                            |                                                                        | B |
| 180011243 | 1600   | MAIN       | 3/6/2018 13:19  |                                                    |                                                                        | D |
| 180010918 | 1700   | MAIN       | 3/4/2018 14:47  |                                                    |                                                                        | C |
| 180012254 | 2000   | MAIN       | 3/12/2018 6:32  | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | B |
| 180010892 | 2000   | MAIN       | 3/4/2018 10:08  | s.22(1)                                            |                                                                        | C |
| 180012617 | 2000   | MAIN       | 3/14/2018 13:32 |                                                    |                                                                        | D |
| 180011819 | 2300   | MAIN       | 3/9/2018 21:17  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                | A |
| 180010122 | 2800   | MAIN       | 2/27/2018 15:39 | s.22(1)                                            |                                                                        | A |
| 180012383 | 2900   | MAIN       | 3/12/2018 23:21 |                                                    |                                                                        | B |
| 180012345 | 4100   | MAIN       | 3/12/2018 18:16 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | B |
| 180010144 | 4400   | MAIN       | 2/27/2018 18:50 | s.22(1)                                            |                                                                        | D |
| 180012113 | 6200   | MAIN       | 3/11/2018 11:38 |                                                    |                                                                        | C |
| 180012679 | 6600   | MAIN       | 3/14/2018 19:32 |                                                    | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK | C |
| 180011618 | 1000   | MAINLAND   | 3/8/2018 16:37  | Response - Unfounded - No Incident Found           | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                | A |
| 180012184 | 1100   | MAINLAND   | 3/11/2018 20:02 | s.22(1)                                            |                                                                        | B |
| 180011951 | 1600   | MANITOBA   | 3/10/2018 13:04 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             | B |
| 180012427 | 8200   | MANITOBA   | 3/13/2018 8:31  | s.22(1)                                            |                                                                        | D |
| 180012098 | 2000   | MANNERING  | 3/11/2018 10:08 |                                                    |                                                                        | C |
| 180010775 | 0      | MAPLE      | 3/3/2018 12:55  | Response - Cancelled - On Scene                    | s.22(1)                                                                | C |
| 180011129 | 0      | MAPLE      | 3/5/2018 18:27  | MVI - Cyclist Struck                               | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE              | C |
| 180011297 | 0      | MAPLE      | 3/6/2018 18:35  | s.22(1)                                            |                                                                        | C |
| 180011521 | 2200   | MAPLE      | 3/8/2018 7:14   | Response - Cancelled - On Scene                    | ASSIST THE PUBLIC OR OTHER AGENCY                                      | A |
| 180012268 | 2200   | MAPLE      | 3/12/2018 9:39  | s.22(1)                                            |                                                                        | C |
| 180010894 | 2500   | MAPLE      | 3/4/2018 10:48  | Response - Cancelled - On Scene                    | s.22(1)                                                                | C |
| 180010626 | 3300   | MAQUINNA   | 3/2/2018 15:47  | Alarm Active/No Fire - Electrical Surge            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                              | B |
| 180010970 | 0      | MARGUERITE | 3/4/2018 21:55  | MVI - With No Injuries                             | MVI - MULTIPLE PATIENTS OR VEHICLES, ENTRAPMENT, LARGE VEHICLES        | C |
| 180011148 | 7100   | MARGUERITE | 3/5/2018 20:25  | s.22(1)                                            |                                                                        | C |
| 180012406 | 1200   | MARINASIDE | 3/13/2018 3:05  |                                                    |                                                                        | B |
| 180010234 | 0 SW   | MARINE     | 2/28/2018 9:51  | MVI - With Injuries                                | TRAFFIC INCIDENT - UNKN STATUS - MULTIPLE PTS                          | A |
| 180010586 | 0      | MARINE     | 3/2/2018 12:23  | MVI - With No Injuries                             | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - UNKNOWN PX              | B |
| 180010940 | 0 SE   | MARINE     | 3/4/2018 17:06  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                              | B |
| 180011027 | 0 SW   | MARINE     | 3/5/2018 8:55   | MVI - Pedestrian Struck                            | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK | D |
| 180011415 | 0 SW   | MARINE     | 3/7/2018 12:33  | s.22(1)                                            |                                                                        | A |
| 180011742 | 0 SE   | MARINE     | 3/9/2018 11:23  |                                                    |                                                                        | B |
| 180012256 | 0 SE   | MARINE     | 3/12/2018 6:58  | MVI - Cyclist Struck                               | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE              | B |
| 180011162 | 400 SE | MARINE     | 3/5/2018 22:51  | s.22(1)                                            |                                                                        | C |
| 180010058 | 400 SW | MARINE     | 2/27/2018 8:21  | Response - Cancelled - En Route                    | TRAFFIC INCIDENT - UNCONSCIOUS - UNKN PTS                              | A |
| 180010928 | 400 SW | MARINE     | 3/4/2018 15:54  | s.22(1)                                            |                                                                        | C |
| 180011291 | 400 SW | MARINE     | 3/6/2018 18:06  |                                                    |                                                                        | C |
| 180011396 | 500 SW | MARINE     | 3/7/2018 9:30   |                                                    |                                                                        | A |



|           |         |           |                 |                                                    |         |                                                                         |   |
|-----------|---------|-----------|-----------------|----------------------------------------------------|---------|-------------------------------------------------------------------------|---|
| 180012594 | 600 SE  | MARINE    | 3/14/2018 10:50 | s.22(1)                                            |         |                                                                         | D |
| 180010051 | 1000 SW | MARINE    | 2/27/2018 7:44  |                                                    |         |                                                                         | C |
| 180011581 | 1000 SW | MARINE    | 3/8/2018 13:08  | Response - Cancelled - No Response                 | s.22(1) |                                                                         | A |
| 180011681 | 1000 SW | MARINE    | 3/8/2018 23:01  | s.22(1)                                            |         |                                                                         | D |
| 180012411 | 1000 SW | MARINE    | 3/13/2018 4:13  | Response - Unfounded - Smoke/Steam/Dust/Mistaken   |         | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | B |
| 180012529 | 1000 SW | MARINE    | 3/13/2018 20:22 | MVI - Pedestrian Struck                            |         | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK  | C |
| 180012461 | 1100 SE | MARINE    | 3/13/2018 12:04 | Alarm Active/No Fire - Testing                     |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180011989 | 1400 SW | MARINE    | 3/10/2018 16:54 | s.22(1)                                            |         |                                                                         | B |
| 180011242 | 1500 SW | MARINE    | 3/6/2018 13:14  | Public Service - Non-Medical Lift Assist           |         | ASSIST THE PUBLIC OR OTHER AGENCY                                       | D |
| 180012367 | 1500 SW | MARINE    | 3/12/2018 20:53 | s.22(1)                                            |         |                                                                         | B |
| 180010757 | 2200 SE | MARINE    | 3/3/2018 10:33  | Alarm Active/No Fire - Sprink Surge/Dis            |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180012693 | 3400 SE | MARINE    | 3/14/2018 20:35 |                                                    | s.22(1) |                                                                         | C |
| 180010258 | 3600 SE | MARINE    | 2/28/2018 12:34 | s.22(1)                                            |         |                                                                         | A |
| 180010782 | 3600 SE | MARINE    | 3/3/2018 14:18  |                                                    |         |                                                                         | C |
| 180010655 | 3600 SW | MARINE    | 3/2/2018 19:39  | Public Service - Non-Medical Lift Assist           |         | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      | A |
| 180011773 | 4800 NW | MARINE    | 3/9/2018 14:46  | Alarm Active/No Fire - Detector - Other            | s.22(1) |                                                                         | B |
| 180010929 | 8700 SW | MARINE    | 3/4/2018 16:15  | s.22(1)                                            |         |                                                                         | C |
| 180011815 | 3400    | MATAPAN   | 3/9/2018 20:57  | FIRE - Fire Department Responded Reportable - 1000 |         | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE         | A |
| 180010380 | 6400    | MCCLEERY  | 3/1/2018 5:06   | Public Service - Non-Medical Lift Assist           |         | ASSIST THE PUBLIC OR OTHER AGENCY                                       | D |
| 180011808 | 4900    | MCGEER    | 3/9/2018 20:05  | s.22(1)                                            |         |                                                                         | A |
| 180012239 | 2200    | MCGILL    | 3/12/2018 2:36  |                                                    |         |                                                                         | B |
| 180012141 | 2600    | MCGILL    | 3/11/2018 14:54 |                                                    |         |                                                                         | C |
| 180012143 | 3500    | MCGILL    | 3/11/2018 15:03 | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | C |
| 180011466 | 0       | MCLEAN    | 3/7/2018 20:09  | s.22(1)                                            |         |                                                                         | D |
| 180010539 | 2100    | MCMULLEN  | 3/2/2018 6:11   | Public Service - Non-Medical Lift Assist           |         | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180011863 | 2100    | MCMULLEN  | 3/10/2018 0:46  | Public Service - Non-Medical Lift Assist           |         | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180011967 | 2200    | MCMULLEN  | 3/10/2018 14:46 | Alarm Active/No Fire - Detector - Other            |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | B |
| 180011035 | 1400    | MCRAE     | 3/5/2018 9:57   | s.22(1)                                            |         |                                                                         | D |
| 180010389 | 1700    | MCSPADDEN | 3/1/2018 7:13   | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | B |
| 180012429 | 1100    | MELVILLE  | 3/13/2018 8:48  | Response - Cancelled - No Response                 |         | ASSIST THE PUBLIC OR OTHER AGENCY                                       | D |
| 180011655 | 1100    | MELVILLE  | 3/8/2018 20:12  | Alarm Active/No Fire - Sprink Surge/Dis            |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | D |
| 180011663 | 1200    | MELVILLE  | 3/8/2018 21:02  | s.22(1)                                            |         |                                                                         | D |
| 180010314 | 700     | MILLYARD  | 2/28/2018 19:08 |                                                    |         |                                                                         | D |
| 180010725 | 7700    | MONTCALM  | 3/3/2018 4:52   | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | A |
| 180011836 | 7700    | MONTCALM  | 3/9/2018 22:47  | Alarm Active/No Fire - Detector - Other            |         | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                    | A |
| 180011360 | 8700    | MONTCALM  | 3/7/2018 2:48   | s.22(1)                                            |         |                                                                         | C |
| 180012487 | 8800    | MONTCALM  | 3/13/2018 14:57 | Alarm Active/No Fire - Detector - Construction     |         | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | D |
| 180010960 | 1800    | MORTON    | 3/4/2018 20:03  | Alarm Active/No Fire - Unclassified(remarks req)   |         | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180010230 | 0       | MOSS      | 2/28/2018 9:21  | MVI - With No Iniuries                             |         | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS          | A |
| 180011197 | 4700    | MOSS      | 3/6/2018 8:17   | s.22(1)                                            |         |                                                                         | D |
| 180011200 | 4700    | MOSS      | 3/6/2018 8:51   | Public Service - Non-Medical Lift Assist           |         | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      | D |
| 180010116 | 4900    | MOSS      | 2/27/2018 15:04 | Alarm Active/No Fire - Intrusion/ Security Alarm   |         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | A |
| 180010463 | 0 N     | NANAIMO   | 3/1/2018 18:36  | Response - Cancelled - On Scene                    | s.22(1) |                                                                         | A |
| 180011032 | 0       | NANAIMO   | 3/5/2018 9:42   | MVI - With Injuries                                |         | TRAFFIC / TRANSPORTATION ACCIDENT - UNKNOWN STATUS (THIRD PARTY CALL)   | D |
| 180011103 | 0       | NANAIMO   | 3/5/2018 16:27  | s.22(1)                                            |         |                                                                         | D |
| 180012475 | 0       | NANAIMO   | 3/13/2018 13:29 | Haz-Mat - Flammable/Combustible Liquids            |         | MINOR LEAK OR SPILL OF KNOWN, LOW-RISK HAZARDOUS MATERIAL               | D |
| 180010268 | 400     | NANAIMO   | 2/28/2018 14:31 | Response - Cancelled - En Route                    | s.22(1) |                                                                         | A |
| 180012629 | 500 N   | NANAIMO   | 3/14/2018 15:04 | Response - Cancelled - On Scene                    |         |                                                                         | D |
| 180011256 | 1800    | NANAIMO   | 3/6/2018 14:28  | Response - Unfounded - No Incident Found           |         | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      | D |
| 180010102 | 3000    | NANAIMO   | 2/27/2018 13:58 | s.22(1)                                            |         |                                                                         | A |
| 180010921 | 3000    | NANAIMO   | 3/4/2018 14:59  |                                                    |         |                                                                         | C |
| 180011021 | 3800    | NANAIMO   | 3/5/2018 8:25   |                                                    |         |                                                                         | D |



|           |      |              |                 |                                                    |                                                                |   |
|-----------|------|--------------|-----------------|----------------------------------------------------|----------------------------------------------------------------|---|
| 180012142 | 3900 | NANAIMO      | 3/11/2018 15:01 | s.22(1)                                            |                                                                | C |
| 180011229 | 4400 | NANAIMO      | 3/6/2018 12:04  |                                                    |                                                                | D |
| 180011445 | 4700 | NANAIMO      | 3/7/2018 17:58  | Response - Cancelled - No Response                 | s.22(1)                                                        | D |
| 180012001 | 5700 | NANAIMO      | 3/10/2018 18:24 | s.22(1)                                            |                                                                | A |
| 180012377 | 7800 | NANAIMO      | 3/12/2018 22:28 | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180011070 | 1600 | NAPIER       | 3/5/2018 12:27  | Response - Unfounded - No Incident Found           |                                                                | D |
| 180012396 | 1600 | NAPIER       | 3/13/2018 0:46  | s.22(1)                                            |                                                                | B |
| 180012180 | 1700 | NAPIER       | 3/11/2018 19:22 | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                      | B |
| 180012496 | 3300 | NAPIER       | 3/13/2018 15:50 | s.22(1)                                            |                                                                | D |
| 180010305 | 3300 | NAPIER       | 2/28/2018 18:24 |                                                    |                                                                | D |
| 180010879 | 100  | NATIONAL     | 3/4/2018 5:21   | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180012425 | 0    | NELSON       | 3/13/2018 8:12  | Response - Unfounded - No Incident Found           |                                                                | D |
| 180010427 | 400  | NELSON       | 3/1/2018 12:16  | Response - Cancelled - En Route                    |                                                                | B |
| 180010738 | 400  | NELSON       | 3/3/2018 7:47   | s.22(1)                                            |                                                                | A |
| 180012374 | 600  | NELSON       | 3/12/2018 21:49 | Response - Cancelled - En Route                    | s.22(1)                                                        | B |
| 180010414 | 600  | NELSON       | 3/1/2018 11:05  | Response - Cancelled - En Route                    |                                                                | B |
| 180011749 | 1000 | NELSON       | 3/9/2018 12:32  | s.22(1)                                            |                                                                | B |
| 180012073 | 1000 | NELSON       | 3/11/2018 5:00  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                        | A |
| 180010473 | 1100 | NELSON       | 3/1/2018 19:25  | s.22(1)                                            |                                                                | A |
| 180010578 | 1100 | NELSON       | 3/2/2018 11:31  | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180011947 | 1100 | NELSON       | 3/10/2018 12:48 | s.22(1)                                            |                                                                | B |
| 180012605 | 1100 | NELSON       | 3/14/2018 11:57 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | D |
| 180012183 | 1100 | NELSON       | 3/11/2018 19:57 | s.22(1)                                            |                                                                | B |
| 180010031 | 1500 | NELSON       | 2/27/2018 2:35  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                              | C |
| 180011588 | 1800 | NELSON       | 3/8/2018 13:53  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | A |
| 180012266 | 3200 | NEW BRIGHTON | 3/12/2018 9:18  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                        | C |
| 180011823 | 500  | NICOLA       | 3/9/2018 21:49  | Response - Unfounded - Unclassified(remarks req)   | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE           | A |
| 180012163 | 800  | NICOLA       | 3/11/2018 17:26 | Haz-Mat - Gases                                    | SMELL OF COMPRESSED GAS INSIDE                                 | B |
| 180010538 | 1200 | NICOLA       | 3/2/2018 6:07   | s.22(1)                                            |                                                                | A |
| 180010491 | 800  | NOOTKA       | 3/1/2018 21:26  | FIRE - Fire Department Responded Reportable - 1000 | MINOR BRUSH FIRE OR FIRE IN SMALL TREES OR AREA                | A |
| 180010193 | 2900 | NOOTKA       | 2/28/2018 1:15  | s.22(1)                                            |                                                                | D |
| 180010944 | 2900 | NOOTKA       | 3/4/2018 17:29  |                                                    |                                                                | C |
| 180012470 | 3300 | NOOTKA       | 3/13/2018 12:56 | Response - Unfounded - No Incident Found           | BURNING COMPLAINT                                              | D |
| 180010384 | 3800 | NOOTKA       | 3/1/2018 6:04   | s.22(1)                                            |                                                                | D |
| 180011019 | 8100 | NUNAVUT      | 3/5/2018 7:55   | Alarm Active/No Fire - Detector - Steam            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                        | D |
| 180011846 | 8100 | NUNAVUT      | 3/9/2018 23:47  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                        | A |
| 180011030 | 0    | OAK          | 3/5/2018 9:14   | s.22(1)                                            |                                                                | D |
| 180011022 | 3400 | OAK          | 3/5/2018 8:34   |                                                    |                                                                | D |
| 180011691 | 3900 | OAK          | 3/9/2018 0:25   | FIRE - Fire Department Responded Reportable - 1000 | FIRE CONFINED TO STOVETOP OR OVEN                              | D |
| 180010588 | 4500 | OAK          | 3/2/2018 12:30  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS     | B |
| 180010075 | 4500 | OAK          | 2/27/2018 10:31 | s.22(1)                                            |                                                                | A |
| 180010735 | 6500 | OAK          | 3/3/2018 7:08   |                                                    |                                                                | C |
| 180011901 | 8800 | OAK STREET   | 3/10/2018 6:42  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - ROLLOVERS | B |
| 180010402 | 0    | ONTARIO      | 3/1/2018 8:50   | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)            | B |
| 180010835 | 0    | ONTARIO      | 3/3/2018 21:55  | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |
| 180012181 | 1700 | ONTARIO      | 3/11/2018 19:27 | s.22(1)                                            |                                                                | B |
| 180010504 | 2900 | ONTARIO      | 3/1/2018 23:16  |                                                    |                                                                | A |
| 180010926 | 7300 | ONTARIO      | 3/4/2018 15:52  |                                                    |                                                                | C |
| 180010773 | 5600 | OSLER        | 3/3/2018 12:26  |                                                    |                                                                | C |
| 180011719 | 8500 | OSLER        | 3/9/2018 7:48   | Response - Cancelled - En Route                    | s.22(1)                                                        | D |
| 180011267 | 8700 | OSLER        | 3/6/2018 15:26  | s.22(1)                                            |                                                                | D |
| 180012330 | 8700 | OSLER        | 3/12/2018 17:15 | Response - Cancelled - On Scene                    | s.22(1)                                                        | B |



|           |       |         |                 |                                                    |                                                            |   |
|-----------|-------|---------|-----------------|----------------------------------------------------|------------------------------------------------------------|---|
| 180011309 | 8700  | OSLER   | 3/6/2018 19:41  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  | C |
| 180011400 | 2800  | OSOYOOS | 3/7/2018 10:39  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180011517 | 2200  | OXFORD  | 3/8/2018 5:44   | s.22(1)                                            |                                                            | D |
| 180010072 | 2400  | OXFORD  | 2/27/2018 10:08 | Response - Cancelled - En Route                    | s.22(1)                                                    | A |
| 180010618 | 2400  | OXFORD  | 3/2/2018 15:01  | s.22(1)                                            |                                                            | B |
| 180011862 | 500   | PACIFIC | 3/10/2018 0:43  |                                                    |                                                            | A |
| 180011680 | 700   | PACIFIC | 3/8/2018 22:38  |                                                    |                                                            | D |
| 180011847 | 700   | PACIFIC | 3/9/2018 23:50  | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180011855 | 700   | PACIFIC | 3/9/2018 23:53  | Response - Cancelled - On Scene                    |                                                            | A |
| 180011993 | 700   | PACIFIC | 3/10/2018 17:15 | s.22(1)                                            |                                                            | A |
| 180011899 | 1000  | PACIFIC | 3/10/2018 6:13  |                                                    |                                                            | A |
| 180012102 | 1000  | PACIFIC | 3/11/2018 10:43 |                                                    |                                                            | C |
| 180011203 | 1200  | PACIFIC | 3/6/2018 9:19   | Response - Unfounded - Unclassified(remarks req)   | s.22(1)                                                    | D |
| 180012518 | 1200  | PACIFIC | 3/13/2018 18:40 | s.22(1)                                            |                                                            | C |
| 180010216 | 1300  | PACIFIC | 2/28/2018 6:32  | Explosion - No Fire                                | AN EXPLOSION HAS BEEN SEEN OR HEARD - NOT CONFIRMED        | A |
| 180011418 | 1600  | PANDORA | 3/7/2018 13:12  | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | A |
| 180011370 | 2200  | PANDORA | 3/7/2018 5:04   | s.22(1)                                            |                                                            | C |
| 180011053 | 2500  | PANDORA | 3/5/2018 11:17  |                                                    |                                                            | D |
| 180011911 | 2800  | PANDORA | 3/10/2018 7:47  |                                                    |                                                            | B |
| 180012299 | 1900  | PARKER  | 3/12/2018 13:03 | FIRE - Fire Department Responded Reportable - 1000 | SMOLDERING FIRE IN SMALL OR LIGHT SURFACE MATERIAL         | C |
| 180010048 | 0 E   | PENDER  | 2/27/2018 7:23  | Response - Cancelled - En Route                    | s.22(1)                                                    | C |
| 180010712 | 0 W   | PENDER  | 3/3/2018 2:24   | s.22(1)                                            |                                                            | A |
| 180010714 | 0 W   | PENDER  | 3/3/2018 2:26   | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180011335 | 0 E   | PENDER  | 3/6/2018 22:40  | Response - Cancelled - On Scene                    |                                                            | C |
| 180011384 | 0 E   | PENDER  | 3/7/2018 8:07   | s.22(1)                                            |                                                            | A |
| 180011826 | 0 W   | PENDER  | 3/9/2018 22:08  |                                                    |                                                            | A |
| 180011943 | 0 W   | PENDER  | 3/10/2018 12:32 |                                                    |                                                            | B |
| 180012021 | 0 E   | PENDER  | 3/10/2018 20:15 | Response - Unfounded - No Incident Found           | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    | A |
| 180012310 | 0 W   | PENDER  | 3/12/2018 15:29 | s.22(1)                                            |                                                            | C |
| 180012665 | 0 E   | PENDER  | 3/14/2018 18:07 |                                                    |                                                            | C |
| 180010992 | 0 W   | PENDER  | 3/5/2018 1:02   |                                                    |                                                            | B |
| 180012490 | 0 W   | PENDER  | 3/13/2018 15:03 |                                                    |                                                            | D |
| 180010207 | 0 W   | PENDER  | 2/28/2018 3:44  | Response - Cancelled - On Scene                    | s.22(1)                                                    | D |
| 180010883 | 0 W   | PENDER  | 3/4/2018 7:19   | s.22(1)                                            |                                                            | C |
| 180010916 | 0 W   | PENDER  | 3/4/2018 14:25  |                                                    |                                                            | C |
| 180011515 | 0 W   | PENDER  | 3/8/2018 5:27   |                                                    |                                                            | D |
| 180011788 | 0 W   | PENDER  | 3/9/2018 16:54  | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180012128 | 0 W   | PENDER  | 3/11/2018 13:53 | s.22(1)                                            |                                                            | C |
| 180011897 | 100 W | PENDER  | 3/10/2018 5:37  | Response - Cancelled - On Scene                    | s.22(1)                                                    | A |
| 180011625 | 100 W | PENDER  | 3/8/2018 17:38  | s.22(1)                                            |                                                            | D |
| 180011884 | 100 W | PENDER  | 3/10/2018 3:27  |                                                    |                                                            | A |
| 180010740 | 100 W | PENDER  | 3/3/2018 7:58   | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180011025 | 100 W | PENDER  | 3/5/2018 8:51   | s.22(1)                                            |                                                            | D |
| 180012397 | 100 W | PENDER  | 3/13/2018 0:50  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                    | B |
| 180010711 | 100 E | PENDER  | 3/3/2018 2:11   |                                                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                     | A |
| 180012628 | 100 E | PENDER  | 3/14/2018 14:51 | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | D |
| 180011491 | 100 W | PENDER  | 3/8/2018 0:14   | Response - Cancelled - On Scene                    | s.22(1)                                                    | D |
| 180011238 | 100 W | PENDER  | 3/6/2018 13:02  | s.22(1)                                            |                                                            | D |
| 180011374 | 200 W | PENDER  | 3/7/2018 6:01   | Alarm Active/No Fire - Electrical Surge            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | C |
| 180011965 | 200 W | PENDER  | 3/10/2018 14:32 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS | B |
| 180010983 | 200 E | PENDER  | 3/4/2018 23:40  | s.22(1)                                            |                                                            | B |
| 180010984 | 200 E | PENDER  | 3/4/2018 23:45  | Response - Cancelled - En Route                    | s.22(1)                                                    | B |

|           |        |               |                 |                                                    |                                                            |  |   |
|-----------|--------|---------------|-----------------|----------------------------------------------------|------------------------------------------------------------|--|---|
| 180010202 | 300 W  | PENDER        | 2/28/2018 2:29  | s.22(1)                                            |                                                            |  | D |
| 180012625 | 300 W  | PENDER        | 3/14/2018 14:36 | Response - Unfounded - Smoke/Steam/Dust/Mistaken   | FIRE CONFINED TO A GASOLINE OR UNKNOWN FUEL SOURCE VEHICLE |  | D |
| 180010050 | 300 W  | PENDER        | 2/27/2018 7:36  | s.22(1)                                            |                                                            |  | A |
| 180010507 | 300 W  | PENDER        | 3/1/2018 23:42  |                                                    |                                                            |  | A |
| 180010831 | 300 W  | PENDER        | 3/3/2018 21:26  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                    |  | B |
| 180011544 | 300 W  | PENDER        | 3/8/2018 9:29   | s.22(1)                                            |                                                            |  | A |
| 180011237 | 400 W  | PENDER        | 3/6/2018 12:57  |                                                    |                                                            |  | D |
| 180012661 | 400 W  | PENDER        | 3/14/2018 17:39 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | C |
| 180010878 | 400 W  | PENDER        | 3/4/2018 5:13   | s.22(1)                                            |                                                            |  | B |
| 180011092 | 400 W  | PENDER        | 3/5/2018 15:15  |                                                    |                                                            |  | D |
| 180011802 | 400 W  | PENDER        | 3/9/2018 19:41  |                                                    |                                                            |  | A |
| 180010413 | 500 W  | PENDER        | 3/1/2018 10:55  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | B |
| 180012285 | 600 W  | PENDER        | 3/12/2018 11:31 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | C |
| 180010836 | 700 W  | PENDER        | 3/3/2018 22:03  | FIRE - Fire Department Responded Reportable - 1000 | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | B |
| 180011469 | 800 E  | PENDER        | 3/7/2018 20:23  | s.22(1)                                            |                                                            |  | D |
| 180011675 | 800 E  | PENDER        | 3/8/2018 22:11  |                                                    |                                                            |  | D |
| 180012144 | 800 E  | PENDER        | 3/11/2018 15:15 | Alarm Active/No Fire - Detector - Cooking          | ASSIST THE PUBLIC OR OTHER AGENCY                          |  | C |
| 180011305 | 800 E  | PENDER        | 3/6/2018 19:25  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | C |
| 180010194 | 900 W  | PENDER        | 2/28/2018 1:36  | s.22(1)                                            |                                                            |  | D |
| 180011778 | 1000 W | PENDER        | 3/9/2018 15:22  |                                                    |                                                            |  | B |
| 180011763 | 1000 W | PENDER        | 3/9/2018 14:02  |                                                    |                                                            |  | B |
| 180010073 | 1000 W | PENDER        | 2/27/2018 10:11 | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | A |
| 180010076 | 1000 W | PENDER        | 2/27/2018 10:34 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | A |
| 180011775 | 1100 W | PENDER        | 3/9/2018 15:10  | Response - Cancelled - On Scene                    | s.22(1)                                                    |  | B |
| 180012520 | 1100 W | PENDER        | 3/13/2018 18:54 | s.22(1)                                            |                                                            |  | C |
| 180011471 | 1300 W | PENDER        | 3/7/2018 20:37  |                                                    |                                                            |  | D |
| 180010823 | 1500 W | PENDER        | 3/3/2018 19:46  |                                                    |                                                            |  | B |
| 180010065 | 1600 E | PENDER        | 2/27/2018 9:26  | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                  |  | A |
| 180011470 | 1700 E | PENDER        | 3/7/2018 20:37  | s.22(1)                                            |                                                            |  | D |
| 180011994 | 1700 E | PENDER        | 3/10/2018 17:20 | Response - Cancelled - On Scene                    | s.22(1)                                                    |  | B |
| 180012150 | 1700 E | PENDER        | 3/11/2018 16:08 | Public Service - Assisted BCAS/Police              | MEDICAL AID EMERGENCY BCAS OR PUBLIC                       |  | C |
| 180012353 | 1700 E | PENDER        | 3/12/2018 19:50 | s.22(1)                                            |                                                            |  | B |
| 180012160 | 1700 E | PENDER        | 3/11/2018 17:10 |                                                    |                                                            |  | B |
| 180010203 | 1800 E | PENDER        | 2/28/2018 2:31  | Public Service - Assisted BCAS/Police              | MEDICAL AID ROUTINE BCAS OR PUBLIC                         |  | D |
| 180011501 | 1800 E | PENDER        | 3/8/2018 2:54   | s.22(1)                                            |                                                            |  | D |
| 180011799 | 1800 E | PENDER        | 3/9/2018 18:59  |                                                    |                                                            |  | A |
| 180010713 | 2000 E | PENDER        | 3/3/2018 2:26   |                                                    |                                                            |  | A |
| 180010404 | 2500 E | PENDER        | 3/1/2018 8:59   |                                                    |                                                            |  | B |
| 180011532 | 2900 E | PENDER        | 3/8/2018 8:17   |                                                    |                                                            |  | A |
| 180010224 | 1100   | PENDRELL      | 2/28/2018 8:07  | Public Hazard - Lines Down                         | ELECTRICAL WIRES DOWN ON THE GROUND                        |  | A |
| 180010642 | 1200   | PENDRELL      | 3/2/2018 18:26  | Response - Unfounded - No Incident Found           | RESIDENTIAL COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE        |  | A |
| 180011201 | 1500   | PENDRELL      | 3/6/2018 8:58   | s.22(1)                                            |                                                            |  | D |
| 180012365 | 1600   | PENDRELL      | 3/12/2018 20:45 |                                                    |                                                            |  | B |
| 180010791 | 1400   | PENNYFARTHING | 3/3/2018 15:39  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | C |
| 180012162 | 1400   | PENNYFARTHING | 3/11/2018 17:20 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS |  | B |
| 180011594 | 0      | PENTICTON     | 3/8/2018 14:17  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES               |  | A |
| 180012204 | 2500   | PENTICTON     | 3/11/2018 21:31 | Alarm Active/No Fire - Pull Station                | SMELL OF COMPRESSED GAS INSIDE                             |  | B |
| 180011789 | 3000   | PENTICTON     | 3/9/2018 17:07  | s.22(1)                                            |                                                            |  | A |
| 180011456 | 100    | PEVERIL       | 3/7/2018 19:13  |                                                    |                                                            |  | D |
| 180011597 | 2200   | PINE          | 3/8/2018 14:32  | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                         |  | A |
| 180012530 | 2200   | PINE          | 3/13/2018 20:46 | s.22(1)                                            |                                                            |  | C |
| 180010889 | 6500   | PINEHURST     | 3/4/2018 9:14   |                                                    |                                                            |  | C |



|           |      |            |                 |                                                    |                                                                    |   |
|-----------|------|------------|-----------------|----------------------------------------------------|--------------------------------------------------------------------|---|
| 180010930 | 1100 | PIPELINE   | 3/4/2018 16:20  | Explosion - No Fire                                | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE    | C |
| 180010317 | 2800 | POINT GREY | 2/28/2018 19:27 | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                       | D |
| 180010114 | 3100 | POINT GREY | 2/27/2018 14:59 | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                          | A |
| 180010887 | 0    | POWELL     | 3/4/2018 8:51   | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                            | C |
| 180010915 | 0    | POWELL     | 3/4/2018 14:18  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                            | C |
| 180011527 | 0    | POWELL     | 3/8/2018 8:04   | FIRE - Fire Department Responded Reportable - 1000 | BURNING COMPLAINT                                                  | A |
| 180012408 | 0    | POWELL     | 3/13/2018 3:25  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                            | B |
| 180012426 | 0    | POWELL     | 3/13/2018 8:24  | s.22(1)                                            |                                                                    | D |
| 180012609 | 0    | POWELL     | 3/14/2018 12:32 | Public Hazard - Lines Down                         | WIRES OVERHEAD - ELECTRICAL PROBLEM WITH OVERHEAD WIRES            | D |
| 180012016 | 0    | POWELL     | 3/10/2018 20:04 | Public Service - Trapped In Elevator               | RESCUE - NO IMMEDIATE RISK OR DANGER                               | A |
| 180011542 | 0    | POWELL     | 3/8/2018 9:14   | s.22(1)                                            |                                                                    | A |
| 180012513 | 0    | POWELL     | 3/13/2018 17:56 |                                                    |                                                                    | C |
| 180012435 | 100  | POWELL     | 3/13/2018 9:47  |                                                    |                                                                    | D |
| 180012500 | 100  | POWELL     | 3/13/2018 16:14 |                                                    |                                                                    | D |
| 180011776 | 200  | POWELL     | 3/9/2018 15:13  |                                                    |                                                                    | B |
| 180010684 | 200  | POWELL     | 3/2/2018 22:51  |                                                    |                                                                    | A |
| 180010708 | 200  | POWELL     | 3/3/2018 1:43   |                                                    |                                                                    | A |
| 180011381 | 200  | POWELL     | 3/7/2018 7:38   |                                                    |                                                                    | A |
| 180012213 | 200  | POWELL     | 3/11/2018 22:28 | Response - Unfounded - Unclassified(remarks req)   | MEDICAL AID ROUTINE BCAS OR PUBLIC                                 | B |
| 180010350 | 200  | POWELL     | 2/28/2018 22:59 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | D |
| 180010335 | 300  | POWELL     | 2/28/2018 21:21 | s.22(1)                                            |                                                                    | D |
| 180010825 | 300  | POWELL     | 3/3/2018 19:57  |                                                    |                                                                    | B |
| 180011793 | 300  | POWELL     | 3/9/2018 17:52  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | A |
| 180011841 | 300  | POWELL     | 3/9/2018 23:17  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | A |
| 180012209 | 300  | POWELL     | 3/11/2018 21:50 | s.22(1)                                            |                                                                    | B |
| 180012231 | 300  | POWELL     | 3/12/2018 0:45  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | B |
| 180012286 | 300  | POWELL     | 3/12/2018 11:44 | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | C |
| 180011254 | 300  | POWELL     | 3/6/2018 14:26  | s.22(1)                                            |                                                                    | D |
| 180010345 | 300  | POWELL     | 2/28/2018 22:22 | Response - Cancelled - No Response                 | s.22(1)                                                            | D |
| 180011288 | 300  | POWELL     | 3/6/2018 17:58  | s.22(1)                                            |                                                                    | C |
| 180011995 | 300  | POWELL     | 3/10/2018 17:28 | Response - Cancelled - On Scene                    | s.22(1)                                                            | A |
| 180012514 | 300  | POWELL     | 3/13/2018 18:16 | s.22(1)                                            |                                                                    | C |
| 180010027 | 300  | POWELL     | 2/27/2018 1:50  | Response - Cancelled - En Route                    | s.22(1)                                                            | C |
| 180010717 | 300  | POWELL     | 3/3/2018 3:05   | s.22(1)                                            |                                                                    | A |
| 180011889 | 300  | POWELL     | 3/10/2018 4:05  | Response - Cancelled - En Route                    | s.22(1)                                                            | A |
| 180011891 | 300  | POWELL     | 3/10/2018 4:24  | Response - Cancelled - On Scene                    |                                                                    | A |
| 180010197 | 300  | POWELL     | 2/28/2018 2:04  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | D |
| 180011157 | 300  | POWELL     | 3/5/2018 22:21  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | C |
| 180011341 | 300  | POWELL     | 3/7/2018 0:00   | s.22(1)                                            |                                                                    | C |
| 180012393 | 300  | POWELL     | 3/13/2018 0:27  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                  | B |
| 180011975 | 400  | POWELL     | 3/10/2018 15:10 | s.22(1)                                            |                                                                    | B |
| 180012329 | 400  | POWELL     | 3/12/2018 17:13 |                                                    |                                                                    | B |
| 180011907 | 400  | POWELL     | 3/10/2018 7:38  |                                                    |                                                                    | A |
| 180010581 | 400  | POWELL     | 3/2/2018 11:42  |                                                    |                                                                    | B |
| 180010422 | 400  | POWELL     | 3/1/2018 11:45  |                                                    |                                                                    | B |
| 180010597 | 400  | POWELL     | 3/2/2018 13:06  |                                                    |                                                                    | B |
| 180010627 | 500  | POWELL     | 3/2/2018 16:09  | Response - Unfounded - No Incident Found           | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                            | B |
| 180011580 | 500  | POWELL     | 3/8/2018 13:07  | s.22(1)                                            |                                                                    | A |
| 180012309 | 500  | POWELL     | 3/12/2018 15:20 |                                                    |                                                                    | C |
| 180010800 | 600  | POWELL     | 3/3/2018 16:11  |                                                    |                                                                    | C |
| 180012676 | 600  | POWELL     | 3/14/2018 19:15 | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS         | C |
| 180010691 | 600  | POWELL     | 3/2/2018 23:50  | Response - Unfounded - Malicious(remarks req)      | ODOUR OR SMELL OF UNKNONWN ORIGIN, WITH NO REPORT OF SMOKE OR FIRE | A |

|           |      |               |                 |                                                    |                                                                               |  |   |
|-----------|------|---------------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------------|--|---|
| 180010814 | 600  | POWELL        | 3/3/2018 17:51  | s.22(1)                                            |                                                                               |  | B |
| 180011422 | 600  | POWELL        | 3/7/2018 14:06  |                                                    |                                                                               |  | A |
| 180012508 | 600  | POWELL        | 3/13/2018 16:52 | FIRE - Fire Department Responded Reportable - 1000 | LIGHT SMOKE VISIBLE INSIDE A STRUCTURE, UNCONFIRMED SOURCE, NO REPORT OF FIRE |  | D |
| 180010023 | 700  | POWELL        | 2/27/2018 0:31  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |  | C |
| 180010527 | 700  | POWELL        | 3/2/2018 2:57   | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | A |
| 180010787 | 700  | POWELL        | 3/3/2018 15:12  | s.22(1)                                            |                                                                               |  | C |
| 180011632 | 700  | POWELL        | 3/8/2018 18:39  |                                                    |                                                                               |  | D |
| 180012104 | 700  | POWELL        | 3/11/2018 10:47 | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | C |
| 180012135 | 700  | POWELL        | 3/11/2018 14:35 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |  | C |
| 180012238 | 700  | POWELL        | 3/12/2018 2:31  | s.22(1)                                            |                                                                               |  | B |
| 180012595 | 700  | POWELL        | 3/14/2018 10:52 |                                                    |                                                                               |  | D |
| 180010976 | 1500 | POWELL        | 3/4/2018 22:59  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | B |
| 180011281 | 1500 | POWELL        | 3/6/2018 17:20  | Response - Cancelled - On Scene                    |                                                                               |  | C |
| 180011800 | 1500 | POWELL        | 3/9/2018 19:10  | s.22(1)                                            |                                                                               |  | A |
| 180012221 | 1500 | POWELL        | 3/11/2018 23:18 |                                                    |                                                                               |  | B |
| 180011801 | 1600 | POWELL        | 3/9/2018 19:14  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | A |
| 180010638 | 1700 | POWELL        | 3/2/2018 17:53  | Response - Cancelled - On Scene                    |                                                                               |  | B |
| 180011318 | 3300 | PRICE         | 3/6/2018 20:37  | s.22(1)                                            |                                                                               |  | C |
| 180012701 | 3500 | PRICE         | 3/14/2018 21:41 | Response - Cancelled - En Route                    | s.22(1)                                                                       |  | C |
| 180010074 | 4300 | PRINCE ALBERT | 2/27/2018 10:20 | Alarm Active/No Fire - Testing                     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     |  | A |
| 180010477 | 5100 | PRINCE ALBERT | 3/1/2018 20:11  | Alarm Active/No Fire - Detector - Carbon Monoxide  | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                       |  | A |
| 180010255 | 7700 | PRINCE ALBERT | 2/28/2018 12:16 | Public Service - Non-Medical Lift Assist           | MEDICAL AID EMERGENCY BCAS OR PUBLIC                                          |  | A |
| 180012129 | 7700 | PRINCE ALBERT | 3/11/2018 13:56 | s.22(1)                                            |                                                                               |  | C |
| 180011858 | 0    | PRINCE EDWARD | 3/10/2018 0:34  |                                                    |                                                                               |  | A |
| 180011859 | 0    | PRINCE EDWARD | 3/10/2018 0:36  | Response - Cancelled - On Scene                    | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK        |  | A |
| 180012119 | 2700 | PRINCE EDWARD | 3/11/2018 12:42 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |  | C |
| 180012541 | 3000 | PRINCE EDWARD | 3/13/2018 21:54 | s.22(1)                                            |                                                                               |  | C |
| 180011109 | 3600 | PRINCE EDWARD | 3/5/2018 17:03  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                                     |  | C |
| 180012552 | 4900 | PRINCE EDWARD | 3/13/2018 23:41 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                       |  | C |
| 180011175 | 5400 | PRINCE EDWARD | 3/6/2018 4:17   | s.22(1)                                            |                                                                               |  | C |
| 180010639 | 7300 | PRINCE EDWARD | 3/2/2018 17:55  |                                                    |                                                                               |  | B |
| 180010777 | 7300 | PRINCE EDWARD | 3/3/2018 13:16  |                                                    |                                                                               |  | C |
| 180010272 | 100  | PRINCESS      | 2/28/2018 14:56 | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | A |
| 180010508 | 100  | PRINCESS      | 3/1/2018 23:58  | s.22(1)                                            |                                                                               |  | A |
| 180011255 | 100  | PRINCESS      | 3/6/2018 14:28  |                                                    |                                                                               |  | D |
| 180011414 | 100  | PRINCESS      | 3/7/2018 12:21  | Response - Cancelled - En Route                    | s.22(1)                                                                       |  | A |
| 180012029 | 100  | PRINCESS      | 3/10/2018 21:25 | s.22(1)                                            |                                                                               |  | A |
| 180012640 | 100  | PRINCESS      | 3/14/2018 16:02 | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                            |  | D |
| 180010355 | 200  | PRINCESS      | 2/28/2018 23:38 | Response - Cancelled - On Scene                    | FALLS - NOT ALERT - PUBLIC PLACE                                              |  | D |
| 180010361 | 200  | PRINCESS      | 3/1/2018 0:27   | s.22(1)                                            |                                                                               |  | D |
| 180010568 | 200  | PRINCESS      | 3/2/2018 10:14  |                                                    |                                                                               |  | B |
| 180010683 | 200  | PRINCESS      | 3/2/2018 22:50  |                                                    |                                                                               |  | A |
| 180010786 | 200  | PRINCESS      | 3/3/2018 15:11  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |  | C |
| 180010804 | 200  | PRINCESS      | 3/3/2018 16:41  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS                    |  | B |
| 180010941 | 200  | PRINCESS      | 3/4/2018 17:09  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | B |
| 180010959 | 200  | PRINCESS      | 3/4/2018 19:52  | s.22(1)                                            |                                                                               |  | B |
| 180011007 | 200  | PRINCESS      | 3/5/2018 5:32   |                                                    |                                                                               |  | B |
| 180011145 | 200  | PRINCESS      | 3/5/2018 20:11  |                                                    |                                                                               |  | C |
| 180011230 | 200  | PRINCESS      | 3/6/2018 12:07  |                                                    |                                                                               |  | D |
| 180011417 | 200  | PRINCESS      | 3/7/2018 12:39  | Response - Cancelled - On Scene                    | s.22(1)                                                                       |  | A |
| 180012315 | 200  | PRINCESS      | 3/12/2018 15:57 | s.22(1)                                            |                                                                               |  | C |
| 180012548 | 200  | PRINCESS      | 3/13/2018 22:49 |                                                    |                                                                               |  | C |



|           |       |                |                 |                                                      |                                                                        |  |   |
|-----------|-------|----------------|-----------------|------------------------------------------------------|------------------------------------------------------------------------|--|---|
| 180012710 | 200   | PRINCESS       | 3/14/2018 23:13 | s.22(1)                                              |                                                                        |  | C |
| 180010515 | 300   | PRINCESS       | 3/2/2018 1:09   | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180011434 | 300   | PRINCESS       | 3/7/2018 16:14  | Alarm Active/No Fire - Detector - Other              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180010625 | 0     | PRIOR          | 3/2/2018 15:47  | s.22(1)                                              |                                                                        |  | B |
| 180010996 | 0     | PRIOR          | 3/5/2018 1:56   | Response - Cancelled - On Scene                      | BURNING COMPLAINT                                                      |  | B |
| 180012307 | 700   | PRIOR          | 3/12/2018 15:11 | FIRE - Fire Department Responded Reportable - 1000   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | C |
| 180012535 | 700   | PRIOR          | 3/13/2018 21:24 | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | C |
| 180011506 | 800   | PRIOR          | 3/8/2018 3:30   | Public Service - Assisted BCAS/Police                | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | D |
| 180012671 | 800   | PRIOR          | 3/14/2018 18:39 | s.22(1)                                              |                                                                        |  | C |
| 180012323 | 4500  | PUGET          | 3/12/2018 16:26 |                                                      |                                                                        |  | C |
| 180011185 | 1600  | PULLMAN PORTER | 3/6/2018 6:51   | Alarm Active/No Fire - Testing                       | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010124 | 3500  | QUADRA         | 2/27/2018 15:51 | s.22(1)                                              |                                                                        |  | A |
| 180010812 | 1100  | QUEBEC         | 3/3/2018 17:33  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | B |
| 180010635 | 1400  | QUEBEC         | 3/2/2018 17:21  | s.22(1)                                              |                                                                        |  | A |
| 180012357 | 1400  | QUEBEC         | 3/12/2018 20:13 |                                                      |                                                                        |  | B |
| 180011748 | 4600  | QUEBEC         | 3/9/2018 12:24  |                                                      |                                                                        |  | B |
| 180010408 | 4900  | QUEBEC         | 3/1/2018 9:37   | Public Service - Non-Medical Lift Assist             | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | B |
| 180012025 | 500   | RAYMUR         | 3/10/2018 21:11 | s.22(1)                                              |                                                                        |  | A |
| 180010594 | 500   | RAYMUR         | 3/2/2018 12:54  |                                                      |                                                                        |  | B |
| 180011585 | 0     | RAYMUR AVENUE  | 3/8/2018 13:42  | FIRE - Non-Reportable - Outdoor Burning - Non-Permit | BURNING COMPLAINT                                                      |  | A |
| 180011665 | 100   | REGIMENT       | 3/8/2018 21:08  | Alarm Active/No Fire - Detector - Steam              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180011667 | 100   | REGIMENT       | 3/8/2018 21:31  | Alarm Active/No Fire - Detector - Steam              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180011682 | 100   | REGIMENT       | 3/8/2018 23:05  | Alarm Active/No Fire - Detector - Steam              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180011726 | 100   | REGIMENT       | 3/9/2018 9:51   | Alarm Active/No Fire - Sprink Surge/Dis              | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180010101 | 0     | RENFREW        | 2/27/2018 13:55 | MVI - With Injuries                                  | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                    |  | A |
| 180010318 | 0     | RENFREW        | 2/28/2018 19:27 | MVI - Pedestrian Struck                              | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | D |
| 180012058 | 100 N | RENFREW        | 3/11/2018 1:03  | s.22(1)                                              |                                                                        |  | A |
| 180011496 | 200   | RENFREW        | 3/8/2018 1:49   | Response - Cancelled - No Response                   | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | D |
| 180011044 | 200 N | RENFREW        | 3/5/2018 10:48  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | D |
| 180010424 | 3900  | RENFREW        | 3/1/2018 12:04  | s.22(1)                                              |                                                                        |  | B |
| 180010045 | 0     | RICHARDS       | 2/27/2018 6:40  |                                                      |                                                                        |  | A |
| 180011059 | 0     | RICHARDS       | 3/5/2018 11:50  | Response - Unfounded - Smoke/Steam/Dust/Mistaken     | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE                   |  | D |
| 180011814 | 0     | RICHARDS       | 3/9/2018 20:52  | Response - Cancelled - On Scene                      | FALLS - NOT ALERT - PUBLIC PLACE                                       |  | A |
| 180012065 | 0     | RICHARDS       | 3/11/2018 3:18  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | A |
| 180012468 | 0     | RICHARDS       | 3/13/2018 12:44 | Response - Unfounded - No Incident Found             |                                                                        |  | D |
| 180010119 | 500   | RICHARDS       | 2/27/2018 15:23 | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180010204 | 500   | RICHARDS       | 2/28/2018 3:15  | Response - Cancelled - En Route                      | ACCIDENTAL OVERDOSE -NOT ALERT                                         |  | D |
| 180010411 | 500   | RICHARDS       | 3/1/2018 10:22  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180010601 | 500   | RICHARDS       | 3/2/2018 13:19  | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180010972 | 500   | RICHARDS       | 3/4/2018 22:25  | Alarm Active/No Fire - Detector - Cigarette Smoke    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180010980 | 500   | RICHARDS       | 3/4/2018 23:19  | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180011149 | 500   | RICHARDS       | 3/5/2018 20:35  | s.22(1)                                              |                                                                        |  | C |
| 180011652 | 500   | RICHARDS       | 3/8/2018 19:53  |                                                      |                                                                        |  | D |
| 180012270 | 500   | RICHARDS       | 3/12/2018 9:45  |                                                      |                                                                        |  | C |
| 180012620 | 500   | RICHARDS       | 3/14/2018 13:51 | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | D |
| 180012635 | 500   | RICHARDS       | 3/14/2018 15:31 | s.22(1)                                              |                                                                        |  | D |
| 180012420 | 600   | RICHARDS       | 3/13/2018 6:21  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | B |
| 180010143 | 700   | RICHARDS       | 2/27/2018 18:29 | Alarm Active/No Fire - Pull Station                  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010981 | 700   | RICHARDS       | 3/4/2018 23:25  | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | B |
| 180012517 | 700   | RICHARDS       | 3/13/2018 18:30 | s.22(1)                                              |                                                                        |  | C |
| 180010730 | 700   | RICHARDS       | 3/3/2018 5:36   | Alarm Active/No Fire - Detector - Cooking            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180012447 | 700   | RICHARDS       | 3/13/2018 11:09 | Response - Cancelled - On Scene                      | s.22(1)                                                                |  | D |

|           |      |          |                 |                                                    |                                                                         |   |
|-----------|------|----------|-----------------|----------------------------------------------------|-------------------------------------------------------------------------|---|
| 180010461 | 1000 | RICHARDS | 3/1/2018 18:00  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                       | A |
| 180011593 | 1000 | RICHARDS | 3/8/2018 14:04  | s.22(1)                                            |                                                                         | A |
| 180012350 | 1000 | RICHARDS | 3/12/2018 19:13 | Response - Cancelled - On Scene                    | s.22(1)                                                                 | B |
| 180012688 | 1200 | RICHARDS | 3/14/2018 19:46 | s.22(1)                                            |                                                                         | C |
| 180011234 | 1400 | RICHARDS | 3/6/2018 12:32  |                                                    |                                                                         | D |
| 180011942 | 1400 | RICHARDS | 3/10/2018 12:31 |                                                    |                                                                         | B |
| 180011330 | 8100 | RIEL     | 3/6/2018 21:52  |                                                    |                                                                         | C |
| 180010874 | 0    | ROBSON   | 3/4/2018 3:46   |                                                    |                                                                         | B |
| 180010958 | 0    | ROBSON   | 3/4/2018 19:49  |                                                    |                                                                         | B |
| 180011586 | 0    | ROBSON   | 3/8/2018 13:47  |                                                    |                                                                         | A |
| 180012042 | 0    | ROBSON   | 3/10/2018 23:00 |                                                    |                                                                         | A |
| 180012179 | 0    | ROBSON   | 3/11/2018 19:09 | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                 | B |
| 180012322 | 0    | ROBSON   | 3/12/2018 16:25 | s.22(1)                                            |                                                                         | C |
| 180012421 | 300  | ROBSON   | 3/13/2018 6:28  |                                                    |                                                                         | B |
| 180010810 | 1100 | ROBSON   | 3/3/2018 17:20  |                                                    |                                                                         | C |
| 180011272 | 1100 | ROBSON   | 3/6/2018 16:07  | Response - Cancelled - On Scene                    | s.22(1)                                                                 | D |
| 180011611 | 1200 | ROBSON   | 3/8/2018 15:47  | Response - Cancelled - On Scene                    |                                                                         | A |
| 180011364 | 1200 | ROBSON   | 3/7/2018 3:25   | s.22(1)                                            |                                                                         | C |
| 180011403 | 1200 | ROBSON   | 3/7/2018 11:20  | Response - Cancelled - On Scene                    | s.22(1)                                                                 | A |
| 180012032 | 1300 | ROBSON   | 3/10/2018 21:58 | s.22(1)                                            |                                                                         | A |
| 180012436 | 1400 | ROBSON   | 3/13/2018 9:57  | Response - Cancelled - On Scene                    | s.22(1)                                                                 | D |
| 180012441 | 1400 | ROBSON   | 3/13/2018 10:36 | s.22(1)                                            |                                                                         | D |
| 180011543 | 1500 | ROBSON   | 3/8/2018 9:18   | Response - Cancelled - On Scene                    | s.22(1)                                                                 | A |
| 180012111 | 1600 | ROBSON   | 3/11/2018 11:30 | s.22(1)                                            |                                                                         | C |
| 180010042 | 1700 | ROBSON   | 2/27/2018 6:11  |                                                    |                                                                         | C |
| 180010111 | 1700 | ROBSON   | 2/27/2018 14:41 |                                                    |                                                                         | A |
| 180010760 | 1700 | ROBSON   | 3/3/2018 10:59  |                                                    |                                                                         | C |
| 180011579 | 1800 | ROBSON   | 3/8/2018 13:05  |                                                    |                                                                         | A |
| 180010391 | 3100 | ROSEMONT | 3/1/2018 7:40   |                                                    |                                                                         | B |
| 180011158 | 3100 | ROSEMONT | 3/5/2018 22:32  | Response - Unfounded - Malicious(remarks req)      | MODERATE SMOKE INSIDE A STRUCTURE, UNCONFIRMED SOURCE NO REPORT OF FIRE | C |
| 180012340 | 6800 | ROSS     | 3/12/2018 17:45 | s.22(1)                                            |                                                                         | C |
| 180010445 | 2000 | RUPERT   | 3/1/2018 15:20  | Public Service - Assisted BCAS/Police              | s.22(1)                                                                 | B |
| 180011784 | 4500 | RUPERT   | 3/9/2018 16:35  | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                                      | B |
| 180010320 | 4800 | RUPERT   | 2/28/2018 19:38 | s.22(1)                                            |                                                                         | D |
| 180012498 | 5200 | RUPERT   | 3/13/2018 16:03 |                                                    |                                                                         | D |
| 180012533 | 5400 | RUPERT   | 3/13/2018 21:08 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180010488 | 6500 | RUPERT   | 3/1/2018 21:15  | s.22(1)                                            |                                                                         | A |
| 180010648 | 6700 | SALISH   | 3/2/2018 18:56  | FIRE - Fire Department Responded Reportable - 1000 | FIRE CONFINED TO STOVETOP OR OVEN                                       | A |
| 180010322 | 900  | SALSBURY | 2/28/2018 19:54 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | D |
| 180012185 | 1100 | SALSBURY | 3/11/2018 20:06 | s.22(1)                                            |                                                                         | B |
| 180011880 | 1500 | SALSBURY | 3/10/2018 3:10  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | A |
| 180011125 | 1900 | SASAMAT  | 3/5/2018 18:20  | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                               | C |
| 180012014 | 6700 | SELKIRK  | 3/10/2018 19:56 | s.22(1)                                            |                                                                         | A |
| 180011001 | 1100 | SEMLIN   | 3/5/2018 3:26   |                                                    |                                                                         | B |
| 180012440 | 0    | SEYMOUR  | 3/13/2018 10:34 | Response - Cancelled - On Scene                    | s.22(1)                                                                 | D |
| 180010232 | 500  | SEYMOUR  | 2/28/2018 9:32  | s.22(1)                                            |                                                                         | A |
| 180012683 | 500  | SEYMOUR  | 3/14/2018 19:40 |                                                    |                                                                         | C |
| 180012078 | 800  | SEYMOUR  | 3/11/2018 5:30  |                                                    |                                                                         | A |
| 180011104 | 800  | SEYMOUR  | 3/5/2018 16:31  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - CONFIRMED FALSE ALARM                                 | D |
| 180011167 | 800  | SEYMOUR  | 3/5/2018 23:37  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | C |
| 180012217 | 900  | SEYMOUR  | 3/11/2018 23:03 | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | B |
| 180010246 | 1000 | SEYMOUR  | 2/28/2018 11:31 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS              | A |



|           |      |               |                 |                                                   |                                                              |  |   |
|-----------|------|---------------|-----------------|---------------------------------------------------|--------------------------------------------------------------|--|---|
| 180010415 | 1000 | SEYMOUR       | 3/1/2018 11:05  | s.22(1)                                           |                                                              |  | B |
| 180010660 | 1000 | SEYMOUR       | 3/2/2018 20:14  |                                                   |                                                              |  | A |
| 180010745 | 1000 | SEYMOUR       | 3/3/2018 8:19   |                                                   |                                                              |  | C |
| 180012622 | 1100 | SEYMOUR       | 3/14/2018 14:10 | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | D |
| 180012333 | 1100 | SEYMOUR       | 3/12/2018 17:28 | s.22(1)                                           |                                                              |  | B |
| 180010029 | 1200 | SEYMOUR       | 2/27/2018 2:07  |                                                   |                                                              |  | C |
| 180010564 | 1200 | SEYMOUR       | 3/2/2018 10:00  |                                                   |                                                              |  | B |
| 180012156 | 1200 | SEYMOUR       | 3/11/2018 16:43 | Public Service - Unclassified(remarks req)        | ASSIST THE PUBLIC OR OTHER AGENCY                            |  | C |
| 180010067 | 1200 | SEYMOUR       | 2/27/2018 9:50  | s.22(1)                                           |                                                              |  | A |
| 180010558 | 1200 | SEYMOUR       | 3/2/2018 9:21   |                                                   |                                                              |  | B |
| 180012283 | 1200 | SEYMOUR       | 3/12/2018 11:14 | Response - Cancelled - No Response                | s.22(1)                                                      |  | C |
| 180011555 | 500  | SHANGHAI      | 3/8/2018 10:17  | s.22(1)                                           |                                                              |  | A |
| 180012677 | 0    | SHAUGHNESSY   | 3/14/2018 19:16 |                                                   |                                                              |  | C |
| 180010924 | 8600 | SHAUGHNESSY   | 3/4/2018 15:46  |                                                   |                                                              |  | C |
| 180012589 | 9100 | SHAUGHNESSY   | 3/14/2018 9:44  | Alarm Active/No Fire - Detector - Construction    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    |  | D |
| 180010846 | 7200 | SHAWNEE       | 3/3/2018 23:36  | s.22(1)                                           |                                                              |  | B |
| 180010576 | 5000 | SHERBROOKE    | 3/2/2018 11:15  |                                                   |                                                              |  | B |
| 180011717 | 6700 | SHERBROOKE    | 3/9/2018 7:20   | Response - Cancelled - No Response                | s.22(1)                                                      |  | B |
| 180011568 | 3300 | SHRUM         | 3/8/2018 11:49  | s.22(1)                                           |                                                              |  | A |
| 180010452 | 0 N  | SKEENA        | 3/1/2018 16:16  |                                                   |                                                              |  | B |
| 180011123 | 4400 | SKEENA        | 3/5/2018 18:13  |                                                   |                                                              |  | C |
| 180010544 | 2200 | SKIPPER       | 3/2/2018 7:49   |                                                   |                                                              |  | B |
| 180011263 | 500  | SLOCAN        | 3/6/2018 15:07  |                                                   |                                                              |  | D |
| 180010132 | 0    | SMITHE        | 2/27/2018 16:52 |                                                   |                                                              |  | D |
| 180010841 | 0    | SMITHE        | 3/3/2018 22:59  |                                                   |                                                              |  | B |
| 180011886 | 0    | SMITHE        | 3/10/2018 3:29  | Response - Cancelled - On Scene                   | ASSAULT - POSSIBLE DANGEROUS BODY AREA                       |  | A |
| 180012449 | 0    | SMITHE        | 3/13/2018 11:19 | s.22(1)                                           |                                                              |  | D |
| 180012704 | 0    | SMITHE        | 3/14/2018 22:04 | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS |  | C |
| 180011345 | 0    | SMITHE        | 3/7/2018 0:31   | Alarm Active/No Fire - Detector - Other           | RESIDENTIAL ELECTRICAL PROBLEM - EMERGENCY RESPONSE          |  | C |
| 180010286 | 0    | SMITHE        | 2/28/2018 16:16 | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180010471 | 0    | SMITHE        | 3/1/2018 19:15  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180011366 | 0    | SMITHE        | 3/7/2018 3:49   | s.22(1)                                           |                                                              |  | C |
| 180011425 | 0    | SMITHE        | 3/7/2018 15:06  | Alarm Active/No Fire - Detector - Construction    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180011895 | 0    | SMITHE        | 3/10/2018 4:57  | Alarm Active/No Fire - Detector - Cigarette Smoke | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | A |
| 180010743 | 0    | SMITHE        | 3/3/2018 8:14   | s.22(1)                                           |                                                              |  | C |
| 180011982 | 0    | SMITHE        | 3/10/2018 16:02 |                                                   |                                                              |  | B |
| 180010585 | 500  | SMITHE        | 3/2/2018 12:23  | Alarm Active/No Fire - Detector - Steam           | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   |  | B |
| 180011577 | 500  | SMITHE        | 3/8/2018 13:01  | s.22(1)                                           |                                                              |  | A |
| 180011465 | 700  | SMITHE        | 3/7/2018 20:08  | Response - Cancelled - On Scene                   | s.22(1)                                                      |  | D |
| 180011751 | 800  | SMITHE        | 3/9/2018 12:37  | s.22(1)                                           |                                                              |  | B |
| 180010623 | 2700 | SOPHIA        | 3/2/2018 15:26  | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    |  | B |
| 180012709 | 5800 | SOPHIA        | 3/14/2018 23:00 | s.22(1)                                           |                                                              |  | C |
| 180011686 | 5100 | SPENCER       | 3/8/2018 23:46  | Response - Cancelled - On Scene                   | s.22(1)                                                      |  | D |
| 180011446 | 5200 | SPENCER       | 3/7/2018 17:58  | s.22(1)                                           |                                                              |  | A |
| 180012335 | 1800 | SPYGLASS      | 3/12/2018 17:34 | Response - Cancelled - En Route                   | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - BIKE    |  | C |
| 180011233 | 1800 | SPYGLASS      | 3/6/2018 12:31  | s.22(1)                                           |                                                              |  | D |
| 180010394 | 6200 | ST CATHERINES | 3/1/2018 8:00   |                                                   |                                                              |  | B |
| 180010125 | 6400 | ST CATHERINES | 2/27/2018 16:05 |                                                   |                                                              |  | A |
| 180010549 | 2200 | ST GEORGE     | 3/2/2018 8:19   |                                                   |                                                              |  | B |
| 180011624 | 8200 | ST GEORGE     | 3/8/2018 17:29  |                                                   |                                                              |  | D |
| 180012056 | 600  | STAMPS        | 3/11/2018 0:49  |                                                   |                                                              |  | A |
| 180010307 | 200  | STANLEY PARK  | 2/28/2018 18:39 | MVI - With No Injuries                            | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                 |  | D |

|           |       |               |                 |                                                    |                                                                 |   |
|-----------|-------|---------------|-----------------|----------------------------------------------------|-----------------------------------------------------------------|---|
| 180010755 | 7500  | STANLEY PARK  | 3/3/2018 10:20  | Response - Unfounded - No Incident Found           | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE | C |
| 180011554 | 9100  | STANLEY PARK  | 3/8/2018 10:05  | s.22(1)                                            |                                                                 | A |
| 180010164 | 1000  | STATION       | 2/27/2018 20:42 | Response - Cancelled - En Route                    | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | D |
| 180010405 | 1000  | STATION       | 3/1/2018 9:06   | s.22(1)                                            |                                                                 | B |
| 180010979 | 1000  | STATION       | 3/4/2018 23:15  |                                                    |                                                                 | B |
| 180011798 | 1000  | STATION       | 3/9/2018 18:56  |                                                    |                                                                 | A |
| 180012117 | 1000  | STATION       | 3/11/2018 12:24 |                                                    |                                                                 | C |
| 180011111 | 1100  | STATION       | 3/5/2018 17:09  |                                                    |                                                                 | C |
| 180011388 | 1100  | STATION       | 3/7/2018 8:29   |                                                    |                                                                 | A |
| 180012419 | 1300  | STATION       | 3/13/2018 6:12  |                                                    |                                                                 | B |
| 180011864 | 4000  | STAUTLO       | 3/10/2018 0:46  |                                                    |                                                                 | A |
| 180011455 | 2000  | STEPHENS      | 3/7/2018 18:50  |                                                    |                                                                 | D |
| 180011807 | 2000  | STEPHENS      | 3/9/2018 20:02  |                                                    |                                                                 | A |
| 180011328 | 2100  | STEPHENS      | 3/6/2018 21:33  |                                                    |                                                                 | C |
| 180010403 | 1100  | STEWART       | 3/1/2018 8:59   | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | B |
| 180011208 | 5700  | STIRLING      | 3/6/2018 9:56   | s.22(1)                                            |                                                                 | D |
| 180012712 | 7100  | STIRLING      | 3/14/2018 23:24 |                                                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                          | C |
| 180011420 | 5900  | STUDENT UNION | 3/7/2018 13:59  | Response - Cancelled - No Response                 | RESCUE - NO IMMEDIATE RISK OR DANGER                            | A |
| 180011246 | 6100  | STUDENT UNION | 3/6/2018 13:35  | s.22(1)                                            |                                                                 | D |
| 180012169 | 3500  | TANNER        | 3/11/2018 18:16 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | B |
| 180010607 | 3600  | TANNER        | 3/2/2018 14:09  | s.22(1)                                            |                                                                 | B |
| 180011759 | 3600  | TANNER        | 3/9/2018 13:32  |                                                    |                                                                 | B |
| 180010474 | 200 N | TEMPLETON     | 3/1/2018 19:33  |                                                    |                                                                 | A |
| 180012178 | 0     | TERMINAL      | 3/11/2018 19:03 | Response - Unfounded - No Incident Found           | s.22(1)                                                         | B |
| 180010556 | 300   | TERMINAL      | 3/2/2018 9:13   | s.22(1)                                            |                                                                 | B |
| 180010731 | 300   | TERMINAL      | 3/3/2018 5:41   |                                                    |                                                                 | A |
| 180012481 | 400   | TERMINAL      | 3/13/2018 14:09 |                                                    |                                                                 | D |
| 180011046 | 800   | TERMINAL      | 3/5/2018 10:49  |                                                    |                                                                 | D |
| 180011407 | 1100  | THE CASTINGS  | 3/7/2018 11:48  |                                                    |                                                                 | A |
| 180012337 | 3100  | THREE CEDARS  | 3/12/2018 17:39 |                                                    |                                                                 | B |
| 180012680 | 0     | THUNDERBIRD   | 3/14/2018 19:33 | Response - Cancelled - On Scene                    | MEDICAL AID ROUTINE BCAS OR PUBLIC                              | C |
| 180010827 | 5800  | THUNDERBIRD   | 3/3/2018 20:28  | s.22(1)                                            |                                                                 | B |
| 180011316 | 5800  | THUNDERBIRD   | 3/6/2018 20:23  |                                                    |                                                                 | C |
| 180010146 | 0     | THURLOW       | 2/27/2018 19:05 |                                                    |                                                                 | D |
| 180010276 | 700   | THURLOW       | 2/28/2018 15:19 |                                                    |                                                                 | A |
| 180010511 | 5900  | TISDALL       | 3/2/2018 0:30   |                                                    |                                                                 | A |
| 180011971 | 1900  | TOLMIE        | 3/10/2018 14:51 | FIRE - Fire Department Responded Reportable - 1000 | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | B |
| 180010489 | 2500  | TOLMIE        | 3/1/2018 21:20  | Alarm Active/No Fire - Sprink Surge/Dis            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | A |
| 180010899 | 2500  | TOLMIE        | 3/4/2018 11:33  | s.22(1)                                            |                                                                 | C |
| 180010937 | 0     | TRAFALGAR     | 3/4/2018 16:40  | Response - Unfounded - No Incident Found           | BURNING COMPLAINT                                               | C |
| 180012187 | 0     | TRAFALGAR     | 3/11/2018 20:12 | s.22(1)                                            |                                                                 | B |
| 180011392 | 1800  | TRAFALGAR     | 3/7/2018 8:56   |                                                    |                                                                 | A |
| 180011924 | 2000  | TRAFALGAR     | 3/10/2018 9:43  | Response - Cancelled - On Scene                    | s.22(1)                                                         | B |
| 180011257 | 2400  | TRAFALGAR     | 3/6/2018 14:30  | s.22(1)                                            |                                                                 | D |
| 180011097 | 0     | TRANS CANADA  | 3/5/2018 16:06  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                       | D |
| 180010792 | 2700  | TRANS CANADA  | 3/3/2018 15:40  | MVI - With No Injuries                             | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                       | C |
| 180011646 | 2700  | TRANS CANADA  | 3/8/2018 19:30  | Response - Unfounded - No Incident Found           | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                       | D |
| 180012207 | 3100  | TRIMBLE       | 3/11/2018 21:48 | s.22(1)                                            |                                                                 | B |
| 180010340 | 2600  | TRINITY       | 2/28/2018 21:50 |                                                    |                                                                 | D |
| 180012133 | 2000  | TRIUMPH       | 3/11/2018 14:23 | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | C |
| 180010542 | 2100  | TRIUMPH       | 3/2/2018 7:28   | Response - Cancelled - On Scene                    | s.22(1)                                                         | B |
| 180011365 | 2100  | TRIUMPH       | 3/7/2018 3:43   | s.22(1)                                            |                                                                 | C |



|           |      |            |                 |                                                    |                                                              |   |
|-----------|------|------------|-----------------|----------------------------------------------------|--------------------------------------------------------------|---|
| 180010954 | 0    | TUPPER     | 3/4/2018 18:53  | Public Hazard - Lines Down                         | ELECTRICAL WIRES DOWN ON THE GROUND                          | B |
| 180011843 | 2500 | TURNER     | 3/9/2018 23:20  | s.22(1)                                            |                                                              | A |
| 180010670 | 2500 | TURNER     | 3/2/2018 21:09  | Response - Cancelled - On Scene                    | s.22(1)                                                      | A |
| 180011401 | 6300 | TYNE       | 3/7/2018 10:41  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - HAZMAT                   | A |
| 180011159 | 0    | UNION      | 3/5/2018 22:41  | s.22(1)                                            |                                                              | C |
| 180012707 | 0    | UNION      | 3/14/2018 22:17 |                                                    |                                                              | C |
| 180010178 | 200  | UNION      | 2/27/2018 22:49 | Response - Cancelled - On Scene                    | s.22(1)                                                      | D |
| 180010776 | 200  | UNION      | 3/3/2018 13:10  | Response - Cancelled - On Scene                    |                                                              | C |
| 180010934 | 5100 | UNIVERSITY | 3/4/2018 16:35  | s.22(1)                                            |                                                              | C |
| 180011227 | 6100 | UNIVERSITY | 3/6/2018 11:41  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | D |
| 180011244 | 6100 | UNIVERSITY | 3/6/2018 13:20  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | D |
| 180011666 | 6100 | UNIVERSITY | 3/8/2018 21:21  | s.22(1)                                            |                                                              | D |
| 180011039 | 6200 | UNIVERSITY | 3/5/2018 10:03  |                                                    |                                                              | D |
| 180010249 | 4300 | VALLEY     | 2/28/2018 11:59 |                                                    |                                                              | A |
| 180011918 | 4300 | VALLEY     | 3/10/2018 8:50  |                                                    |                                                              | B |
| 180010106 | 0    | VANNESS    | 2/27/2018 14:18 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)          | A |
| 180010465 | 0    | VANNESS    | 3/1/2018 18:51  | s.22(1)                                            |                                                              | A |
| 180012379 | 3400 | VANNESS    | 3/12/2018 22:44 |                                                    |                                                              | B |
| 180010080 | 3600 | VANNESS    | 2/27/2018 10:43 | Alarm Active/No Fire - Detector - Cooking          | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | A |
| 180012249 | 0    | VENABLES   | 3/12/2018 5:01  | s.22(1)                                            |                                                              | B |
| 180010908 | 1700 | VENABLES   | 3/4/2018 13:11  |                                                    |                                                              | C |
| 180011040 | 1700 | VENABLES   | 3/5/2018 10:18  |                                                    |                                                              | D |
| 180012606 | 1700 | VENABLES   | 3/14/2018 11:59 |                                                    |                                                              | D |
| 180010881 | 1800 | VENABLES   | 3/4/2018 6:28   |                                                    |                                                              | B |
| 180010911 | 1800 | VENABLES   | 3/4/2018 13:29  | Response - Cancelled - On Scene                    | s.22(1)                                                      | C |
| 180012196 | 2900 | VENABLES   | 3/11/2018 20:46 | Response - Cancelled - On Scene                    | MEDICAL AID EMERGENCY BCAS OR PUBLIC                         | B |
| 180012339 | 0    | VERNON     | 3/12/2018 17:42 | MVI - With No Injuries                             | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES - MANY PATIENTS | B |
| 180011584 | 1700 | VERNON     | 3/8/2018 13:17  | FIRE - Fire Department Responded Reportable - 1000 | BURNING COMPLAINT                                            | A |
| 180011212 | 0    | VICTORIA   | 3/6/2018 10:34  | MVI - With Injuries                                | TRAFFIC / TRANSPORTATION ACCIDENT - BUS                      | D |
| 180011630 | 0    | VICTORIA   | 3/8/2018 18:19  | s.22(1)                                            |                                                              | D |
| 180012431 | 600  | VICTORIA   | 3/13/2018 9:04  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    | D |
| 180012303 | 600  | VICTORIA   | 3/12/2018 13:48 | Alarm Active/No Fire - Detector - Construction     | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    | C |
| 180012236 | 1200 | VICTORIA   | 3/12/2018 2:01  | s.22(1)                                            |                                                              | B |
| 180011695 | 2600 | VICTORIA   | 3/9/2018 1:22   |                                                    |                                                              | D |
| 180011952 | 2600 | VICTORIA   | 3/10/2018 13:07 | Public Service - Trapped In Elevator               | RESCUE - NO IMMEDIATE RISK OR DANGER                         | B |
| 180011141 | 2900 | VICTORIA   | 3/5/2018 19:56  | s.22(1)                                            |                                                              | C |
| 180010336 | 3500 | VICTORIA   | 2/28/2018 21:30 | Response - Cancelled - On Scene                    | s.22(1)                                                      | D |
| 180012616 | 3500 | VICTORIA   | 3/14/2018 13:30 | s.22(1)                                            |                                                              | D |
| 180011005 | 4900 | VICTORIA   | 3/5/2018 4:23   | FIRE - Fire Department Responded Reportable - 1000 | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS   | B |
| 180012290 | 5700 | VICTORIA   | 3/12/2018 11:59 | s.22(1)                                            |                                                              | C |
| 180011426 | 6000 | VIVIAN     | 3/7/2018 15:20  |                                                    |                                                              | A |
| 180012089 | 6000 | VIVIAN     | 3/11/2018 8:34  |                                                    |                                                              | C |
| 180012464 | 5400 | WALES      | 3/13/2018 12:17 |                                                    |                                                              | D |
| 180010309 | 2100 | WALL       | 2/28/2018 18:41 |                                                    |                                                              | D |
| 180011346 | 2100 | WALL       | 3/7/2018 0:39   |                                                    |                                                              | C |
| 180011738 | 2200 | WALL       | 3/9/2018 11:07  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    | B |
| 180012312 | 2200 | WALL       | 3/12/2018 15:38 | Public Service - Unclassified(remarks req)         | ASSIST THE PUBLIC OR OTHER AGENCY                            | C |
| 180010767 | 2900 | WALL       | 3/3/2018 12:08  | s.22(1)                                            | NORMALLY = 35 - <3 HOURS AGO                                 | C |
| 180010369 | 1700 | WALLACE    | 3/1/2018 1:31   | Public Service - Non-Medical Lift Assist           | MEDICAL AID ROUTINE BCAS OR PUBLIC                           | D |
| 180011306 | 1900 | WALLACE    | 3/6/2018 19:32  | Response - Cancelled - On Scene                    | s.22(1)                                                      | C |
| 180011311 | 1900 | WALLACE    | 3/6/2018 19:56  | s.22(1)                                            |                                                              | C |
| 180011137 | 4400 | WALLACE    | 3/5/2018 19:42  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                    | C |

|           |       |            |                 |                                                    |                                                                        |  |   |
|-----------|-------|------------|-----------------|----------------------------------------------------|------------------------------------------------------------------------|--|---|
| 180011546 | 1400  | WALNUT     | 3/8/2018 9:37   | s.22(1)                                            |                                                                        |  | A |
| 180011827 | 0     | WATER      | 3/9/2018 22:18  |                                                    |                                                                        |  | A |
| 180012054 | 0     | WATER      | 3/11/2018 0:38  | Response - Cancelled - En Route                    | TRAFFIC / TRANSPORTATION ACCIDENT - HIGH MECHANISM - PEDESTRIAN STRUCK |  | A |
| 180011232 | 0     | WATER      | 3/6/2018 12:26  | s.22(1)                                            |                                                                        |  | D |
| 180011436 | 0     | WATER      | 3/7/2018 16:23  | Alarm Active/No Fire - Detector - Other            | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180011239 | 0     | WATER      | 3/6/2018 13:08  | s.22(1)                                            |                                                                        |  | D |
| 180010210 | 100   | WATER      | 2/28/2018 4:53  | Response - Cancelled - On Scene                    | s.22(1)                                                                |  | D |
| 180010226 | 100   | WATER      | 2/28/2018 8:24  | s.22(1)                                            |                                                                        |  | A |
| 180010370 | 100   | WATER      | 3/1/2018 1:53   | Response - Cancelled - On Scene                    | s.22(1)                                                                |  | D |
| 180011805 | 100   | WATER      | 3/9/2018 19:50  | s.22(1)                                            |                                                                        |  | A |
| 180012030 | 100   | WATER      | 3/10/2018 21:51 |                                                    |                                                                        |  | A |
| 180012245 | 100   | WATER      | 3/12/2018 4:02  |                                                    |                                                                        |  | B |
| 180012252 | 100   | WATER      | 3/12/2018 5:59  |                                                    |                                                                        |  | B |
| 180012615 | 100   | WATER      | 3/14/2018 13:28 |                                                    |                                                                        |  | D |
| 180010061 | 100   | WATER      | 2/27/2018 8:59  | Response - Cancelled - En Route                    | ASSAULT - POSSIBLE DANGEROUS BODY AREA                                 |  | A |
| 180010347 | 100   | WATER      | 2/28/2018 22:31 | Response - Cancelled - On Scene                    | s.22(1)                                                                |  | D |
| 180010577 | 100   | WATER      | 3/2/2018 11:28  | s.22(1)                                            |                                                                        |  | B |
| 180010952 | 100   | WATER      | 3/4/2018 18:39  | Alarm Active/No Fire - Unclassified(remarks req)   | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | B |
| 180011041 | 100   | WATER      | 3/5/2018 10:22  | s.22(1)                                            |                                                                        |  | D |
| 180011150 | 100   | WATER      | 3/5/2018 21:02  | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | C |
| 180011609 | 100   | WATER      | 3/8/2018 15:46  | s.22(1)                                            |                                                                        |  | A |
| 180011928 | 100   | WATER      | 3/10/2018 10:26 |                                                    |                                                                        |  | B |
| 180012225 | 100   | WATER      | 3/11/2018 23:52 |                                                    |                                                                        |  | B |
| 180012399 | 100   | WATER      | 3/13/2018 1:25  |                                                    |                                                                        |  | B |
| 180010468 | 300   | WATER      | 3/1/2018 19:13  |                                                    |                                                                        |  | A |
| 180010873 | 300   | WATER      | 3/4/2018 3:05   |                                                    |                                                                        |  | B |
| 180011091 | 100 E | WATERFRONT | 3/5/2018 15:03  | Response - Unfounded - No Incident Found           | s.22(1)                                                                |  | D |
| 180010252 | 600 W | WATERFRONT | 2/28/2018 12:12 | s.22(1)                                            |                                                                        |  | A |
| 180012416 | 600 W | WATERFRONT | 3/13/2018 4:47  | FIRE - Fire Department Responded Reportable - 1000 | RUBBISH FIRE - NO STRUCTURE OR EXPOSURE                                |  | B |
| 180010328 | 2600  | WATERLOO   | 2/28/2018 20:39 | s.22(1)                                            |                                                                        |  | D |
| 180010466 | 2200  | WAVERLEY   | 3/1/2018 18:57  |                                                    |                                                                        |  | A |
| 180011219 | 2500  | WAVERLEY   | 3/6/2018 11:03  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | D |
| 180012087 | 2500  | WAVERLEY   | 3/11/2018 8:22  | s.22(1)                                            |                                                                        |  | C |
| 180012235 | 2500  | WAVERLEY   | 3/12/2018 1:32  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | B |
| 180012277 | 2500  | WAVERLEY   | 3/12/2018 10:42 | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | C |
| 180012423 | 2500  | WAVERLEY   | 3/13/2018 7:18  | Public Service - Non-Medical Lift Assist           | ASSIST THE PUBLIC OR OTHER AGENCY                                      |  | B |
| 180012528 | 0     | WESBROOK   | 3/13/2018 19:59 | s.22(1)                                            |                                                                        |  | C |
| 180012601 | 0     | WESBROOK   | 3/14/2018 11:41 | Response - Unfounded - Smoke/Steam/Dust/Mistaken   | FIRE INVOLVING A LARGE VEHICLE OR ENTRAPMENT                           |  | D |
| 180010342 | 2100  | WESBROOK   | 2/28/2018 22:00 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |
| 180010151 | 2500  | WESBROOK   | 2/27/2018 20:03 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS)                    |  | D |
| 180011845 | 2700  | WESBROOK   | 3/9/2018 23:24  | s.22(1)                                            |                                                                        |  | A |
| 180011851 | 2700  | WESBROOK   | 3/10/2018 0:02  |                                                    |                                                                        |  | A |
| 180011829 | 2800  | WESBROOK   | 3/9/2018 22:20  |                                                    |                                                                        |  | A |
| 180011840 | 2800  | WESBROOK   | 3/9/2018 23:16  |                                                    |                                                                        |  | A |
| 180011850 | 2800  | WESBROOK   | 3/9/2018 23:58  | Alarm Active/No Fire - Pull Station                | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | A |
| 180010475 | 3300  | WESBROOK   | 3/1/2018 19:40  | s.22(1)                                            |                                                                        |  | A |
| 180012578 | 3300  | WESBROOK   | 3/14/2018 8:26  |                                                    |                                                                        |  | D |
| 180011119 | 3400  | WESBROOK   | 3/5/2018 17:46  |                                                    |                                                                        |  | C |
| 180012454 | 0     | WESSEX     | 3/13/2018 11:27 | MVI - With No Injuries                             | TRAFFIC INCIDENT - NO INJ (UNCONFIRMED OR >= 5 PTS) - UNKN PTS         |  | D |
| 180012516 | 2000  | WEST       | 3/13/2018 18:29 | Response - Cancelled - On Scene                    | s.22(1)                                                                |  | C |
| 180010170 | 2500  | WEST       | 2/27/2018 21:25 | Response - Cancelled - On Scene                    |                                                                        |  | D |
| 180010182 | 2500  | WEST       | 2/27/2018 23:26 | Alarm Active/No Fire - Detector - Cigarette Smoke  | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS             |  | D |



|           |      |                |                 |                                                   |                                                                 |   |
|-----------|------|----------------|-----------------|---------------------------------------------------|-----------------------------------------------------------------|---|
| 180010497 | 2500 | WEST           | 3/1/2018 22:11  | Public Hazard - Unclassified(remarks req)         | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE | A |
| 180010702 | 2500 | WEST           | 3/3/2018 1:18   | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | A |
| 180011620 | 2500 | WEST           | 3/8/2018 17:00  | s.22(1)                                           |                                                                 | D |
| 180012105 | 2500 | WEST           | 3/11/2018 10:53 | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | C |
| 180012556 | 2500 | WEST           | 3/14/2018 1:13  | Alarm Active/No Fire - Pull Station               | ALARM ACTIVATED - LARGE COMPLEX OR HIGH RISE OVER 4 FLOORS      | C |
| 180012451 | 0    | WEST BOULEVARD | 3/13/2018 11:19 | s.22(1)                                           |                                                                 | D |
| 180012348 | 300  | WETHERSFIELD   | 3/12/2018 18:46 | Alarm Active/No Fire - Detector - Cooking         | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | B |
| 180011678 | 7600 | WHITESPRAY     | 3/8/2018 22:29  | s.22(1)                                           |                                                                 | D |
| 180011938 | 1900 | WHYTE          | 3/10/2018 12:12 | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | B |
| 180011213 | 3200 | WILLIAM        | 3/6/2018 10:45  | Response - Cancelled - On Scene                   | s.22(1)                                                         | D |
| 180010933 | 3400 | WILLIAM        | 3/4/2018 16:29  | Response - Cancelled - On Scene                   |                                                                 | C |
| 180011262 | 2500 | WILLOW         | 3/6/2018 15:06  | Response - Cancelled - On Scene                   |                                                                 | D |
| 180011587 | 5800 | WILLOW         | 3/8/2018 13:49  | s.22(1)                                           |                                                                 | A |
| 180012096 | 6000 | WILLOW         | 3/11/2018 10:01 |                                                   |                                                                 | C |
| 180012274 | 6800 | WILTSHIRE      | 3/12/2018 10:16 | Public Service - Unclassified(remarks req)        | SLIGHT SMELL OF SMOKE INSIDE OR LIGHT SMOKE OUTSIDE A STRUCTURE | C |
| 180012071 | 1000 | WINDERMERE     | 3/11/2018 4:52  | s.22(1)                                           |                                                                 | A |
| 180010206 | 3900 | WINDERMERE     | 2/28/2018 3:43  |                                                   |                                                                 | D |
| 180010392 | 0    | WINDSOR        | 3/1/2018 7:42   | MVI - With Injuries                               | TRAFFIC / TRANSPORTATION ACCIDENT - INJURIES                    | B |
| 180012232 | 4900 | WINDSOR        | 3/12/2018 1:17  | Response - Cancelled - On Scene                   | s.22(1)                                                         | B |
| 180010589 | 7700 | WINDSOR        | 3/2/2018 12:31  | s.22(1)                                           |                                                                 | B |
| 180011837 | 7900 | WINDSOR        | 3/9/2018 22:55  | Response - Unfounded - Smoke/Steam/Dust/Mistaken  | RESIDENTIAL, COMMERCIAL OR INDUSTRIAL STRUCTURE FIRE            | A |
| 180010484 | 0    | WOODLAND       | 3/1/2018 20:56  | MVI - With No Injuries                            | TRAFFIC INCIDENT - UNKN STATUS - UNKN PTS                       | A |
| 180012375 | 1400 | WOODLAND       | 3/12/2018 21:50 | Alarm Active/No Fire - Detector - Other           | ALARM ACTIVATED - CONFIRMED FALSE ALARM                         | B |
| 180010038 | 1500 | WOODLAND       | 2/27/2018 5:03  | s.22(1)                                           |                                                                 | C |
| 180011576 | 1500 | WOODLAND       | 3/8/2018 12:48  |                                                   |                                                                 | A |
| 180010955 | 3400 | WORTHINGTON    | 3/4/2018 19:12  |                                                   |                                                                 | B |
| 180010063 | 2700 | YEW            | 2/27/2018 9:08  |                                                   |                                                                 | A |
| 180011029 | 2700 | YEW            | 3/5/2018 9:00   | Response - Cancelled - On Scene                   | s.22(1)                                                         | D |
| 180011622 | 2700 | YEW            | 3/8/2018 17:17  | Response - Cancelled - On Scene                   |                                                                 | D |
| 180011088 | 5900 | YEW            | 3/5/2018 14:38  | s.22(1)                                           |                                                                 | D |
| 180010746 | 2000 | YORK           | 3/3/2018 8:35   | Response - Cancelled - On Scene                   | s.22(1)                                                         | C |
| 180010284 | 2300 | YORK           | 2/28/2018 15:56 | Alarm Active/No Fire - Detector - Construction    | ALARM ACTIVATED - LOW RISE UNDER 4 FLOORS                       | A |
| 180011331 | 2000 | YUKON          | 3/6/2018 22:07  | Response - Cancelled - On Scene                   | s.22(1)                                                         | C |
| 180011438 | 2000 | YUKON          | 3/7/2018 16:31  | Response - Cancelled - On Scene                   |                                                                 | A |
| 180012218 | 2000 | YUKON          | 3/11/2018 23:05 | Response - Cancelled - On Scene                   |                                                                 | B |
| 180012522 | 2000 | YUKON          | 3/13/2018 18:57 | Response - Cancelled - On Scene                   |                                                                 | C |
| 180012458 | 2200 | YUKON          | 3/13/2018 11:47 | s.22(1)                                           |                                                                 | D |
| 180011524 | 3400 | YUKON          | 3/8/2018 7:46   | Alarm Active/No Fire - Detector - Carbon Monoxide | ALARM ACTIVATED - CONFIRMED FALSE ALARM                         | A |
| 180012491 | 3400 | YUKON          | 3/13/2018 15:08 | Response - Cancelled - On Scene                   | s.22(1)                                                         | D |
| 180010381 | 6200 | YUKON          | 3/1/2018 5:26   | Public Service - Assisted BCAS/Police             | MEDICAL AID ROUTINE BCAS OR PUBLIC                              | D |
| 180010875 | 6200 | YUKON          | 3/4/2018 4:00   | s.22(1)                                           |                                                                 | B |
| 180010606 | 7900 | YUKON          | 3/2/2018 14:01  | Public Service - Locked In/Out                    | ASSIST THE PUBLIC OR OTHER AGENCY                               | B |
| 180010220 | 8000 | YUKON          | 2/28/2018 7:42  | s.22(1)                                           |                                                                 | A |