

File No.: 04-1000-20-2023-003

January 9, 2023

s.22(1)

Dear s.22(1)

Re: Request for Access to Records under the Freedom of Information and Protection of Privacy Act (the "Act")

I am responding to your request of December 30, 2022 under the ***Freedom of Information and Protection of Privacy Act (the Act)*** for:

Sewer Report regarding a sewer blockage cleared by City workers at 2094 E 7th Avenue. Date range: June 1, 2022 to September 30, 2022.

All responsive records are attached. Some information in the records has been severed (blacked out) under s.22(1) of the Act. You can read or download this section here: http://www.bclaws.ca/EPLibraries/bclaws_new/document/ID/freeside/96165_00.

Under section 52 of the Act, and within 30 business days of receipt of this letter, you may ask the Information & Privacy Commissioner to review any matter related to the City's response to your FOI request by writing to: Office of the Information & Privacy Commissioner, info@oipc.bc.ca or by phoning 250-387-5629.

If you request a review, please provide the Commissioner's office with: 1) the request number (#04-1000-20-2023-003); 2) a copy of this letter; 3) a copy of your original request; and 4) detailed reasons why you are seeking the review.

Yours truly,

[Signed by Cobi Falconer]

Cobi Falconer, MAS, MLIS, CIPP/C
Director, Access to Information & Privacy
cobi.falconer@vancouver.ca
453 W. 12th Avenue Vancouver BC V5Y 1V4

If you have any questions, please email us at foi@vancouver.ca and we will respond to you as soon as possible. Or you can call the FOI Case Manager at 604-871-6584.

Encl. (Response package)

:pm

Work Slip

EX-100-1000

SAP Charge #		Address & Location:				Responsible	
EES 1583299		2094 E. 7 th					
Work Order #		Work Order Activity				Created Date	
1583299							
Group Project #		Problem	Sub Activity		Assigned To	Crew ID	
			Un-Stop			D1317	
Work Order Comments:							
Reference #1						Billable?	
Reference #2							
Collection Agency			Collection Method		Zone	Beat	
Service Request #							
Contact Name			Contact Phone		Contact Type		
Asset Type		Asset ID #	B.U.N	Status	Asset Area	Map # (Facet)	District
comb.		2060612					
Asset Details:							
Safety & Asset Notes:							
PM Sched.	Maint. Sched.	Due Date	Zone	Last Completed Work Order			
Crew Comments							
Job Complete Candidate for SRAD program.							
Work Completed Date: 6 July 22			Print Name: s.22(1)			Crew ID: D1317	


CONTACT: _____ PHONE: _____ INVOICE #: 53516

BILLING ADDRESS: 2094 E. 7th DATE: 6 July 22 SIGNATURE: _____ WITH WITHOUT

TIME STARTED: 12:40 p.m. TIME END: 2:35 p.m. Day After Call

WORKED FROM	ADDITIONAL ACCESS LOCATION DETAILS	PRECONDITION WITH CCTV	ACTIVITY	EQUIPMENT USED
INSIDE <input checked="" type="checkbox"/>	Additional details: Distance from access location to main: <u>20.4</u> m	GOOD <input type="checkbox"/>	SLM <input type="checkbox"/>	HAND RODS <input type="checkbox"/>
OUTSIDE <input type="checkbox"/>		FAIR <input type="checkbox"/>	SLB <input checked="" type="checkbox"/>	ROTO-ROOTER <input checked="" type="checkbox"/>
TOILET <input checked="" type="checkbox"/>		POOR <input checked="" type="checkbox"/>	PLUGGED MAIN <input type="checkbox"/>	LARGE CUTTER <input checked="" type="checkbox"/>
STACK <input type="checkbox"/>		REQUIRE TO CLEAN	SPECIALS <input type="checkbox"/>	SMALL CUTTER <input checked="" type="checkbox"/>
C/O <input type="checkbox"/>		YES <input checked="" type="checkbox"/>	CB <input type="checkbox"/>	HUMMINGBIRD <input type="checkbox"/>
SUMP <input type="checkbox"/>	NO <input type="checkbox"/>	ASSET TYPE	CCTV <input type="checkbox"/>	BRUSH <input checked="" type="checkbox"/>
D/U <input type="checkbox"/>		SAN CONN <input type="checkbox"/>	TV FOR REUSE <input type="checkbox"/>	FLUSHER <input type="checkbox"/>
		SAN MAIN <input type="checkbox"/>	INVESTIGATION <input type="checkbox"/>	CCTV <input checked="" type="checkbox"/>
		COMB CONN <input checked="" type="checkbox"/>	INSTALL C/O <input type="checkbox"/>	OTHER: _____
		COMB MAIN <input type="checkbox"/>		
		STORM CONN <input type="checkbox"/>		
		STORM MAIN <input type="checkbox"/>		
		METRO MAIN <input type="checkbox"/>		
		COMPLETE <input checked="" type="checkbox"/>		

DEFECT/BLOCKAGE	LOCATION OF DEFECT / BLOCKAGE	AFTER CLEANING	MAIN CLEANING REQ.
ROOTS <input checked="" type="checkbox"/>	FROM ACCESS POINT	GOOD <input checked="" type="checkbox"/>	BLOCKED: YES <input type="checkbox"/>
LIGHT <input type="checkbox"/>	INSIDE PL <input checked="" type="checkbox"/> <u>1.0</u> M to _____ M	POOR <input type="checkbox"/>	NO <input type="checkbox"/>
MEDIUM <input type="checkbox"/>	AT PL <input type="checkbox"/> _____ M	FAIR <input type="checkbox"/>	FLUSH <input type="checkbox"/>
HEAVY <input checked="" type="checkbox"/>	OUTSIDE PL <input checked="" type="checkbox"/> <u>7.0</u> M to _____ M		ROOT CUT <input type="checkbox"/>
GREASE <input type="checkbox"/>	NO BLOCKAGE <input type="checkbox"/>		MH #: _____ TO
SOLIDS <input type="checkbox"/>	ADDITIONAL INFO: _____		MH #: _____
DEBRIS <input type="checkbox"/>			
STRUCTURAL <input type="checkbox"/>			
OTHER/ UNKNOWN: _____			
		INCOMPLETE <input type="checkbox"/>	ADDITIONAL WORK <input type="checkbox"/>



CONNECTION DEPTH @ PL 1.21 M PL IS 6.7 M FROM C/O DEPTH @ MAIN 3.3 M

PRIVATE SIDE REPLACED CITY SIDE REPLACED

PL OFFSET 15.9 M N S E W of N S E W DEPTH @ HOUSE .91 M

WYE MEASUREMENTS: 74.5 M FROM DOWNSTREAM MH 28.5 M B/M

FOR OFFICE USE ONLY

MAINTAIN SCHED <input type="checkbox"/>	ADD TO SLM PROGRAM <input type="checkbox"/>	NO CHARGE <input type="checkbox"/>	DATE ADDED TO PROGRAM: _____
CIPP CANDIDATE <input type="checkbox"/>	FULL SURVEY REQ <input type="checkbox"/>	INVITE TO SLM W/SIG <input checked="" type="checkbox"/>	SHARE <input checked="" type="checkbox"/>
CCTV <input type="checkbox"/>	CHANGE FREQUENCY: _____	REMOVE FROM PROG <input type="checkbox"/>	CHARGE <input type="checkbox"/>
SEND LETTER # <u>1</u>	6 MTH <input type="checkbox"/> 12 MTH <input type="checkbox"/>	CHANGE WITHOUT to WITH SIGNATURE <input type="checkbox"/>	INVOICE CANCELLED BY: _____
	18 MTH <input type="checkbox"/> 24 MTH <input type="checkbox"/>	CHANGE WITH to WITHOUT SIGNATURE <input type="checkbox"/>	DATE INVOICE CANCELLED: _____

COMMENTS: _____

INITIALS: LS DATE: 7/27/2022

SUPT COMMENTS: sure

City of Vancouver - FOI 2023-003 - Page 2 of 4
SUPT SIGNATURE: _____



Date: July 6 20 22

Time Started 12:40 AM/PM
Time Finished 2:35 AM/PM

Applicant's Initial _____

Applicant's Initial _____

(Owner's name and address if not the applicant)

Applicant _____ Owner _____

Property Address _____ Address 2094 E. 7th

Postal Co. _____ Phone No. _____ Postal Co. _____ Phone No. _____

For more information about Sewers & Drainage Systems, please visit us at:
vancouver.ca/home-property-development/water-and-sewer.aspx

Terms & Conditions

1. It is the responsibility of the applicant/owner to provide a safe, accessible clean out to the building's sanitary and storm drainage systems as per the Vancouver Building By-law & City of Vancouver OH&S Policy AE-010-02, & Workers Compensation Act .
2. City crews may work from a toilet stub if there is no other suitable or available access to the building's main sewer line, and the toilet must be removed prior to the crew's arrival.
3. If the applicant/owner is physically unable to remove the toilet, the crew may consider performing this service if the toilet is clean and in good condition, posing no foreseeable issue for reinstallation, and subject to the applicant/owner reading and signing the Toilet Removal Waiver to acknowledge his/her understanding of the waiver and that the City accepts no liability for damages when removing and/or reinstalling the toilet.
4. The applicant/owner agrees to pay all costs in accordance with the Sewer And Watercourse By-law 8093. A summary of findings will be included with the invoice.
5. City crews cannot advise if potential charges will or will not apply related to the cause of the blockage

The undersigned hereby releases and discharges the City of Vancouver and its respective officials, officers, employees, servants or agents (the "City") and covenants and agrees to indemnify and save harmless the City from and against all claims, losses, actions, builders' liens, indirect or consequential damages (and including loss of use and damages arising out of delays) which may arise or accrue to the undersigned or any person, firm or corporation against the City or which the City may pay, incur, sustain or be put to and that arise or would not have been incurred but for the conduct of the work, or any portion thereof, by City employees, which work in the opinion of the City Engineer is the responsibility of the undersigned or any third party other than the City. Without limiting the generality of the foregoing, the undersigned will be responsible for the cost of any work conducted by City employees at or in the vicinity of the property which is necessitated by an obstruction originating from the property or by any damage to the sewer lines caused by the undersigned or a third party other than the City regardless of whether the obstructed or damaged sewer lines are located on private property or on City of Vancouver property.

Eng 586(19)

I, the undersigned, agree to the above terms and conditions

Applicant _____ Date _____ 20 _____

City Engineer Per _____



Date: July 6 20 22

Time Started 12:40 AM/PM

Applicant's Initial _____

Time Finished 2:35 AM/PM

Applicant's Initial _____

(Owner's name and address if not the applicant)

Applicant _____ Owner _____

Property Address _____ Address 2094 E 7th

Postal Co. _____ Phone No. _____ Postal Co. _____ Phone No. _____

For more information about Sewers & Drainage Systems, please visit us at:

vancouver.ca/home-property-development/water-and-sewer.aspx

Terms & Conditions

1. It is the responsibility of the applicant/owner to provide a safe, accessible clean out to the building's sanitary and storm drainage systems as per the Vancouver Building By-law & City of Vancouver OH&S Policy AE-010-02, & Workers Compensation Act.
2. City crews may work from a toilet stub if there is no other suitable or available access to the building's main sewer line, and the toilet must be removed prior to the crew's arrival.
3. If the applicant/owner is physically unable to remove the toilet, the crew may consider performing this service if the toilet is clean and in good condition, posing no foreseeable issue for reinstallation, and subject to the applicant/owner reading and signing the Toilet Removal Waiver to acknowledge his/her understanding of the waiver and that the City accepts no liability for damages when removing and/or reinstalling the toilet.
4. The applicant/owner agrees to pay all costs in accordance with the Sewer And Watercourse By-law 8093. A summary of findings will be included with the invoice.
5. City crews cannot advise if potential charges will or will not apply related to the cause of the blockage

The undersigned hereby releases and discharges the City of Vancouver and its respective officials, officers, employees, servants or agents (the "City") and covenants and agrees to indemnify and save harmless the City from and against all claims, losses, actions, builders' liens, indirect or consequential damages (and including loss of use and damages arising out of delays) which may arise or accrue to the undersigned or any person, firm or corporation against the City or which the City may pay, incur, sustain or be put to and that arise or would not have been incurred but for the conduct of the work, or any portion thereof, by City employees, which work in the opinion of the City Engineer is the responsibility of the undersigned or any third party other than the City. Without limiting the generality of the foregoing, the undersigned will be responsible for the cost of any work conducted by City employees at or in the vicinity of the property which is necessitated by an obstruction originating from the property or by any damage to the sewer lines caused by the undersigned or a third party other than the City regardless of whether the obstructed or damaged sewer lines are located on private property or on City of Vancouver property.

Eng 586(19)

I, the undersigned, agree to the above terms and conditions

Applicant _____ Date 20

City Engineer Per [Signature]