

File No.: 04-1000-20-2023-009

February 13, 2023

s.22(1)

Dear s.22(1)

Re: **Request for Access to Records under the Freedom of Information and Protection of Privacy Act (the "Act")**

I am responding to your request of January 4, 2023 under the *Freedom of Information and Protection of Privacy Act (the Act)* for:

Regarding the 504 calls to the Hotel Canada SRO, 518 Richards, a detailed list of the calls, including:

- 1. The date and time of each call;**
 - 2. Fire department case number;**
 - 3. Type or nature of call;**
 - 4. Whether there were injuries or fatalities; and**
 - 5. Any other information that VFRS collects as part of its standard operations.**
- Date range: January 1, 2022 to December 31, 2022.**

All responsive records are attached.

Under section 52 of the Act, and within 30 business days of receipt of this letter, you may ask the Information & Privacy Commissioner to review any matter related to the City's response to your FOI request by writing to: Office of the Information & Privacy Commissioner, info@oipc.bc.ca or by phoning 250-387-5629.

If you request a review, please provide the Commissioner's office with: 1) the request number (#04-1000-20-2023-009); 2) a copy of this letter; 3) a copy of your original request; and 4) detailed reasons why you are seeking the review.

Yours truly,

[Signed by Cobi Falconer]

Cobi Falconer, MAS, MLIS, CIPP/C
Director, Access to Information & Privacy
cobi.falconer@vancouver.ca
453 W. 12th Avenue Vancouver BC V5Y 1V4

If you have any questions, please email us at foi@vancouver.ca and we will respond to you as soon as possible. Or you can call the FOI Case Manager at 604-871-6584.

Encl. (Response Package)

:dl

Case #	Incident Address	Investigator	Incident Begin Time	EC Incident Group	Incident Type	Report Type	Property Complex Group	Property Complex (PC)	Smoke Alarm Operation			Fire Origin (LV)	Fire Origin Area (JA)	Igniting Object (IG)	Initial Detection (ID)	Act or Omission (AO)	Action Taken (AC)	Fire-related Injuries	Fire-related Fatalities	Fire Loss (\$)
									Property Classification (PR)	Smoke Alarm (SA)	Sprinkler Protection (SP)									
22000047	518 RICHARDS		1/1/22 2:00	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22000283	518 RICHARDS		1/2/22 5:55	Other	Alarm Active/No Fire - Detector - Cooking											0	0	50		
22000585	518 RICHARDS		1/3/22 6:23	Other	Alarm Active/No Fire - Detector - Cooking											0	0	50		
22000594	518 RICHARDS		1/3/22 7:38	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22000712	518 RICHARDS		1/3/22 19:30	Medical	Medical - Overdose / poisoning											0	0	50		
22000824	518 RICHARDS		1/4/22 10:55	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22001054	518 RICHARDS		1/5/22 12:30	Medical	Medical - Cardiac / respiratory arrest / death											0	0	50		
22001093	518 RICHARDS		1/5/22 16:13	Other	Alarm Active/No Fire - Detector - Cooking											0	0	50		
22001289	518 RICHARDS		1/6/22 18:47	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22001377	518 RICHARDS		1/7/22 6:40	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22001754	518 RICHARDS	Schmidt	1/9/22 12:09	Medical	Medical - Sick person	Outdoor	N/A									0	0	50		
22001906	518 RICHARDS		1/10/22 6:45	Fire	FIRE - Fire Department Responded Reportable - 1000			8150 Trash / rubbish / recyclable (includes container/dumpsters for disposal of rubbish or collect		9900 Outside area - unclassified (describe)	7230 "Open" Flame - Match or lighter - cannot be determined			7700 Ignorance of hazard (Note: if illegal operations, classify as 9950)	3000 Extinguished by fire department	0	0	50		
22002238	518 RICHARDS		1/12/22 6:04	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22002261	518 RICHARDS		1/12/22 9:09	Medical	Medical - Breathing problem - abnormal breathing											0	0	50		
22002370	518 RICHARDS		1/12/22 21:35	Medical	Medical - Overdose / poisoning											0	0	50		
22002473	518 RICHARDS		1/13/22 11:38	Medical	Medical - Overdose / poisoning											0	0	50		
22002888	518 RICHARDS		1/15/22 18:12	Medical	Medical - Overdose / poisoning											0	0	50		
22003083	518 RICHARDS		1/16/22 22:40	Medical	Medical - Overdose / poisoning											0	0	50		
22003432	518 RICHARDS		1/18/22 20:42	Medical	Medical - Unconscious / fainting											0	0	50		
22003472	518 RICHARDS		1/19/22 2:46	Other	Response - Cancelled - On Scene											0	0	50		
22003488	518 RICHARDS		1/19/22 4:41	Medical	Medical - Overdose / poisoning											0	0	50		
22003555	518 RICHARDS		1/19/22 12:37	Medical	Medical - Overdose / poisoning											0	0	50		
22003705	518 RICHARDS		1/20/22 4:05	Medical	Medical - Unconscious / fainting											0	0	50		
22003968	518 RICHARDS		1/21/22 10:04	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
23004049	518 RICHARDS		1/21/22 18:03	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22004457	518 RICHARDS		1/24/22 1:53	Other	Alarm Active/No Fire - Pull Station											0	0	50		
22004520	518 RICHARDS		1/24/22 11:15	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22004695	518 RICHARDS		1/25/22 11:57	Medical	Medical - Allergy / sting											0	0	50		
22004835	518 RICHARDS		1/26/22 3:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22004961	518 RICHARDS		1/26/22 19:04	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22004968	518 RICHARDS		1/26/22 19:49	Other	Alarm Active/No Fire - Unclassified(remarks req)											0	0	50		
22005072	518 RICHARDS		1/27/22 11:33	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22005559	518 RICHARDS		1/30/22 1:46	Medical	Medical - Chest pain											0	0	50		
22005683	518 RICHARDS		1/31/22 0:01	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22005801	518 RICHARDS		1/31/22 17:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22005947	518 RICHARDS		2/1/22 13:55	Other	Alarm Active/No Fire - Pull Station											0	0	50		
22006088	518 RICHARDS		2/2/22 9:44	Medical	Medical - Overdose / poisoning											0	0	50		
22006246	518 RICHARDS		2/3/22 4:29	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22006401	518 RICHARDS		2/4/22 1:29	Medical	Medical - Overdose / poisoning											0	0	50		
22006521	518 RICHARDS		2/4/22 19:08	Other	Public Service - Non-Medical Lift Assist											0	0	50		
22006561	518 RICHARDS		2/4/22 22:32	Other	Response - Cancelled - On Scene											0	0	50		
22006745	518 RICHARDS		2/6/22 1:06	Medical	Medical - Sick person											0	0	50		
22006816	518 RICHARDS		2/6/22 13:10	Medical	Medical - Chest pain											0	0	50		
22007015	518 RICHARDS		2/8/22 0:34	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22007571	518 RICHARDS		2/11/22 5:36	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22007576	518 RICHARDS		2/11/22 6:20	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22007725	518 RICHARDS		2/12/22 0:04	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22008014	518 RICHARDS		2/13/22 16:40	Other	Alarm Active/No Fire - Detector - Cooking											0	0	50		
22008116	518 RICHARDS		2/14/22 9:01	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22008379	518 RICHARDS		2/15/22 22:37	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22008692	518 RICHARDS		2/17/22 15:36	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22008994	518 RICHARDS		2/19/22 4:21	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22009002	518 RICHARDS		2/19/22 5:29	Other	Response - Cancelled - On Scene											0	0	50		
22009035	518 RICHARDS		2/19/22 10:32	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		
22009080	518 RICHARDS		2/19/22 18:01	Medical	Medical - Overdose / poisoning											0	0	50		
22009296	518 RICHARDS		2/20/22 20:18	Medical	Medical - Overdose / poisoning											0	0	50		
22009802	518 RICHARDS		2/23/22 22:31	Other	Alarm Active/No Fire - Detector - Cigarette Smoke											0	0	50		

220052379	S18 RICHARDS		10/19/22 6:01	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220052468	S18 RICHARDS		10/19/22 17:41	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220052717	S18 RICHARDS		10/21/22 4:24	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220052803	S18 RICHARDS		10/21/22 15:40	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053046	S18 RICHARDS		10/23/22 5:21	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053113	S18 RICHARDS		10/23/22 15:59	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053179	S18 RICHARDS		10/24/22 5:29	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053182	S18 RICHARDS		10/24/22 6:27	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053231	S18 RICHARDS		10/24/22 13:45	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053286	S18 RICHARDS		10/24/22 20:19	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053292	S18 RICHARDS		10/24/22 21:17	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053295	S18 RICHARDS		10/24/22 21:41	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053310	S18 RICHARDS		10/25/22 0:39	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053333	S18 RICHARDS		10/25/22 6:37	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053338	S18 RICHARDS		10/25/22 7:16	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053364	S18 RICHARDS		10/25/22 10:48	Other	Response - Unfounded - No Incident Found													0	0	50
220053372	S18 RICHARDS		10/25/22 11:37	Medical	Medical - Overdose / poisoning													0	0	50
220053383	S18 RICHARDS		10/25/22 13:00	Other	Alarm Active/No Fire - Detector - Other													0	0	50
220053399	S18 RICHARDS		10/25/22 15:42	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053435	S18 RICHARDS		10/25/22 19:55	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053463	S18 RICHARDS		10/26/22 0:29	Other	Alarm Active/No Fire - Detector - Other													0	0	50
220053497	S18 RICHARDS		10/26/22 8:58	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053538	S18 RICHARDS		10/26/22 12:33	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220053539	S18 RICHARDS		10/26/22 12:51	Other	Alarm Active/No Fire - Detector - Other													0	0	50
220053593	S18 RICHARDS		10/26/22 16:59	Medical	Medical - Sick person													0	0	50
220053951	S18 RICHARDS		10/26/22 11:59	Other	Alarm Active/No Fire - Detector - Cooking													0	0	50
220054036	S18 RICHARDS		10/28/22 21:22	Medical	Medical - Chest pain													0	0	50
220054042	S18 RICHARDS		10/28/22 21:55	Other	Alarm Active/No Fire - Detector - Other													0	0	50
220054099	S18 RICHARDS		10/29/22 2:59	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220054116	S18 RICHARDS		10/29/22 5:18	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220054307	S18 RICHARDS		10/30/22 4:05	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220054309	S18 RICHARDS		10/30/22 4:40	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220054412	S18 RICHARDS		10/30/22 20:15	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220054673	S18 RICHARDS		11/1/22 10:38	Medical	Medical - Sick person													0	0	50
220054728	S18 RICHARDS	Steele	11/1/22 17:50	Fire	FIRE - Fire Department Responded Reportable - 1000	Structure	RESIDENTIAL USE	3300 Hotel, motel, lodge, hostel, boarding house, dormitory	3410 Hotel, inn, lodge - year round use	1000 Alarm activated - assisted occupant(s) in evacuating	7000 No sprinkler protection	6000 4th to 12th storey (inclusive) or over 9m to 36m (30ft to 120ft) above grade	1010 Hallway, corridor	7220 "Open" Flame - Lighter - not used in conjunction with smoking	2000 Smoke detector device	1240 Suspicious - Suspect not identified	3000 Extinguished by fire department	0	0	50
220054816	S18 RICHARDS		11/2/22 3:39	Other	Alarm Active/No Fire - Pull Station													0	0	50
220055388	S18 RICHARDS		11/5/22 4:22	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055554	S18 RICHARDS		11/5/22 22:45	Medical	Medical - Overdose / poisoning													0	0	50
220055661	S18 RICHARDS		11/6/22 12:13	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055706	S18 RICHARDS		11/6/22 17:50	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055772	S18 RICHARDS		11/7/22 2:08	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055947	S18 RICHARDS		11/8/22 2:54	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055963	S18 RICHARDS	Steele	11/8/22 7:58	Fire	FIRE - Fire Department Responded Reportable - 1000	Structure	RESIDENTIAL USE	3300 Hotel, motel, lodge, hostel, boarding house, dormitory	3105 Residential - 3 or more persons in care (2 or less persons in care should be coded as 3110 - 3)	5000 Alarm activated - occupant action unknown	7000 No sprinkler protection	6000 4th to 12th storey (inclusive) or over 9m to 36m (30ft to 120ft) above grade	2100 Sleeping - under 5 occupants (includes patients room, bedroom, cell, lockup)	7110 Smoker's material - cigarette	2000 Smoke detector device	7700 Ignorance of hazard (Note: if illegal operations, classify as 9950)	3000 Extinguished by fire department	0	0	50
220055978	S18 RICHARDS		11/8/22 9:59	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220055982	S18 RICHARDS		11/8/22 10:22	Other	Response - Unfounded - No Incident Found													0	0	50
220056289	S18 RICHARDS		11/10/22 0:39	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056291	S18 RICHARDS		11/10/22 1:03	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056297	S18 RICHARDS		11/10/22 3:24	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056423	S18 RICHARDS		11/10/22 21:34	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056479	S18 RICHARDS		11/11/22 4:42	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056741	S18 RICHARDS		11/12/22 19:07	Other	Alarm Active/No Fire - Detector - Cigarette Smoke													0	0	50
220056847	S18 RICHARDS		11/13/22 10:20	Medical	Medical - Overdose / poisoning													0	0	50

220056971	S18 RICHARDS		11/14/22 2:06	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																0	0	50							
220056987	S18 RICHARDS		11/14/22 5:19	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220057119	S18 RICHARDS		11/14/22 22:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220057151	S18 RICHARDS		11/15/22 2:46	Other	Alarm Active/No Fire - Detector - Cooking																	0	0	50						
220057285	S18 RICHARDS		11/15/22 18:17	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220057293	S18 RICHARDS		11/15/22 19:46	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220057492	S18 RICHARDS		11/17/22 5:02	Other	Alarm Active/No Fire - Detector - Cooking																	0	0	50						
220057628	S18 RICHARDS		11/17/22 22:08	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220057766	S18 RICHARDS		11/18/22 21:20	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058039	S18 RICHARDS		11/20/22 5:52	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058048	S18 RICHARDS		11/20/22 7:14	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058062	S18 RICHARDS		11/20/22 10:12	Other	Alarm Active/No Fire - Detector - Cooking																	0	0	50						
220058139	S18 RICHARDS		11/20/22 20:50	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058159	S18 RICHARDS		11/20/22 23:15	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058329	S18 RICHARDS		11/22/22 1:14	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058431	S18 RICHARDS		11/22/22 19:11	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058435	S18 RICHARDS		11/22/22 19:53	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058535	S18 RICHARDS	Steele	11/23/22 11:58	Fire	FIRE - Fire Department Responded Reportable 1000	Structure	RESIDENTIAL USE	3300	Hotel, motel, lodge, hostel, boarding house, dormitory	3390	Rooming, boarding, lodging house - unclassified (describe)	5000	Alarm activated - occupant action unknown	3000	Complete sprinkler protection - unsupervised, local alarms only	5000	3rd storey or over 6m to 9m (20ft to 30ft) above grade	2100	Sleeping - under 5 occupants (includes patients room, bedroom, cell, lockup)	1200	Other portable cooking unit (includes hot plate, camp stove)	2000	Smoke detector device	1190	Incendary Fire - Adult - 18 years of age and older	1000	Extinguished by other than fire department (e.g. occupant/witness/passers-by)	0	0	50
220058550	S18 RICHARDS		11/23/22 12:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058622	S18 RICHARDS		11/23/22 19:34	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058754	S18 RICHARDS		11/24/22 10:39	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220058839	S18 RICHARDS		11/24/22 17:46	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059058	S18 RICHARDS		11/25/22 18:54	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059088	S18 RICHARDS		11/25/22 21:25	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059096	S18 RICHARDS		11/25/22 22:17	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059155	S18 RICHARDS		11/26/22 6:50	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059176	S18 RICHARDS		11/26/22 10:14	Other	Alarm Active/No Fire - Detector - Cooking																	0	0	50						
220059213	S18 RICHARDS		11/26/22 14:21	Medical	Medical - Overdose / poisoning																	0	0	50						
220059273	S18 RICHARDS		11/26/22 21:32	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059413	S18 RICHARDS		11/27/22 13:21	Other	Alarm Active/No Fire - Detector - Other																	0	0	50						
220059552	S18 RICHARDS		11/28/22 11:58	Medical	Medical - Overdose / poisoning																	0	0	50						
220059834	S18 RICHARDS		11/29/22 20:23	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059855	S18 RICHARDS		11/29/22 21:19	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220059959	S18 RICHARDS		11/30/22 12:36	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060045	S18 RICHARDS		12/1/22 0:39	Other	Alarm Active/No Fire - Pull Station																	0	0	50						
220060049	S18 RICHARDS		12/1/22 1:00	Other	Alarm Active/No Fire - Detector - Other																	0	0	50						
220060109	S18 RICHARDS		12/1/22 10:23	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060244	S18 RICHARDS		12/2/22 3:19	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060267	S18 RICHARDS		12/2/22 7:53	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060668	S18 RICHARDS		12/4/22 15:22	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060713	S18 RICHARDS		12/4/22 21:07	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060721	S18 RICHARDS		12/4/22 22:36	Other	Alarm Active/No Fire - Detector - Other																	0	0	50						
220060724	S18 RICHARDS		12/4/22 23:18	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220060762	S18 RICHARDS		12/5/22 5:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220061050	S18 RICHARDS		12/6/22 18:28	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220061078	S18 RICHARDS		12/6/22 20:48	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220061388	S18 RICHARDS		12/8/22 17:23	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220061408	S18 RICHARDS		12/8/22 19:33	Other	Alarm Active/No Fire - Pull Station																	0	0	50						
220061651	S18 RICHARDS		12/10/22 5:49	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220061982	S18 RICHARDS		12/12/22 7:16	Other	Alarm Active/No Fire - Detector - Cigarette Smoke																	0	0	50						
220062089	S18 RICHARDS		12/12/22 19:45	Other	Alarm Active/No Fire - Pull Station																	0	0	50						
220062098	S18 RICHARDS		12/12/22 21:13	Other	Alarm Active/No Fire - Pull Station																	0	0	50						

220062148	S18 RICHARDS	12/13/22 8:22	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220062200	S18 RICHARDS	12/13/22 14:55	Other	Alarm Active/No Fire - Pull Station	-	-	-	-	-	-	-	-	-	-	0	0	50
220062216	S18 RICHARDS	12/13/22 16:47	Other	Alarm Active/No Fire - Pull Station	-	-	-	-	-	-	-	-	-	-	0	0	50
220062383	S18 RICHARDS	12/14/22 15:25	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220062435	S18 RICHARDS	12/14/22 21:26	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220062556	S18 RICHARDS	12/15/22 14:17	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220062597	S18 RICHARDS	12/15/22 19:11	Other	Alarm Active/No Fire - Detector - Other	-	-	-	-	-	-	-	-	-	-	0	0	50
220062651	S18 RICHARDS	12/16/22 1:49	Other	Alarm Active/No Fire - Detector - Cooking	-	-	-	-	-	-	-	-	-	-	0	0	50
220062935	S18 RICHARDS	12/17/22 15:42	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063069	S18 RICHARDS	12/18/22 9:35	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063192	S18 RICHARDS	12/19/22 1:55	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063203	S18 RICHARDS	12/19/22 4:21	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063272	S18 RICHARDS	12/19/22 14:11	Other	Alarm Active/No Fire - Detector - Cooking	-	-	-	-	-	-	-	-	-	-	0	0	50
220063305	S18 RICHARDS	12/19/22 17:30	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063389	S18 RICHARDS	12/20/22 5:15	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063394	S18 RICHARDS	12/20/22 6:40	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220063468	S18 RICHARDS	12/20/22 13:32	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063568	S18 RICHARDS	12/21/22 0:50	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063589	S18 RICHARDS	12/21/22 4:37	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220063682	S18 RICHARDS	12/21/22 16:39	Medical	Medical - Chest pain	-	-	-	-	-	-	-	-	-	-	0	0	50
220063719	S18 RICHARDS	12/21/22 19:49	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220063739	S18 RICHARDS	12/21/22 21:17	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220063897	S18 RICHARDS	12/22/22 13:50	Medical	Medical - Chest pain	-	-	-	-	-	-	-	-	-	-	0	0	50
220064209	S18 RICHARDS	12/23/22 18:09	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220064354	S18 RICHARDS	12/24/22 3:09	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220064677	S18 RICHARDS	12/25/22 2:27	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220064875	S18 RICHARDS	12/26/22 1:21	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220064917	S18 RICHARDS	12/26/22 8:12	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220064961	S18 RICHARDS	12/26/22 13:41	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220065004	S18 RICHARDS	12/26/22 17:41	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220065335	S18 RICHARDS	12/28/22 19:35	Medical	Medical - Overdose / poisoning	-	-	-	-	-	-	-	-	-	-	0	0	50
220065435	S18 RICHARDS	12/29/22 11:15	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220065487	S18 RICHARDS	12/29/22 17:52	Other	Alarm Active/No Fire - Detector - Cigarette Smoke	-	-	-	-	-	-	-	-	-	-	0	0	50
220065639	S18 RICHARDS	12/30/22 16:54	Other	Alarm Active/No Fire - Detector - Cooking	Structure	RESIDENTIAL USE	3200 Residential - apartment	3240 Apartment, townhouse - 5 to 20 units without business	4000 Alarm activated - unnecessary to evacuate or unoccupied	-	-	-	-	-	0	0	50
Totals															0	0	51,200