

File No.: 04-1000-20-2023-393

July 13, 2023

s.22(1)

Dear s.22(1)

**Re: Request for Access to Records under the Freedom of Information and Protection of Privacy Act (the "Act")**

I am responding to your request of July 5, 2023 under the *Freedom of Information and Protection of Privacy Act* for:

**Datasets of all PFAS testing conducted in the City of Vancouver, specifically information on which locations were tested for the presence of PFAS and the results of those tests. Date range: January 1, 2018 to July 4, 2023.**

We have completed the search for responsive records for this request and no responsive records have been located. Searches were conducted with the following work groups: Vancouver Fire & Rescue Services, Real Estate, Environment & Facilities Management – Environmental Services and Civic Facilities Management & Operations – Building Maintenance, and with the Deputy General Manager of Planning, Urban Design and Sustainability – Sustainability Group.

Under section 52 of the Act, and within 30 business days of receipt of this letter, you may ask the Information & Privacy Commissioner to review any matter related to the City's response to your FOI request by writing to: Office of the Information & Privacy Commissioner, [info@oipc.bc.ca](mailto:info@oipc.bc.ca) or by phoning 250-387-5629.

If you request a review, please provide the Commissioner's office with: 1) the request number (#04-1000-20-2023-393); 2) a copy of this letter; 3) a copy of your original request; and 4) detailed reasons why you are seeking the review.

Yours truly,

Kevin Tuerlings, FOI Case Manager, for

*[Signed by Kevin Tuerlings]*

**Cobi Falconer, MAS, MLIS, CIPP/C**  
**Director, Access to Information & Privacy**  
[cobi.falconer@vancouver.ca](mailto:cobi.falconer@vancouver.ca)  
453 W. 12th Avenue Vancouver BC V5Y 1V4

If you have any questions, please email us at [foi@vancouver.ca](mailto:foi@vancouver.ca) and we will respond to you as soon as possible. Alternatively, you can call the FOI Case Manager at 604-871-6584.

:ag