

NOTE:

1. GRADE ALL AREAS 1.5% - 2% SLOPE TOWARDS THE CATCH BASIN.
2. SURFACE OF EXCAVATED AREA TO BE RESODDED NOT SEEDED.
3. SIZING OF CATCH BASIN TO BE VERIFIED BY PROJECT REQUIREMENTS.
4. CATCH BASIN TO BE COVERED WITH METAL HEEL PROOF GRATE.



DRAWING
CATCH BASIN - FLAT WITH
CLOSED BOTTOM

DATE
JUNE-2022


REV

SCALE
1:20

NOTES

SHEET

6-01-1



NOTE:

1. GRADE ALL AREAS 1.5% - 2% SLOPE TOWARDS THE CATCHBASIN
2. SURFACE OF EXCAVATED AREA TO BE RESODDED NOT SEEDED
3. SIZING OF CATCH BASIN TO BE VERIFIED BY PROJECT REQUIREMENTS.
4. CATCH BASIN TO BE COVERED WITH METAL HEEL PROOF GRATE.



DRAWING
CATCH BASIN - FLAT WITH
OPEN BOTTOM

DATE
JUNE-2022


REV

SCALE
1:20

NOTES

SHEET

6-01-2



NOTE:

1. ALL TRENCHES TO BE MINIMUM OF 600mm AWAY FROM FROM HARDSCAPE



DRAWING
DRAINAGE CLEANOUT IN LAWN

DATE
JUNE-2022


REV

SCALE
1:10

NOTES

SHEET

6-02



NOTE:

1. SPECIFICATIONS TO BE VERIFIED BY PROJECT REQUIREMENTS.



DRAWING
DRAINAGE PERFORATED

DATE
JUNE-2022


REV

SCALE
1:10

NOTES

SHEET

6-03



NOTES:

1. RESERVOIR MUST BE PROPERLY SIZED BASED ON THE GEOTECHNICAL INVESTIGATION AND INFILTRATION VOLUME.
2. DEPTH AND REQUIREMENTS TO BE PROVIDED BY CIVIL ENGINEER.



DRAWING
INFILTRATION TRENCH
WITH GRASS

DATE
JUNE-2022

REV

SCALE
1:10

NOTES

SHEET

6-04