



NOTES:

1. ONLY PRUNE BROKEN OR DAMAGED BRANCHES USING APPROVED PRUNING TOOLS AND STANDARD I.S.A. PRUNING PRACTICES AS DIRECTED BY CONSULTANT OR PROJECT ARBORIST. SEE SPECIFICATIONS. ANY PRUNING NEED TO ENSURE A CENTRAL LEADER.
2. PLANTING PIT MUST BE FREE DRAINING.



NOTES:

1. TREE TO BE PLANTED WITH ELEVATION OF TOP OF ROOTBALL LEVEL WITH FINISH GRADE ELEVATION.
2. COMPOSTED BARK MULCH TO BE KEPT AT LEAST 100mm AWAY FROM BASE OF TREE TRUNK.
3. ONLY PRUNE BROKEN OR DAMAGED BRANCHES USING APPROVED PRUNING TOOLS AND STANDARD I.S.A. PRUNING PRACTICES AS DIRECTED BY CONSULTANT OR PROJECT ARBORIST. SEE SPECIFICATIONS. ANY PRUNING NEEDS TO ENSURE A CENTRAL LEADER.
4. PLANTING PIT MUST BE FREE DRAINING.



NOTES:

1. SHRUB TO BE PLANTED WITH ELEVATION OF TOP OF ROOTBALL OR POT LEVEL WITH FINISH GRADE OF GROWING MEDIUM.
2. COMPOSTED BARK MULCH AT 50mm DEPTH TO BE KEPT AT LEAST 50mm AWAY FROM STEMS OF SHRUB.
3. PLANTING PIT MUST BE FREE DRAINING



DRAWING

SHRUB PLANTING

DATE

JUNE-2022

REV

SCALE


1:10

NOTES

.

SHEET

8-03



NOTES:

1. SHRUB TO BE PLANTED WITH TOP OF ROOTBALL LEVEL WITH FINISH GRADE
2. COMPOSTED BARK MULCH TO BE KEPT AT LEAST 50mm AWAY FROM STEMS
3. PRUNE ANY BROKEN OR DAMAGED BRANCHES USING APPROVED PRUNING TOOLS AND STANDARD I.S.A. PRUNING PRACTICES



DRAWING

SHRUB PLANTING ON SLOPE

DATE

JUNE-2022

REV

SCALE


1:5

NOTES

.

SHEET

8-04



NOTES:

1. PLANT TO BE PLANTED WITH TOP OF ROOTBALL LEVEL WITH FINISH GRADE.
2. COMPOSTED BARK MULCH TO BE KEPT AT LEAST 2" AWAY FROM STEMS.
3. PRUNE ANY BROKEN OR DAMAGED BRANCHES AND DOUBLE LEADERS USING APPROVED PRUNING TOOLS AND STANDARD I.S.A. PRUNING PRACTICES. SEE SPECIFICATIONS.
4. A REPRESENTATIVE AREA OF EACH PLANT SPECIES IS TO BE LAID OUT AND APPROVED BY OWNER'S REPRESENTATIVE PRIOR TO PLANTING



DRAWING
GROUND COVER PLANTING
AND LAYOUT

DATE
JUNE-2022


REV

SCALE
1:10

NOTES

SHEET

8-05



NOTE:

1. TREE PROTECTION BARRIERS MUST BE AT LEAST 1.20M IN HEIGHT AND CONSTRUCTED OF EITHER, SNOW FENCING SECURELY FASTENED TO 2x4 TIMBER STAKES OR METAL STAKES, SPACED NO FURTHER THAN 1.00M APART.
2. INSTALL AT THE CRITICAL ROOT ZONE OR DESIGNATED LIMIT OF DISTURBANCE OF THE TREE TO BE SAVED, AS SHOWN ON PLANS AND/OR ARBORIST REPORT, AND SHALL COMPLETELY ENCIRCLE TREE(S).
3. TREE PROTECTION FENCING TO BE INSTALLED PRIOR TO ANY LAND DISTURBANCE ON SITE.
4. FENCING SHALL NOT BE MOVED OR REMOVED UNLESS APPROVED BY THE VPB ARBORIST.
5. NO STOCKPILING OF MATERIALS, VEHICULAR TRAFFIC OR STORAGE OF EQUIPMENT OR MACHINERY SHALL BE ALLOWED UNLESS APPROVED BY THE VPB ARBORIST.
6. WORK WITHIN PROTECTION FENCE SHALL BE DONE MANUALLY UNDER THE SUPERVISION OF THE VPB ARBORIST AND WITH PRIOR APPROVAL.
7. WHERE SOME EXCAVATE OR FILL HAS TO BE TEMPORARILY LOCATED NEAR A TREE PROTECTION BARRIER, PLYWOOD MUST BE USED TO ENSURE NO MATERIAL ENTERS THE TREE PROTECTION ZONE.
8. FENCING MUST REMAIN THROUGH THE DURATION OF ALL CONSTRUCTION ACTIVITIES. REMOVAL OR RELOCATION OF FENCING FOR TEMPORARY ACCESS MUST BE REPLACED DAILY AND IMMEDIATELY UPON COMPLETION OF WORK REQUIRING ACCESS.



DRAWING
TREE PROTECTION BARRIER
FENCING

DATE
JUNE-2022

REV

SCALE
1:25

NOTES

SHEET

8-06